

Ahoy!

\$2.50/ CAN. \$3.00 DEC. 1985

...SPECIAL HARDWARE REVIEW ISSUE!...



SPEECH SYNTHESIS

ON THE
VIC
AND
64

THE YEAR'S 25 BEST GAMES

PLUS 5 GAME REVIEWS



THE IBM CONNECTION

ONE
GREAT
MIND
MEETS
ANOTHER!

GAME PROGRAMS

- JEWEL QUEST
- SANTA'S BUSY DAY
- PLUS
- GAMELOADER

UTILITY PROGRAMS

- FILE ENCRYPTOR
- DIRECTORY MANIPULATOR
- LINEOUT
- AND MORE FEATURES...END

STEAL AWAY
ON THE
**GYPSY
STARSHIP**
EXOTIC OUTER
SPACE ADVENTURE!

PLUS:

**SPECIAL IEEE-488
REVIEW SECTION**

**A TOUR OF COMPUSERVE'S
INFORMATION NETWORK**

**PROGRAMMING JOYSTICKS
IN MACHINE LANGUAGE**



12



(EEEE-YAH!!!)

*You are the star of a Martial Arts movie so real,
you'll feel it like a kick in the ribs.*

KARATEKA, you have learned well the disciplines of karate...but now it is time to put your skills to the test. Your village has been ransacked, your friends and family scattered to the winds, your bride-to-be, Princess Mariko, kidnapped and cruelly imprisoned by the evil warlord Akuma. If you ever hope to see her again, Karateka, you know what you must do.

Scale the mighty cliffs that lead to Akuma's fortress. There, you

will encounter the first of many palace guards. Kick! Thrust!

Parry! At every turn you will face yet another warrior, each stronger

than the last.

Finally, Karateka, you will come face-to-face with Akuma himself. Here your fate will be decided. Either eternal happiness or instant death. THE MAKING OF KARATEKA.




"Karateka" designer Jordan Mechner is a karate enthusiast and a stickler

for realism. He used film clips of karate masters as a guide for the moves used in the game.

The carefully detailed, animated figures perform all the moves of real martial arts combat with stunning realism.

Beautiful scrolling hi-res backgrounds, an intricate story line and

fast-paced karate action make "Karateka" a great way to get your kicks.




Broderbund®

Ahoy!

CONTENTS

DEPARTMENTS

A View from the Bridge... <i>of the December issue of Ahoy!</i>	7
Scuttlebutt... <i>and the Commodore hits keep coming!</i>	9
Art Gallery... <i>seasonal offerings from Ahoy!'s reader-artists.</i>	72
Reviews... <i>special section on making the IEEE-488 connection.</i>	79
Flotsam... <i>comments, criticisms, and information from readers.</i>	106
Commodores... <i>computational conundrums only for the daring!</i>	101
Tips Ahoy!... <i>maybe one of these helpful hints is yours!</i>	109
Errata... <i>irony of ironies—an error in Disk Error Checker.</i>	118
Program Listings... <i>ready-to-type games and utilities.</i>	119

FEATURES

Gypsy Starship <i>by Orson Scott Card*</i>	18
Speech Synthesizers for Commodore Computers <i>by Morton Kevelson</i>	33
Entertainment Software Section: The Year's 25 Best	47
The IBM Connection <i>by Dale Rupert**</i>	61
Commodore Roots: Hi-Res Graphics, Part 2 <i>by Mark Andrews***</i>	91
Cadet's Column: A Tour of CompuServe <i>by Cheryl Peterson</i>	95

*Includes program: *Gypsy Starship* (for the C-64)

**Includes programs: COMMTX, COMMRX, COMMHS, and COMMHILO (for the VIC and 64)

***Includes programs: BLACKBOARD.S and SKETCHER for the C-64

PROGRAMS

Jewel Quest for the C-64 <i>by Bob Blackmer</i>	17
Lineout for the C-64 <i>by Buck Childress</i>	90
Gameload for the C-64 <i>by Tim Brown</i>	107
Cloak for the VIC 20 and C-64 <i>by Melvin Baker</i>	108
Directory Manipulator for the C-64 <i>by Bob Ossentjuk</i>	113
Santa's Busy Day for the C-64 <i>by George Trepal</i>	118
Bug Repellents for the VIC & 64 <i>by Kleinert and Barron</i>	120
Flankspeed for the C-64 <i>by Gordon F. Wheat</i>	120

Cover art by James Regan; art inside screens by Tom Cushwa; photography by Morton Kevelson

Publisher
Michael Schneider

Editor
David Allikas

Managing Editor
Michael Davila

Senior Editor
Tim Moriarty

Technical Editors
David Barron
Bob Lloret

Consulting Editors
Ben Bova
Morton Kevelson
Dale Rupert

Entertainment Editor
Arnie Katz

Art Director
JoAnn Case

Production Director
Melissa Held

Art Production
Christopher Carter
Mark Kammerer
Victoria Green

Bulletin Board SYSOP
B.W. Behling

Circulation Director
W. Charles Squires

Advertising Director
Lynne Dominick

Director of Promotion
Joyce K. Fuchs

Controller
Dan Tunick

Managing Director
Richard Stevens

Advertising Representative
JE Publishers' Representative
6855 Santa Monica Blvd., Suite 200
Los Angeles, CA 90038
(213)467-2266
Boston (617)437-7628
Dallas (214)660-2253
New York (212)724-7767
Chicago (312)445-2489
Denver (303)595-4331
San Francisco (415)864-3252

ISSUE NO. 24 DECEMBER 1985

Ahoy! (#8750-4383) is published monthly by Ion International Inc., 45 W. 34th St., Suite 407, New York, NY, 10001. Subscription rate: 12 issues for \$19.95, 24 issues for \$37.95 (Canada \$26.95 and \$49.95 respectively). Second class postage paid at New York, NY 10001 and additional mailing offices. © 1985 by Ion International Inc. All rights reserved. © under Universal International and Pan American Copyright conventions. Reproduction of editorial or pictorial content in any manner is prohibited. No responsibility can be accepted for unsolicited material. Postmaster, send address changes to Ahoy!, 45 W. 34th Street, Suite 407, New York, NY 10001. Direct all address changes or matters concerning your subscription to Ahoy!, P.O. Box #341, Mt. Morris, IL 61054. All editorial inquiries and software and hardware to be reviewed should be sent to Ahoy!, 45 W. 34th St., Suite 407, New York, NY 10001.



Centers of America Mail Order Ltd.

Christmas Gift **Giving at Distributor** **LOW, LOW PRICES!**



Computers • Printers • Monitors • Compact Discs • Robots • Modems

Computer Centers of America has it all...and much, much more at distributor's low, low discount prices! Why pay more when you can buy & save! Check out these prices!

WE'RE PROUD OF OUR PRICES - SATISFACTION GUARANTEED

Check, Money Order, MC or Visa accepted / No additional charge for MasterCard and Visa / Call for shipping and handling information / NYS residents add applicable sales tax / Prices and availability are subject to change without notice / All factory fresh merchandise with manufacturer's warranty. Dealers Welcome. Call for recent price reductions and new rebate information. Plus shipping and handling. No returns without return authorization number.

IN NEW YORK STATE CALL TOLL FREE

1-800-631-1003

1-800-221-2760
OR 516-349-1020

1-800-548-0009

Or Write: Computer Centers of America, 81 Terminal Drive, Plainview, NY 11803

commodore PERSONAL COMPUTERS

NEW! Commodore 128 Personal Computer	Call For Price
1571 Disc Drive	149.95
1901 RGB Monitor	Call For Price
NEW! 141M Monitor	149.95
1702 Monitor	174.95
Commodore 64 Computer	119.95
1541 Disc Drive	169.95

PRINTERS

Cardco LQ/3 Daisy Wheel Printer	Letter Quality Printer with Built-in Interface. Free Cardco Mail Now. Spell Now. Write Now Included	199.95
Gemini SG 10		209.95
Gemini SG 15		359.95
Gemini SG 10C with Built-in Commodore Interface	Call	
New! Gemini SR 10115	Call	
New! Gemini SB 10	Call	
Silver Reed 400		249.95
Panasonic 1091	Call	

Same As Silver Reed 400

MONITORS

Sharp 13" Color Composite Monitor 13M31U	124.95
BMC Color	149.95
Pan 1300 RGB & Comp.	289.95
Sharp Green	64.95
Sharp Amber	69.95

DISC DRIVES

CCA Exclusive - New for Commodore!	
Enhancer 2000 Disc Drive	
Faster than Commodore 1541, Commodore Compatible. 2 Yr. Extended Warranty	164.95
Single Drive	179.95
Indus GT Disc Drive	249.95

TOMY ROBOTS

Unleash the Power of Your Computer Directly Into the Tomy Robots
Includes: •Computer, Interface, and Disk •Create, Edit, Save, Retrieve and Mix Your Programs •For Tomy Omnibot, Omnibot 2000 and Verbot All on the Same Disk

Call for Price

Interfaces

Telesys Turboprint GT	
Prints Enhanced Graphics	59.95
Cardco G+	Call
Microworld	Call
PPI	44.95

Discs

20 Memorex SS/DD w/Storage Case	24 ⁹⁵ *
---------------------------------	--------------------

*After Rebate

Diskettes

Nashua	8.95
Scotch	9.95
Maxell	11.95
Memorex	8.95*
BASF	8.95

*After 13 Rebate

Modems

Mighty Mo	64.95
Commodore 1660	79.95
Total Telecommunications	Call

Wico Joysticks

The Boss	12.88
The Bat	14.88
3-Way	19.88

CCA GOES VIDEO TAPE CRAZY FOR CHRISTMAS

T-120's - TDK, maxell

SONY **\$499** EA. Minimum 6

HOLIDAY SOFTWARE SPECIALS AT UNREAL PRICES

Software Special # 1

Datsoft

\$599

LIMITED
SUPPLY

BRUCE LEE, DIG DUG,
PAC MAN, POLE POSITION

Software Special # 2

ACTIVISION
HOME COMPUTER SOFTWARE

\$777

Decathlon
Pitfall I or II
Zone Ranger
Space Shuttle
Master of the Lamp
Star League Baseball
On Field Football
On Court Tennis
H.E.R.O.

Software Special # 3

ACTIVISION
HOME COMPUTER SOFTWARE

\$1488

New! Fast Trax
New! Pet Person
New! Hacker
New! Alcazar
New! Countdown to Shutdown

Software Special # 4

EPYX

\$1999

Fastload
Wintergames
Hot Wheels
Temple of Apshai
Trilogy
Jet Combat
Simulator
G.I. Joe
Summer Games I or II
Barbie
Hot Wheels
Baseball

Software Special # 5

ACTIVISION
HOME COMPUTER SOFTWARE

GHOSTBUSTERS
888

Penguin Software

Quest	19.99
Transylvania	19.99
Sword of Kadosh	19.99
Xyphus	19.99
Graphics Magician Picture Painter	21.99

Professional Software

Fleet System 2 - Word Processor
with built-in 70,000 Word Spell Check 59.95

CBS Software

Dr. Seuss Fix up The Mix-up Puzzler	19.99
Sesame Street Letter-Go-Round	19.99
Big Bird's Fun House	19.99
The Sea Voyager	24.99
Weather Tamers	12.99
Movie Musical Madness	9.99
Success w/Decimals (Add/Subt) D-T	14.99
Success w/Decimals (Mult/Div) D-T	14.99
Success w/Fractions (Add/Subt) D-T	14.99
Success w/Fractions (Mult/Div) D-T	14.99
Ducks Ahoy	23.99
Ernie's Magic Shapes	23.99
Murder by the Dozen	23.99
Astro-Grover	24.99

Access Software

Neutral Zone D-T	20.95
Spritmaster D-T	20.95
Beachhead D-T	20.95
Master Composer-D	23.95

Commodore Software

Assembler D	27.95
Easy Finance I, II, III, IV-D	19.95
Easy Calc-D	64.95
Easy Script-D	39.95
Easy Spell-D	19.95
Logo-D	49.95
The Manager-D	37.95
General Ledger	37.95
Accts. Rec.-D	37.95
Accts. Pay-D	37.95
Magic Desk-D	52.95
Silent Butler	24.95
Sky Travel	27.00

SPECIAL HOLIDAY HARDWARE PACKAGES FOR COMMODORE USERS

WOW

Commodore 64
Commodore 1541
Disc Drive
Commodore 803
Printer

\$369.95

TO SUBSTITUTE A COLOR MONITOR
FOR THE 803 PRINTER PLEASE ADD \$40

COMPACT DISCS

CCA Now Has An Exclusive Line
of Compact Disc Players

ADC
Emerson
Sherwood
Magnavox
and Many More

Priced From

159.95

COMPUTER
Centers of America
Mail Order Ltd.

Call Toll Free:

1-800-631-1003

1-800-221-2760 (in N.Y.S.)

1-800-548-0009



2 MILLION AMERICANS ARE ABOUT TO BECOME 'DANGEROUS'

You could be one.

Play **Elite**—it's totally stunning.

Elite is Britain's 1985 Adventure Game of the Year, an interstellar mind-game with incredible 3D Vector-Graphic space flight simulation

Take command of your Cobra MK III combat craft, trade with alien cultures on over 2000 planets in eight galaxies. Pick your destination on the starmap, checking out the computer's 4-way viewscreen—and you're ready for your first jump thru hyperspace.


As a rookie you start with 'Harmless' status but with the right stuff and combat skills, you'll win ratings of 'Average' to 'Dangerous'—with your ultimate objective to become one of the **Elite**.

It's big, it's fast and it's here now for the **Commodore 64™** and **128™** complete with Manual, Novel, Control Guide, Ship Identification Chart, Keyboard Overlay and the opportunity as the US competition winner to get flown to London, England to try for the Elite World Championship.

It's so addictive it's been called "the Game of a Lifetime".

Elite.

Be dangerous.



P.O. BOX 49 RAMSEY
NEW JERSEY 07446 USA.

FIREBIRD HOTLINE ☎: 201 934 7373

**GOLD
EDITION**

VIEW FROM THE BRIDGE

It's hard to stay mad at us for long. Readers outraged by the absence of Morton Kvelson's popular hardware articles from our October and November issues will be more than appeased by the inclusion of two detailed hardware survey pieces in this issue—covering two of the most talked about categories in Commodore home computing!

In covering *Speech Synthesizers for the Commodore Computers*, Morton examines the theory behind generating voice-like sounds on a computer and looks in detail at five products useful in the process: Magic Voice, Voice Messenger-Speech 64, Voice Command Module, Voice Master, and Easy Speech 64. (Turn to page 33.) Next month he continues with Lis'Ner 1000, Hearsay, and ProVoice—plus detailed instructions on building your own speech synthesizer!

Morton has taken over our *Reviews* section for this month as well, with a look at three of the interfaces available for linking your C-64 to some of the high-powered IEEE-488 business peripherals now being sold at bargain basement prices. Also featured is the best-known of these peripherals, the \$199, one megabyte SFD-1001 Disk Drive. (Turn to page 79.)

In 1941, the year Joe DiMaggio hit in 56 consecutive games, Ted Williams' .406 batting average went relatively unnoticed. We hope the same won't happen with *Gypsy Starship*, sharing this issue with Morton the K's masterworks. It is nothing more than the finest feat of programming ever generated for *Ahoy!*'s readers by Orson Scott Card—and those who've followed *Creating Your Own Games* from the beginning know that that's saying quite a bit. The best part is, along with providing the complete game, Orson Scott teaches you how to do just as well on your own! (Turn to page 18.)

Who is better qualified to pick *The Year's Best Commodore Entertainment Software* than Arnie Katz? For years he presided over the awarding of *Electronic Games* magazine's Arkies, the videogame industry's highest honors. And this summer, he and I were the two individuals elected by the Electronic Industries Association to judge Commodore software for the June '85 CES Software Showcase. Read the picks of Arnie and the *Ahoy!* staff beginning on page 47...followed by reviews of *The Alpine Encounter*, *Countdown to Shutdown*, *Slap-Shot*, *Crusade in Europe*, and *Super Huey*.

Dale Rupert continues to lead us where no Commodore magazine has gone before—to the IBM PC! If you don't have one, don't worry—*The IBM Connection* actually deals with linking any two computers via their RS-232 ports. (Turn to page 61.)

Cheryl Peterson has managed to do it again with this month's *Cader's Column*—provide a feature geared to beginners that's just as relevant to the more advanced user. Join her on *A Tour of CompuServe's Commodore Information Network*. (Turn to page 95.)

Mark Andrews concludes his two-part *Commodore Roots* series on *High-Resolution Graphics*, providing the most detailed assembly language programs seen in his column to date. (Turn to page 91.)

We'll spare the hyperbole in our description of this issue's remaining programs. We don't have room for it—and besides, you know what to expect from *Ahoy!* in that department!

Cloak is a file encryption program for the C-64 or VIC 20.

(Turn to page 108.)

Gameload takes the work out of loading BASIC and ML games, and leaves only the fun. (Turn to page 107.)

Fun is just what you'll have playing *Jewel Quest* on your 64...unless Killough Bytes' robot sentries catch you in the process of making his priceless gem collection your own! (Turn to page 17.)

Santa's Busy Day is just what you need to keep the small children in your house quiet until Christmas morning. (Turn to page 118.)

Directory Manipulator generates eight helpful dictionary options controlled by the function keys. (Turn to page 113.)

Lineout provides an easy and disasterproof means of eliminating unwanted program lines. (Turn to page 90.)

This issue marks our completion of two years before the mast—24 straight months of bringing you the best package of Commodore goods we know how to put together. The fortunes of the home computer industry being what they are, we don't know if we—or Commodore—will be here in another 24. But we're going to plan on it, as we continue streamlining *Ahoy!* in the months ahead to most effectively serve our segment of the ever-changing Commodore market: the serious Commodore users on all levels.


—David Allikas

PROBLEM SOLVING SOFTWARE



DISK SLEUTH ORGANIZING SYSTEM

Catalogs the contents of up to 100 disks into one alphabetized master directory disk. Each entry contains full program info., including 40 characters of your personal comments. Master directory can be viewed, printed, or searched. Allows key files to group programs, MSD or 1541. \$24.95



ELECTRONIC CIRCUIT ANALYSIS

Two powerful programs to analyze the frequency and phase response of most any electronic circuit. Analyzes ladder circuits of up to 200 components, and user specified circuits of up to 40 components and 25 junctions. Resistors, capacitors, inductors, NPN and FET transistors, op-amps and transformers. \$29.95



ELECTRONIC CIRCUIT DESIGN

13 programs to design active and passive filters (22 types) and solve numerous electronic design problems including: resonance, Ohm's law, decibel conversions, attenuators, and more. \$19.95

CURVE FITTING

Fits your X,Y data to 20 different mathematical curve types and selects those which best fit the data. The curves can be used to make projections based on the data, and to express the data mathematically in programs. \$29.95

All programs available on disk only for the Commodore 64. Include \$2.00 postage per order. California residents add 6% sales tax.

Nth DIGIT SOLUTIONS

3243 Arlington Avenue, No. 195 Riverside, CA 92506

Reader Service No. 219

FOR COMMODORE 128 AND C-64 OWNERS ONLY:

This is just 1 of 15 pages of the newest and biggest Skyles catalog, hot off the press.

We know you'll want this page, in its full 8½ x 11 splendor, and another 14 pages of peripherals, software and books that will make your Commodore 128 or C-64 computer even nicer to live with.

So, if we missed sending you your very own copy within the last few weeks, call us at (800) 227-9998, unless you live in California, in which case call (415) 965-1735.

Reader Service No. 171

1541 FLASH!

The new Skyles Electric Works 1541 Flash! loads programs and files to your Commodore 64 three times faster than an unenhanced Commodore disk drive can. 1541 Flash! saves programs 20 to 50 percent faster. 1541 Flash! formats a diskette in 25 seconds, a real flash!

It's Permanent

It's Transparent

Best of all, the 1541 Flash! is transparent. Computer operations all remain unaffected as it speeds up every disk-related function. And there is nothing new to learn for the Flash! Once it's in, just watch it go. We have tested it on well over five hundred programs and it loads spectacularly fast.

It's Easy

Installation of the 1541 Flash! consists of plugging a small assembly inside the Commodore 64 and two small assemblies of Commodore 64s, no soldering is required. Assembly instructions include detailed pictures and drawings. And installation is—well, a flash.

It's Available

Call Skyles Electric Works to place your order or to get more info on the 1541 Flash! Hurry up, though. They may be gone before you know it.

1541 Flash! C-64/128/1541
1541 Flash! with diskswid
1541 Flash! for two drives
1541 Flash! SX-64 Flash!

\$109.95
\$99.95
\$99.00
\$139.95
\$99.95

FALL
SALE
79.95*
59.95*
69.95*
109.95*
69.95*

Storage Power to the People

It's the largest

Yes, the Skyles Electric Works interfaced Commodore SFD 1001 is the largest floppy disk drive available for the Commodore 64. How large? 1,058 million characters of storage. 6.22 times larger than the 1541 Disk Drive. Turn it on, format a diskette and the directory says 4133 blocks free! No, this is not an expensive hard disk, it is a 5¼ inch double sided, floppy disk drive. It is the same physical size, shape, color as the Commodore 1541 disk drive. It looks like a 1541, but it stores over 1 million characters of programs and data. Just think of it as 6.22 times larger.

It's the Fastest

Yes, the specially modified QUICKSILVER™ interface makes this fastest loading and saving floppy disk drive available for the Commodore 64. Over 6 times faster program and file loading than a 1541 disk drive. Twice as fast as a 1541 Flash! We made it this fast, because frankly, the advantages of a large disk memory almost disappear unless you have rapid access to the data. And at an amazingly low price!

It's the Least Expensive

Yes, on a price per character of storage basis, the SEW/SFD 1001 is the least expensive floppy disk drive available for the Commodore 64.

QUICKSILVER™

Is the fastest IEEE-488 interface available for the Commodore 64. How fast? As fast as the external IEEE-488 device will allow. For example, a program or file will load over six times faster from a Commodore 4040 or 8050 disk drive as compared to a 1541 disk drive. When used with printers speed is only limited by the printer.

QUICKSILVER™

QUICKSILVER™ is transparent. Almost all programs for the Commodore 64 are not going to load. Some programs protect the disk by various operations in the 1541 disk memory. These programs will not load on non-1541 disk drives. However, for most uses QUICKSILVER™ is very easy. Easy to plug into the cartridge port. Easy to plug additional cartridges into the built-in horizontal IEEE cable. Easy to select which device numbers you want QUICKSILVER™ to interface to. Easy to buy at an amazingly low price, from Skyles Electric Works or your favorite computer store.

QUICKSILVER, C-64 Cartridge

*There is an additional \$4.50 U.S. and Canada, \$15.00 Europe and Asia, shipping charge per order. California residents add sales tax.

FALL
SALE
\$129.95
\$99.95*



Skyles Electric Works
231E South Whisman Road
Mountain View, CA 94041
(415) 965-1735

From Skyles
Electric Works, the
oldest and largest
professional specialists in
the business.

SCUTTLEBUTT

**EXPERT SYSTEMS • RAM CARTRIDGE • 80-COLUMN ADAPTER • WINDOWS PROGRAM
• NEW COMPUSERVE, VIEWTRON BOARDS • DIGITIZER KIT • GAMES FROM INFOCOM,
EPYX • SPEAKERS FOR AMIGA • 6 VOICES ON C-64 • CRT HOLDER • DISK DRIVE
ALIGNMENT • COOKBOOKS • GREYHOUND PROGRAM • PRINTER STANDS**

DISK DRIVE ALIGNMENT

The *1541 Disk Drive Alignment Program* from CSM Software consists of two disks: one containing the necessary utilities, and one precisely copied alignment disk which will allow you to perform an accurate alignment of your 1541 disk drive without use of any electronic measuring instruments. You can adjust drive speed, head alignment, and track one end stop. Price is \$44.95 plus shipping.

CSM Software Inc., P.O. Box 563, Crown Point, IN 46307 (phone: 219-663-4335).

THE KEEPER

A cartridge that will retain 8192 bytes of memory even after you power down your C-64 or C-128, *The Keeper* will let you create autostart cartridges of your own programs as well as store programs for use upon power up. Unlike PROM programming systems, it utilizes virtual RAM that can be changed at will. Built-in software simplifies program storage. An in/out switch shuttles your program in and out of the computer's view. Price is \$49.95 plus \$3.00 shipping.

Marvco Electronics, 15702 S. Neibur Rd., Oregon City, OR 97045.

VIDEO DIGITIZER KIT

The package provides machine language software, plans, documentation, and a blank printed circuit board. You supply parts available at Radio Shack for about \$20.00, and roughly an evening's time. The result: a black and white video digitizer for use with an NTSC video input source such as a VCR or video camera.

The completed unit, powered by the C-64's I/O port, will digitize an eight gray level, 160 X 200 pixel im-

age in under three seconds. The included software allows keyboard control of gray scale selection (4, 6, or 8 levels). The digitizer permits control of brightness and contrast. An alternate dot pattern technique (dithering) is used to produce the 6 and 8 gray level display.

Price (for the software, plans, board) is \$39.95 plus \$2.00 shipping (specify disk or tape version).

Kinney Software, Dept. A, 121 N. Hampton Rd., Donnelsville, OH 45319 (phone: 513-882-6527).



*Store an 8K program in virtual RAM.
READER SERVICE NO. 226*

DISK DRIVE

The BCD/5.25 disk drive (\$179.00), compatible with "thousands" of Commodore programs, offers faster speed (by 25%) and more compact size (2.75" X 6.4" X 13", 6 pounds) than the 1541. As with most 1541 replacements, the compactness is largely thanks to the external power supply—as is the reduced tendency to overheat.

Blue Chip Electronics, Inc., Two West Alameda Drive, Tempe, AZ 85282 (phone: 602-829-7217).

WINDOWS

We thought windowing for Commodore programs was a neat idea when we presented Thomas Bunker's *Win-*

dows on the VIC and 64 program in the August '85 *Ahoy!* St. Mars Systems apparently agrees, having just released the *Windows* Screen Processor Utility (\$24.95). The program provides C-64 users with the capability of creating unlimited numbers of windows in their BASIC or assembly language programs. Supported are window color controls, move commands, independent scrolling, and cursor positioning routines. Included is a 12-page programming guide.

St. Mars Systems Inc., 1400 Clay Street, Winter Park, FL 32789 (phone: 305-657-2018).

NEW BANK OPENINGS

Broderbund has announced three additions to the *Bank Street* series for the C-64.

Compatible with the *Bank Street Writer*, the *Bank Street Speller* uses a 30,000+ word dictionary to find and highlight typing errors. Users can substitute "wildcard" characters for unknown or missing letters, and create personalized dictionaries by adding words of their own.

The *Bank Street Filer* will store, sort, retrieve, and print out customized reports. The database manager is supposedly easy enough for a child to use, but powerful enough to meet the requirements of adults, organizations, and small businesses.

The *Bank Street Mailer* comprises a letter-writing program (a special version of the *Bank Street Writer*) and a mailing list database with full mail/merge capabilities.

All three programs are scheduled for fall release, at \$49.95 each. One backup disk is included with each.

Broderbund Software, 17 Paul Drive, San Rafael, CA 94903-2101

(phone: 415-479-1170).

CADPAK ENHANCEMENTS

Abacus has enhanced its Cadpak graphic package with the addition of a dimensioning feature that allows exact scaled output to most printers, the ability to input from the keyboard as well as an optional light pen, and a more flexible object editor (used to create detailed figures or text). Additionally, the list price has been reduced to \$39.95.

Abacus Software, P.O. Box 7211, Grand Rapids, MI 49510 (phone: 616-241-5510).

NEW GAME RELEASES

In *A Mind Forever Voyaging* (\$44.95), Infocom's latest release for advanced players, you are a computer that has been raised as a human being. Government and industry leaders have drafted a plan to address a global crisis: you must enact a simulation of that plan, exploring its effects on the future. This is the first in Infocom's series of Interactive Fiction Plus titles, employing a new development system with expanded memory (making possible a working vocabulary of over 1700 words). As such, the game is only for computers with 128K, including the Commodore 128 and the Amiga.

Concluding the trilogy begun by *Enchanter*, *Spellbreaker* (for expert-level Infocomers) places you in the pointed hat of the leader of the Circle of Enchanters. The magic of your world—a world founded on sorcery—is failing, and you must discern and destroy the cause. This you accomplish by undertaking a journey to the foundation of the magic itself. For the C-64 and the Amiga; \$44.95.

Infocom, Inc., 125 CambridgePark Drive, Cambridge, MA 02140 (phone: 617-492-6000).

Based on Tolkien's classic, *The Hobbit* is an adventure that can be played with or without graphics (80 screen shots are included). Over 50 different action commands and over 900 words are understood by the program. Included are a copy of the novel, hint booklet, and a guide to Middle Earth. The Commodore 64 version (\$29.95) in-



Only *A Mind Forever Voyaging* can prevent a journey into global chaos.
READER SERVICE NO. 230

cludes an original soundtrack.

Addison-Wesley Publishing Company, Reading, MA 01867 (phone: 617-944-3700).

As the great knight *Corum*, you are summoned to the land of Peloria to save the fair princess Diana from the evil sorcerer Targoth, whose defenses include moorugs, groggs, skeletons, lava monsters, ghosts, bats, witches, slime monsters, and spiders. (Just how fair was that princess?) For the C-64; \$14.95.

Tri Micro, 1010 N. Batavia, Suite G, Orange, CA 92667 (phone: 714-771-4038).

Idle Time II, the second C-64 disk culled from the IBM PC series, comprises eight one-player mental exercises (two with two-player versions as well), including numerical reverse, scrambled words, knowledge of US cities, colored square cube puzzle, and finding the correct mathematical equation to avoid a lunar crash. Price is \$19.95 plus \$2.00 shipping (PA residents add 6%).

ABLE Software, P.O. Box 422, Kulpville, PA 19443 (phone: 215-368-2518).

Two for the C-64/128 from Artworx, priced at \$19.95 each:

Falcon Patrol II pits the player's Falcon Fighter, equipped with air-to-ground and air-to-surface missiles, against enemy helicopter squadrons. Sixteen levels of play are included.

Sorcery, an adventure game in an arcadelike setting, challenges you (the last of the great sorcerers) to use a

battery of powerful spells to reconquer your homelands and restore the rich life of a past era.

Artworx Software Company, Inc., 150 North Main Street, Fairport, NY 14450 (phone: 800-828-6573; in NY 716-425-2833).

Purchasers of 13 different Epyx game programs can participate in a sweepstakes program offering five trips to San Francisco and the Lucasfilm Games design headquarters, a ski week at Lake Tahoe, ski equipment, an Amiga computer, and free software. Details are available in those famous specially marked packages.

Epyx Computer Software, 1043 Kiel Court, Sunnyvale, CA 94089 (phone: 408-745-0700).

The game based on the Cubological Formulation mentioned in October's *Scuttlebutt* is available for \$4.95. The collector's version, with a signed copy of the works that underlie the theory, sells for \$99.95. And you thought Rubik's cube was a kid's game.

The Wizards (after Jan. 1, the Epsilon Research Group), P.O. Box 7118, The Woodlands, TX 77387.

THE LOUD COUPLE

Ideal for taking advantage of the Amiga's stereo output capability, the Bose RoomMate powered speaker system (\$229.00) plugs directly into the computer, enabling users to generate room-filling sound comparable to complete component systems costing several times as much. Each speaker measures only 6 X 9 X 6".



Built-in electronics of the amplified RoomMates balance sound between the speakers, providing true stereo or enhanced hi-fidelity.
READER SERVICE NO. 231

The onboard electronic amplifier and equalizer were engineered for low distortion and reduced hiss. Also available are the Video RoomMates, offering volume control and shielded drivers to prevent TV interference. Either model can also be used with Walkman-type portable tape players and portable CD players such as those available from Sony and Technics.

Bose Corporation, The Mountain, Framingham, MA 01701.

MICRO CLEANING KIT

The Read/Right Microcomputer Cleaning Kit (\$34.95) is designed to remove damage-causing contaminants from the head, screen, and housing of your computer. Included are a floppy disk head cleaner good for up to 15 cleanings of the read/write heads, *Static Stopper* spray, 24 terminal cleaning pads and 10 office equipment cleaning pads.

The Texwipe Company, 650 E. Crescent Ave., P.O. Box 575, Upper Saddle River, NJ 07458 (phone: 201-327-9100).

EDUCATIONAL RELEASES

Welcome Aboard (\$24.95) utilizes Muppet characters and a nautical setting to teach new C-64 users about five computer concepts: computer-aided design (by helping Gonzo beautify Miss Piggy in the Salon de Beauté), word processing and electronic mail (by transmitting information from the message center to help Captain Kermit stay on course), database management (by helping Fozzie sort through his joke library), program-

ming, and games. Included is *The Muppet Guide to Computerese*, an illustrated glossary of terms.

Broderbund Software, 17 Paul Drive, San Rafael, CA 94903-2101 (phone: 415-479-1170).



New releases from Learning Activities.
READER SERVICE NO. 232

Joining the 40+ programs in Resource Software's line of CP/M-based programs for the C-128 with 1571 disk drive, the Honors Series drills students in advanced mathematical disciplines.

Honors Calculus covers applications of the derivative including curve sketching, related rates and maximum/minimum problems, and applications of definite integral topics.

Honors Trigonometry deals with circular functions, polar coordinates, identities, sine and cosine, and solution of triangles.

Honors Geometry addresses similar polygons with attention to ratio and proportion, applications of similar triangles, coordinate geometry, and the circle.

Honors Algebra focuses on poly-

nomials, factoring common monomials, trinomials, and the difference between squares.

Each is available for \$34.95, with more titles on the way.

Resource Software International, Inc., 330 New Brunswick Ave., Fords, NJ (phone: 201-738-8500).

A French language version of Scarborough's *MasterType* typing tutorial, one of the best-selling C-64 educational programs of all time, has been released.

Scarborough Systems, Inc., 55 S. Broadway, Tarrytown, NY 10591 (phone: 914-332-4545).

Snowdrifts and Sunny Skies teaches fledgling forecasters eight years old and up to predict the weather utilizing a map showing fronts and pressure areas (following lessons on weather folklore, terminology, and the historical weather

pattern for the city and month you've chosen). After investigation, you predict tomorrow's weather and obtain a score based on the accuracy of your prediction versus the actual weather. For the C-64; \$14.95.

Tri Micro, 1010 N. Batavia, Suite G, Orange, CA 92667 (phone: 714-771-4038).

Learning Technologies Inc. has announced 20 new C-64 programs for preschoolers through eighth graders, available for \$19.95 each.

In the Early Learning Series: *The Flying Carpet* (shapes), *Let's Go Fishing* (numbers), *How to Weigh an Elephant* (ordering and sequencing), *Learning to Add and Subtract*, *Math in a Nutshell* (counting), *Clowning Around*, *Shutterbug's Patterns*, *Bike*

PROFESSIONAL ELECTRONIC ENGINEERING SOFTWARE

FOR COMMODORE C-64™
Practical, Powerful and Friendly

CIRCUIT ANALYSIS & MODIFICATION
* MODES: UP TO 30. ELEMENTS: UP TO 145.
* CALCULATE & PLOT TRANSFER FUNCTIONS
& NODE VOLTAGES VS. FREQUENCY
* CIRCUIT TYPE: AC/DC/PASSIVE/ACTIVE
* BUILT-IN MODELS FOR TRANSISTORS &
OPERATIONAL AMPLIFIERS
* INCLUDES CIRCUIT MODIFY ROUTINE
* HARDCOPY OF PLOTS & CALCULATIONS

ACTIVE FILTERS DESIGN & ANALYSIS
* LOWPASS/HIGHPASS/BANDPASS FILTERS
* STANDARD 1% OR 5% TOL. COMPONENTS
* HARDCOPY OF PLOTS & SCHEMATICS

BODE PLOTS & POLYNOMIAL ROOTS
* ANALYZE & MODIFY TRANSFER FUNCTIONS
* HARDCOPY OF MAG/PHASE PLOTS
* POLYNOMIAL ROOTS UP TO 20TH ORDER

PRINT-OUTS ON 1525/MP8801/EPSON/GEMINI
S6-10/1526/OKIMATE 10/OKIDATA/SIEMENS

ALL ABOVE (ONE DISK) FOR ONLY \$39.95

Please add \$2.50 shipping (\$4.50 outside USA)

California residents add 6%.

TO ORDER, send check or money order to:

BAMTEK

1541 N. China Lake Blvd.

Suite #584

Ridgecrest, CA 93555

(619) 446-5311 ext. 584

For Additional Information Call or Write to Above

Reader Service No. 187

FREE? DISKETTES

SAVE MONEY! C64 and VIC 20 users can use the diskette flip side, if another 'write enable' notch is correctly made.

TOP NOTCH™ by QUORUM quickly solves that problem. It's like **FREE DISKETTES!**



- Stainless Steel Guide
- Easy Leverage Handle
- Clippings Catcher
- Square Notch Cut
- Black Finish

Lifetime Warranty

Get THE BEST! Ask our customers:

U.S. National Bureau of Standards
TRW • IBM • Digital Research • AT&T
Ciba-Geigy Pharmaceuticals • International Paper
U.S. Postal Service • Rockwell International
General Electric Corporate Research & Development
Alcoa • U.S. Naval Weapons Research Center

100% Money Back Satisfaction Guarantee!

TOP NOTCH™ Just \$14.95

Add \$2.00 s/h • CA Res. add .97¢ tax

ORDER DIRECT FROM QUORUM

1-800-222-2824

In CA: 1-800-222-2812

Call 6 a.m.-6 p.m. PST Dealers Invited

QUORUM INTERNATIONAL, Ltd.
INDUSTRIAL STATION P.O. BOX 2134-AH
OAKLAND, CA 94614

Reader Service No. 188

Hike, Animal Hotel, Same or Different, and Lion's Workshop (assorted visual skills).

In the Thinking Strategies Series, designed to develop problem-solving skills: *Scrambled Eggs, Sliding Block, Monkey Business, Speedy Delivery, Alpine Tram Ride, Gremlin Hunt, Pipeline, and Number Please.*

If you return the response card included in any Learning Technologies program, you will receive a teacher's Learning Kit that includes a color poster, lesson plan, worksheets, student management chart, and award certificates, plus the opportunity to win a Commodore 128 or Apple IIc computer in the company's Screen Stars Sweepstakes.

Learning Technologies, Inc., 4255 LBJ, Suite 131, Dallas, TX 75244 (phone: 214-991-4958).

SLIPPED DISK

Users within a drive, bus trip, or mooseback ride of Madison Heights, MI can take advantage of Slipped Disk, Inc.'s software and hardware preview center, C-64 social club, educational center, rental computers, and library of computer periodicals for \$50.00 a year. The center is open 12 hours a day, 7 days a week.

Slipped Disk Inc., 31044 John R, Madison Heights, MI 48071 (phone: 313-583-9803).

OKIMATE 10 REBATE

If you purchase an Okimate 10 Personal Color Printer before January 31 and return the form available at your dealer with sales receipt and UPC label or stock number, you will receive a \$15.00 rebate from the manufacturer. Offer is good only in the U.S.A. The price of ribbons for the Okimate 10, by the way, has been reduced to \$4.95 each for black and \$5.49 each for color.

Okidata, 532 Fellowship Road, Mount Laurel, NJ 08054 (phone: 609-235-2600).

WORLD OF COMMODORE

The World of Commodore III, the third annual exposition for Commodore users, will be held this year from December 5 to 8 at the Toronto Interna-

tional Centre. Commodore will exhibit the C-128, Amiga, and PC 10/PC 20 computers, and software, peripherals, and other items will be displayed and sold by a host of exhibitors (including your favorite Commodore magazine). Last year's show drew more than 40,000 visitors, so it's recommended that you make travel and hotel arrangements as early as possible.

Admission price will be (in Canadian dollars) 4.00 for adults, \$3.00 for students and senior citizens, and \$10.00 for a four-day pass. Advance tickets for groups of 25 or more are \$2.00 each per day, but must be purchased before November 15.

Contact Hunter Nichols Inc., 721 Progress Ave., Scarborough, Ontario M1H 2W7 (phone: 416-439-4140).

PRINTER STANDS


The Pedestal printer stand stores paper underneath the printer and catches and refolds the printout in a receiving tray. Built of vinyl-covered heavy duty steel wire, the putty-colored stand is available in widths to accommodate 80- or 132-column printers (\$28 and \$34 respectively).

Computer Coverup, Inc., 1740 N. Marshfield, Chicago, IL 60622 (phone: 312-276-9007 or 1-800-282-2541).



Universal Printer Stand: 7° slant.
READER SERVICE NO. 227

The Universal Printer Stand (\$19.95), constructed of molded plastic, features a seven degree forward slant to allow easy printout viewing. Paper guides prevent cables from interfering with paper feed; rubber feet reduce noise and protect desk tops. The stand is wide enough to accommodate most bottom- and rear-feed



Pedestal stores, catches, and refolds.
READER SERVICE NO. 228

printers of up to 132 columns.

PerfectData Corporation, c/o Rogers & Associates, 2049 Century Park East, Suite 4060, Los Angeles, CA 90067 (phone: 213-552-6922).

TELECOM NEWS

Not content with cutting into the U.S. Post Office's business via electronic mail, CompuServe has now made available the FBI's 10 Most Wanted List. Biographies and descriptions of the fugitives can be read and high resolution graphic pictures of the individuals downloaded and viewed. Watch out, software pirates.

CompuServe, 5000 Arlington Centre Blvd., P.O. Box 20212, Columbus, OH 43220 (phone: 614-457-8600).

Viewtron now offers trading prices for nearly 100 commodities, updated every 10 minutes with prices gathered from 14 exchanges. When a subscriber requests a price quote, all the contracts in a given commodity are listed with their opening, high, low, and last available prices, along with the change from the previous settlement price.

Viewdata Corporation of America, Inc., 1111 Lincoln Road, 7th Floor, Miami Beach, FL 33139 (phone: 305-674-1444).

For \$9.95 per month and 6¢ per minute (with the first hour free), Quantum Link offers Commodore users programs to download, software

previews, online games and contests, electronic mail, shopping and swapping, world news, discussion forums, an encyclopedia, and more. (To be added soon are banking, investment, and financial services.) The system operates 24 hours a day weekends and 6 p.m. to 8 a.m. weekdays. A free preview is offered to all C-64 and C-128 owners; call 800-833-9400 (using your modem) to register. Communications software and one month of service is given away with purchase of the Commodore 1660 or 1670 modem.

Quantum Computer Services Inc., 8620 Westwood Center Drive, Vienna, VA 22180 (phone: 703-448-8700).

Intended to suppress damaging phone line spikes, the Kleen Line security system (\$69.95) employs two-stage semiconductor and gas discharge tube suppression techniques. Available for standard 4-pin telephone modular connectors (RJ-11) and the wider 8-pin connectors (RJ-45).

Electronic Specialists, Inc., 171 South Main St., P.O. Box 389, Natick, MA 01760 (phone: 1-800-225-4876; in MA 617-655-1532).

BOOKS

The Commodore Ham's Companion details the basics of upgrading your system for amateur radio use, programming for data including RTTY, Morse, AMTOR, and Packet and the ins and outs of information management. Also included is information on "telehamming" (connecting to amateur radio information by telephone line), message storage operations, and finding specialized software for slow scan TV, satellite tracking, and other applications. Price is \$15.95 plus \$2.50 shipping.

QSKY Publishing, P.O. Box 3042, Springfield, IL 62708.

Computer Entrepreneur (\$29.95) describes over 100 businesses that the computer owner can run from his home, ranging from keeping statistics for little league teams to legal research. Included is a self-test to find the business that the reader is best suited for.

Computer Information Limited, 11 The Point, P.O. Box 181948, Corona-

Uni-Kool DISK DRIVE FAN FOR COMMODORE



Designed to work with Commodore Disk Drive Models 1540, 1541, SFD 1001, the quiet C-100 fan enclosure moves cool, filtered air through the top vents of the disk drive cooling the drive and thereby reducing the misalignment problems caused by heat build-up. A custom filter keeps room dust from entering the disk loading opening. This greatly increases the life span of the disk drives, and decreases the maintenance required to keep the drive functioning properly. Only \$39.95 plus \$2.50 for shipping and insurance. 115 vac

Money
Order,
Checks
or C.O.D.
Only

6-month warranty

Uni-Kool

(503) 476-1660
909 Williamson Loop, Grants Pass, OR 97526

(Commodore is a registered trademark of Commodore Business Systems)

Reader Service No. 189

EXTEND YOUR REACH

Flexidraw, the light pen system for Commodore users who want easy Computer Aided Design with professional results. Whether drawing schematics or practicing your artistic talents, FLEXIDRAW will give you over 65 graphic features including two full screens, 16 colors, sprite animation, and a library of technical symbols. The FLEXIDRAW system; quality light pen, disk, and manual, only \$149.95.



From the makers of Penware:

Flexidraw *the Graphics Integrator* *Flexifont*

**Inkwell
Systems**

P.O. Box 85152 MB290
San Diego, CA 92138
(619) 268-8792

Reader Service No. 190



Kleen Line guards against spikes.
READER SERVICE NO. 229

do, CA 92118 (phone: 619-266-9141).

Starting Your Computer Services Business (\$9.95) also discusses various aspects of using a home computer to earn extra money. Various business formats, such as sole proprietorships, partnerships, and corporations, are examined in detail.

J.V. Technologies, Inc., P.O. Box 563, Ludington, MI 49431 (phone: 616-843-9512).

Investment Management with Your Personal Computer (\$14.95) discusses investment software, electronic databases, and online trading, listing and reviewing over 120 products and services including spreadsheets, portfolio managers, investment simulations, and bond and mutual fund aids.

COMPUTE! Publications, Inc., 324 W. Wendover Ave., Suite 200, Greensboro, NC 27408 (phone: 919-275-9809).

The World Almanac Book of Inventions (10.95) traces the history of inventions from ancient times up to the present, including a detailed section on the evolution of the computer.

World Almanac Publications, 200 Park Avenue, New York, NY 10166.

SPEECH SYNTHESIZER

Announced too late for inclusion in



"COLOR" PAPER & RIBBONS

60lb Card Stock Paper, pin-feed form, micro-perforated edge

- RED • GREEN • BLUE
- GOLD • YELLOW • PINK
- WHITE • PARCHMENT

Matching Envelopes, Cordial or # 10 - Mix or Match Any Color Paper or Envelopes

[] 250 sheets \$15.95

[] 250 envelopes \$16.95

[] Jumbo 800 Pack \$47.95

400 ea. Paper & Env.

*20lb Pastel Computer Paper PINK, BLUE, CANARY, GREEN, GOLD

[] 400 sheets \$13.95

[] Sample Pack \$12.95

Add \$3.00 post., \$5.00 Jumbo
NJ Add 6% tax

COLOR RIBBONS & SOFTWARE • CALL

Catalog \$1.00 - Free with Order

THE CREATIVE SOURCE

PO BOX 1537

10MS RIVER, NJ 08754

201-349-6255

Money Order, Check, COD

Reader Service No. 224

this month and next's feature on *Speech Synthesizers for the Commodore Computers*, the Votalker C-64 (\$99.95) includes a screen echo that allows any words, numbers, punctuation marks, and other symbols printed to the screen to be spoken.

Three types of vocalization are supported: conversation mode (reads text in a natural way, pausing at punctuation marks), verbatim mode (reads text and pronounces symbols), and character mode (spells each word and pronounces numbers and symbols).

The 4 x 5" unit plugs into the 64's expansion port and contains its own amplifier, speaker, and external speaker jack, with no need to buy any additional cables, hookups, or hardware. All necessary programs and enhancements are stored in onboard ROM and accessed by a single key.

If you purchase Votalker C-64 before the end of 1985, you'll receive Trivia Talker II for free. The \$39.95 program contains 200 questions in each of five categories.

Votrax, Inc., 1394 Rankin, Troy, MI 48083-4074 (phone: 313-588-2050).

80-COLUMN ADAPTER

In the August '85 *Ahoy!*, Morton Kelson showed you how to do it. Now Microventions has done it for you by manufacturing an interface cable that permits the C-128 owner to utilize the Commodore 1701 or 1702 (or any color or monochrome) monitor in 80-column mode, eliminating the need to buy the 1901 RGB monitor for this purpose. The user can shuttle between 40 and 80 column modes with a simple ESCAPE-X command. List price is \$14.95.

Microventions, 5333 Mission Center Road - Suite 345, San Diego, CA 92108 (phone: 619-291-2722).

TELECOM PRINTER

The Microline 182 TTY differs from Okidata's standard 182 by offering selectable intelligence levels and an optional communications roll paper stand to meet the needs of telecommunications applications.

In TTY mode, the printer responds only to carriage return, line feed, and

form feed commands, preventing extraneous commands from corrupting received data or delaying the printer. In CRT mode, page formatting commands are added. Basic Printer mode adds character format commands, while in Intelligent Printer mode the 182 TTY functions exactly like a standard 182.

Okidata, 532 Fellowship Road, Mt. Laurel, NJ 08054 (phone: 609-235-2600).

6-PART 64 HARMONY

The *Visible Music Monitor* and the VT-6 cartridge made six-part harmony possible on your C-64 or C-128, with the former adding an extra sound chip (three more voices) and the latter supporting both sound chips, allowing creation, editing, playing, displaying, and disk or tape storage and retrieval of music.

Editing features include moving or changing notes, measures, and segments, cut, paste, and copy, and control over all chip sounds. The user also has control over the sequence in which music segments are played or repeated. A playlist may be specified to play a group of songs automatically.

Price of the system is \$89.00.

V-Tech, Inc., 2223 Rebecca, Hatfield, PA 19440.

EXPERT SYSTEMS

Info Designs has released a line of expert systems designed to aid the businessman. Each C-64 program, priced at \$79.95, works by questioning the user extensively about himself and about a specific counterpart, and then generating a strategy.

The Sales Edge advises the salesman on the business style and personality most likely to make a hit with a given client.

The Management Edge explains how to get desired results from a specific individual.

The Communication Edge enables the user to operate more effectively in meetings and conversations.

The Negotiation Edge develops a detailed plan for any type of negotiation or bargain.

Info Designs, Inc., 445 Enterprise

Continued on page 94

"Plinkers" Just Want To Have Fun.



Every night, American PEOPLE/LINK subscribers (Plinkers) go online and party with other men and women of all ages and interests from across the country and the world.

What do they do? They do what adults do. They make dates and play trivia, they tell jokes and argue, they form clubs, and even live out their fantasies. But the one thing they all have in common is that they want to have *fun*.

Our subscribers develop friendships and romances as they "talk live" (in groups or in private) and send electronic mail to each other. And our low rates will show you why Plinkers can *afford* to have so much fun.

To discover our affordable videotex entertainment, call or write us today.

PEOPLE/LINK . . . for the *fun* of it.



American PEOPLE/LINK
Arlington Ridge Office Center
3215 N. Frontage Road – Suite 1505
Arlington Heights, IL 60004

1-800-524-0100 (Toll Free) 1-312-870-5200 (Illinois)



USE YOUR VISA, MASTERCARD
OR AMERICAN EXPRESS.

Send Me FREE Information Packet

Name _____

Address _____

City _____

State _____ Zip Code _____

MAIL TO: American PEOPLE/LINK
Arlington Ridge Office Center
3215 N. Frontage Road – Suite 1505
Arlington Heights, Illinois 60004



JEWEL QUEST

For the C-64

By Bob Blackmer



Famed adventurer Lars Layton, always ready for a challenge, stars in this arcade game. In it, you must maneuver Lars in his gyrocopter as he attempts to lay claim to the priceless gem collection of eccentric billionaire Killough Bhytes.

This adventure began when Lars attended a cocktail party, hoping to find a financial backer for his next endeavor. He was introduced to Mr. Bhytes, upon which he listened to a tale unlike any he had ever heard.

The aging industrialist told Lars of the unique system by which he protected his jewel collection. He first described the large room with shelves covered with a secret material. It saps energy from any who come in contact with it, man and machine alike. He went on to explain about the four robot sentries, covered with the same deadly substance, who patrol silently and thoroughly.

The ninety stone collection is further protected by a cloak of invisibility that allows only one gem to be seen at a time. When Killough Bhytes wants to view or move his collection, it is annoyingly simple. The secret substance is harmless to him exclusively, and when he takes

one jewel, another appears elsewhere on the shelves, and so on, until he has his whole collection.

Lars also learned of the many people who had tried in vain to get the treasure, since no one escapes unless he has all ninety stones.

Mr. Bhytes offers to finance all of Lars Layton's further exploits if he can succeed where others have failed. Layton's reply is simply this: "Ladies and gentlemen, start your gyrocopters!"

Instructions on flying are provided at the start of your first game. The key is learning to maneuver your gyrocopter, keeping contact with the shelves and the robots to a minimum. Once this is mastered, you'll still need energy for the later levels. After you complete level 7, the robots will double their speed, making it impossible to collect all the gems without some energy loss. You'll begin with 99 energy units; make them last because you'll get no more.

After thorough testing, the best I did was to finish with 61 energy units remaining. □

SEE PROGRAM LISTING ON PAGE 124

SAUCER ATTACK!



ACTUAL
SCREEN PHOTOS
FROM COMMODORE® 1702 MONITOR.

THIS ONE IS REALLY DIFFERENT!



-UNLOCK THE POWER OF YOUR COMMODORE 64™-
Dazzling high-resolution color graphics and rich sound effects enhance the action as you defend the nation's capital against an alien invasion. The pace quickens as you battle into the night, then attack the MOTHERSHIP!

\$26.50 + \$1.50 shipping

SACHS ENTERPRISES

Box 1182

Order line: (714) 337-2721

Lake Arrowhead, CA 92352

Name:

DISK (recommended)
TAPE

Address:

City:

State/ZIP:

VISA/MC#:

Exp.:

Phone: ()

Commodore 64 is a trademark of Commodore Electronics, Ltd.

A NOTE FROM JIM SACHS
OF SACHS ENTERPRISES

I wish to say thank you to our loyal fans who have purchased SAUCER ATTACK, and are waiting patiently for our next product, TIME CRYSTAL. Due to rampant copying in the C64 industry, TIME CRYSTAL will be delayed about two months while we look for new ways of raising capital, and investigate more sophisticated protection techniques.

Here is a brief synopsis of TIME CRYSTAL: As you are travelling through time in your Time Machine, the crystal which powers the machine suddenly splits into two pieces, one piece being thrown into the distant past, the other into the far future. Without the crystal, the Time Machine can only go to those times where the pieces exist.

Once the scene materializes in, your first task is to safely land the time machine. Using a joystick, the machine can be flown in 3-D, with its shadow following the terrain below. After landing, you must continue on foot to look for the crystal, dealing with any creatures or hazards you may encounter. This is not merely a text adventure, but features living scenes where waterfalls flow, waves lap the shore, volcanoes erupt, and many other effects not seen before on a C64 screen. The price, while not as low as SAUCER ATTACK, will be competitive with other games on the market. Below is one of the title screens, showing the Time Machine itself. See our ad in the OCT. ANDY for another screen photo.

I'm sorry for the delay, but I'm sure you will find TIME CRYSTAL worth the wait.

Jim Sachs






CREATING YOUR OWN GAMES ON THE COMMODORE 64

The Gypsies reached Crete by 1252 and Paris by 1427. How long they had been wandering before that, no one can say. If *they* knew, they weren't telling. They camouflaged themselves in order to survive. In Christian Europe, they claimed to be pilgrims returning from shrines in Egypt—thus the name *Gypsies*. Standing aloof from every nation, they wandered from place to place to buy and sell and trade. They were accused of every imaginable crime. They were banished from Venice and Milan. Frederick William I of Prussia ordered all Gypsies over the age of 18 to be

hanged. Catherine the Great of Russia tried to make them serfs and tie them to the land. Hitler killed half a million Gypsies in his death camps.

Still they survived, wandering. Linguists discovered that their original language, called Romani, was actually an archaic dialect of Sanskrit—had they come from northern India, then, two thousand years ago? It didn't matter. They weren't looking to the past—they were looking to the future. To the stars.

Now, in second-hand starships, with gear cobbled together from a hundred different sources, they are still wandering from planet to planet, buying here, selling there, trying to turn a profit. In the process, they discover worlds no other human being knows. But they don't make maps and charts. They make deals.



Gypsy Starship

Machine-language interrupts
combine with a "slow"
BASIC program to let you
discover a hundred different
worlds in this complete
game for the Commodore 64.

By Orson Scott Card

CUSHWA

You are the head of a Gypsy Family, which makes you captain of a Gypsy starship. Your two most important concerns are getting enough fuel to keep flying, and enough supplies that the Family won't starve. Fuel is easy enough to get—you simply dip down near the surface of a "gas giant," a large planet like Saturn or Jupiter. Those are a dime a dozen in this galaxy.

Supplies are a different matter. For that you have to visit worlds with life on them: small, rocky earthlike planets, or, more rarely, moons and artificial satellites orbiting the gas giants. Some planets are lifeless; some have no intelligent life; some are inhabited by aliens who have never seen humans before. When you do find humans, they might be hostile to Gypsies, or suspicious of you. They might be pirates. They might, sometimes, be friendly.

Friendly or unfriendly, known or unknown, you have to feed the Family. On some worlds you barter. On others you offer services, like repairing starships and other sophisticated machines. Sometimes you put on entertainments. Sometimes you ask for favors (you never actually *beg*). Sometimes, when you have to, you steal. And when things get hot, you dump your cargo and get moving. Because all that matters to you is for the Family to survive and move on.

PLAYING GYPSY STARSHIP

You'll need a joystick plugged into port 2. When the game begins, your starship is in the middle of the screen. Gas giant and earthlike planets will drift by on the screen. There are also stars in the background. The bottom of

TOM CUSHWA



SOME HISTORIC BREAKTHROUGHS DON'T TAKE AS MUCH EXPLAINING AS COMPUSEVE.

But then, some historic breakthroughs could only take you from the cave to the tar pits and back again.

CompuServe, on the other hand, makes a considerably more civilized contribution to your life.

It turns that marvel of the 20th century, the personal computer, into something useful.

Unlike most personal computer products you read about, CompuServe is an information service. It isn't software. It isn't hardware. And you don't even have to know a thing about programming to use it. You subscribe to CompuServe—and 24 hours a day, 7 days a week, it puts a universe of information, entertainment and communications right at your fingertips.

A few of the hundreds of things you can do with CompuServe.

COMMUNICATE

EasyPlex™ Electronic Mail lets even beginners compose, edit, send and file messages the first time they get online. It puts friends, relatives and

business associates—anywhere in the country—in constant, convenient touch.

CB Simulator features 72 channels for “talking” with thousands of other enthusiastic subscribers throughout the country and Canada. The chatter

is frequently hilarious, the “handles” unforgettable, and the friendships hard and fast.

More than 100 Forums welcome your participation in “discussions” on all sorts of topics. There are Forums for computer owners, gourmet cooks, veterinarians, pilots, golfers, musicians, you name it! Also, Electronic Conferencing lets businesses put heads together without anyone having to leave the shop.

Bulletin Boards let you “post” messages where thousands will see them. You can use our National Bulletin Board or the specialized Bulletin Boards found in just about every Forum.

HAVE FUN

Our full range of games includes “You Guessed It!”, the first online TV-style game show you play for real prizes; and MegaWars III, offering the

ultimate in interactive excitement. And there are board, parlor, sports and educational games to play alone or against other subscribers throughout the country.

Movie Reviews keep that big night at the movies from being a five star mistake.

SHOP

THE ELECTRONIC MALE™ gives you convenient, 24-hour-a-day, 7-day-a-week shopping for name brand goods and services at discount prices from nationally known stores and businesses.

SAVE ON TRIPS

Travelshopper™ lets you scan flight availabilities (on virtually any airline—worldwide), find airfare bargains and order

tickets right on your computer.

Worldwide Exchange sets you up with the perfect yacht, condo, villa, or whatever it takes to make your next vacation a vacation.

A to Z Travel/News Service provides the latest travel news plus complete information on over 20,000 hotels worldwide.



MAKE PHI BETA KAPPA

Grolier's Academic American Encyclopedia's Electronic Edition delivers a complete set of encyclopedias right to your living room just in time for today's homework. It's continuously updated ... and doesn't take an inch of extra shelf space.



The College Board, operated by the College Entrance Examination Board, gives tips on preparing for the SAT, choosing a college and getting financial aid.

KEEP HEALTHY

Healthnet will never replace a real, live doctor—but it is an excellent and readily available source of health and medical information for the public.

Human Sexuality gives the civilization that put a man on the moon an intelligent alternative to the daily "Advice to the Lovelorn" columns. Hundreds turn to it for real answers.

BE INFORMED

All the latest news is at your fingertips. Sources include the AP news wire (covering all 50 states plus



national news), the Washington Post, USA TODAY Update, specialized business and trade publications and more. You

can find out instantly what Congress did yesterday; who finally won the game; and what's happening back in Oskaloosa with the touch of a button. And our electronic clipping service lets you tell us what to watch for. We'll electronically find, clip and file news for you...to read whenever you'd like.

INVEST WISELY

Comprehensive investment help just might tell you more about the stock you're looking at than the company's Chairman of the Board knows. (Don't know who he is? Chances are, we can fill you in on that, too.) CompuServe gives you complete statistics on over 10,000 NYSE, AMEX and OTC securities. Historic trading statistics on over 50,000



stocks, bonds, funds, issues and options. Five years of daily commodity quotes. Standard & Poor's. Value Line. And more than a dozen other investment tools.

Site II facilitates business decisions by providing you with demographic and sales potential information by state, county and zip code for the entire country.

National and Canadian business wires provide continuously updated news and press releases on hundreds of companies worldwide.

GET SPECIALIZED INFORMATION

Pilots get personalized flight plans, weather briefings, weather and radar maps, newsletters, etc.

Entrepreneurs use CompuServe too for complete step-by-step guidelines on how to incorporate the IBMs of tomorrow.

Lawyers, doctors, engineers, military veterans and businessmen of all types use similar specialized CompuServe resources pertinent to their unique needs.

And now for the pleasant surprise.

Although CompuServe makes the most of any computer, it's a remarkable value. With CompuServe, you get low start-up costs, low usage charges and local phone-call access in most major metropolitan areas.

Here's exactly how to use CompuServe.

First, relax.

There are no advanced computer skills required.

In fact, if you know how to buy breakfast, you already have the know-how you'll need to access any subject



in our system. That's because it's "menu-driven," so beginners can simply read the menus (lists of options) that appear on their screens and then type in their selections.

Experts can skip the menus and just type in "GO" followed by the abbreviation for whatever topic they're after.

In case you ever get lost or confused, just type in "H" for help, and we'll immediately cut in with instructions that should save the day.

Besides, you can either ask questions online through our Feedback service or phone our Customer Service Department.

How to subscribe.

To access CompuServe, you'll need a CompuServe Subscription Kit, a computer, a modem to connect your computer to your phone, and in some cases, easy-to-use communications software. (Check the information that comes with your modem.)

With your Subscription Kit, you'll receive:

- a \$25 usage credit.
- a complete hardcover Users Guide.
- your own exclusive user ID number and preliminary password.
- a subscription to CompuServe's monthly magazine, *Online Today*.

Call **800-848-8199** (in Ohio, 614-457-0802) to order your Subscription Kit or to receive more information. Or mail this coupon.

Kits are also available in computer stores, electronic equipment outlets and household catalogs. You can also subscribe with materials you'll find packed right in with many computers and modems sold today.



- ☐ Please send me additional information.
- ☐ Please send me a CompuServe Subscription Kit.
- ☐ I am enclosing my check for \$39.95, plus \$2.50 handling. (Add sales tax if delivered in Ohio.)

Please make check payable to CompuServe Information Services, Inc.

- ☐ Charge this to my VISA/MasterCard

Expiration Date _____

Signature _____

Name _____

Address _____

City _____

State _____ Zip _____

MAIL TO:


CompuServe®

Customer Service Ordering Dept.
P.O. Box L-477
Columbus, Ohio 43260

PRI212

An H&R Block Company
EasyPlex and ELECTRONIC MALL are trademarks of CompuServe, Incorporated. Travelshopper is a service mark of TWA.

EXPAND IT



**NOW
FOR YOUR
COMMODORE 64**

EXPAND YOUR COMMODORE 64™ WITH NAVARONE'S NEW CARTRIDGE EXPANDER

Plug in up to three cartridges at a time.
Select the program you want. Even reset
the computer independently of the
power switch.

- Reduces cartridge swapping
- Built in reset button
- Saves wear & tear

NAVARONE



Navarone Industries, Inc.
19968 El Roy Lane
Sonoma, CA 95370
(209) 533-8349

*Commodore 64 is a trademark of Commodore Electronics, LTD. respectively. This product is manufactured by Navarone Industries for use on the Commodore 64 computer and is not made, sponsored, authorized or approved by Commodore Electronics, LTD.

Reader Service No. 199

the screen shows your current fuel level (yellow line) and amount of supplies (red line). Your fuel is used up by *moving*; the supplies are used up by the passage of *time*. So if you sit still and do nothing, you'll have plenty of fuel—but the Family will risk dying of starvation, or running out of oxygen and water!

To visit a planet, you must get into "stationary orbit." That is, you must move *with* the planet as it travels across the screen. This is easier than it sounds, though it takes a little practice. Since the planets move diagonally, the easiest technique is to get in front of the planet, let it pass over you, and *while it is passing* begin to move in the same diagonal direction. Since the program won't let you move over a planet, you will seem to be following along behind the planet, as if you were pushing it along its path. That is "stationary orbit," and if you keep doing it long enough, you will automatically replenish your fuel (if it's a gas giant) and *half* your supplies (if it's an earth-like planet).

Why only half your supplies? Because all you can get from an earthlike planet, without *landing*, is oxygen, water, and carbon dioxide—stuff you can scoop up from the atmosphere. To trade, explore, and get a complete resupply, you have to land.

To send down a landing party, just get in stationary orbit and press the joystick button. Depending on your difficulty level, it may take a while to successfully land. When you land, the entire outerspace display disappears. Instead, you see a screen consisting of information about the planet and your options:

LOOK AROUND
ASK QUESTIONS
PUT ON A SHOW
OFFER TO TINKER
DICKER WITH THE LOCALS
ASK FOR HELP
TAKE WHAT WE NEED
GET OUT OF HERE
RETIRE

By moving the joystick, you move a cursor to point to a choice; when you press the button, the program carries out whatever choice you made.

The game lasts for ten "years," at which time the value of your cargo is evaluated and you retire as head of the Family and captain of the starship. You either end up living in luxury, getting by on a pension, or begging in the streets. If you did a particularly good job as captain, the ship will be named after you and the Family will honor you forever.

Then, if you want, you can start over and play again.

HOW THE PROGRAM IS SET UP

If you typed in and ran the program *Starship* from last month's *Ahoy!*, you'll recognize the outer space screen display at once. It's the same starship, the same planets that you saw before. The purpose of last month's program was to demonstrate full use of sprites in machine language interrupts. This month's program shows how to turn that

mechanical shell into a real game.

The game plays in two parts. The first part, in outer space, is a pretty standard arcade-type movement game. You have to be dextrous enough to get the starship into position. You have to monitor the fuel and supplies and keep both replenished. You also have to decide when and where to land. Almost everything else is done in machine language.


Once you land, you move into the second phase of the game. Since this involves reading information about the planet or moon that you've landed on, it doesn't have to move quickly. Almost everything is done in BASIC. Once you've made your choices and decide to GET OUT OF HERE, this section of the program sets up that particular planet-sprite to be another world, randomly selected from the available planet data.

If you choose to quit (RETIRE), you are shown the current outcome and given a chance to resume where you left off, start a new game, or continue playing.

WHAT'S ON DISK?

The game is listed here as four separate programs. The first program is *Video Setup*. It is essentially the same program as last month. It sets up all the machine language and sprite shapes in memory from 32K to 40K, and then saves that region of memory in a disk file called GYPSY VIDEO.

IT'S HERE



OUR PRICE

C-128 COMPUTER	\$269.95*
1571 DISK DRIVE	\$239.95*
1902 RGB MONITOR	\$269.95*

*ADD SHIPPING CHARGE \$5.00 PER ITEM.
COD AND UPS 2ND DAY DELIVERY AVAILABLE
CALIF. RESIDENTS ADD 6% SALES TAX
VISA, MASTERCARD ADD 5%

MICROVATIONS INTERNATIONAL
5333 MISSION CENTER ROAD
SUITE 345
SAN DIEGO, CA 92108

TO ORDER
CALL
(619) 291-2722

DEALERS WELCOMED

WE CARRY SOFTWARE AND HARDWARE FOR ALL COMPUTERS

COMMODORE IS THE REGISTERED TRADEMARK OF COMMODORE BUSINESS MACHINE

Reader Service No. 161

The second program is *Planet Setup*. It READs the information about possible planets from DATA statements and stores them in memory from 16K to 32K. Then it saves this region of memory in a disk file called GYPSY PLANETS.

The third program is *Gypsy*. This does nothing more than load GYPSY VIDEO into memory from 32K to 40K, load GYPSY PLANETS into memory from 16K to 32K, and then load and run *Gypsy Game*.

Gypsy Game is the actual game program itself. Provided the video and planet data are all correctly in memory, *Gypsy Game* should move you easily into play.

Notice that you only need to run *Video Setup* and *Planet Setup* once. After GYPSY VIDEO and GYPSY PLANETS are on disk, the setup programs are never used again. (If you buy *Ahoy!*'s disk, GYPSY VIDEO and GYPSY PLANETS are already there—you just LOAD "GYPSY", 8,1 and RUN.)

FROM SHELL TO GAME

How did we get from last month's sprite-mover program to this month's game? It was a matter of story. There are lots of things you can do with a starship and a bunch of planets.

In fact, I didn't have to use a starship or planets at all. I could have changed the sprite shapes and made it Dorothy against the Nerds of Oz. (My son Geoffrey has been

after me for a year to program a game called "Toto," which he designed, in which Dorothy's dog is trying to get back to her without getting nabbed by any of the evil beings of Oz. Maybe I'll do that early in '86, just to show how versatile this animation and movement shell can be.)

Even with the starship and planets, though, there were many options. It could have been a shoot-em-up game with an enemy starship, but that's old hat. Or a blast-the-planets game, but I've blown up too many planets already as a science fiction writer. It could have been a military-invasion game, or colonization of the stars, or a rescue mission—but in all those scenarios, most of the action would have been on the planet's surface, so that the present animation shell would have been better used for the on-planet action rather than outer space.

Since the computer game I like the best these days is *Seven Cities of Gold* (Electronic Arts), I was naturally drawn to the idea of exploration. Now, if I were to do this in first-rate fashion, I would also animate the on-planet sequences, as *Seven Cities* does. But that would require setting up another section of video memory with sprites and a whole new set of interrupt programs in machine language. Instead, I decided to leave this section as a text game, though it is still handled entirely with the joystick. I'm a writer, after all—I think that sometimes a few words can do better than a thousand pictures. And since the text section can be in BASIC, it'll be easier for my fellow "intermediate programmers" to follow what I'm doing.

Given the limitations that the computer and the pre-selected forms placed on me, I still had to come up with a story that intrigued me, that made the events of the game interesting to me—and therefore, with luck, to you also.

For a short story I'm working on right now, I bought a book called *Atlas of Man* (St. Martin's Press), a marvelous collection of information about many of the different peoples of the Earth, sorted by ethnic rather than national boundaries. I happened to see the section on Gypsies, and realized that the Gypsies fit exactly what I needed my starship to do—wander from place to place, not caring whether it ever returned to the same spot again. And all that wonderful Gypsy lore from a thousand years of European contact with Gypsies made them at once familiar and mysterious. From there it was easy to imagine the kinds of things that Gypsies might do on a planet's surface. Once I knew who the people in the starship were, the rest of the game fell into place.

I've said in earlier columns that it's better to start designing a game with a *story* rather than a *programming concept*, and that's still true. But let's face it. A lot of times, especially for self-taught novices like you and me, we feel pretty lucky to know anything at all! So instead of imagining the perfect game, we try to think of the best game that we can program at our present level of expertise—or, maybe, just a few steps ahead of where we are now.

But the game still won't come to life until you have a story that you care about and believe in, an idea that delights you. The technique alone isn't enough. Just be-

KIWISOFT PROGRAMS



Mainframe-
quality
graphics
for the
Commodore 64

"1985 SOFTWARE OF THE YEAR!"

New Zealand Microcomputer Software Awards

- CADPIC — Paint it, print it - 16 colors
160 x 200 screen for hobbyists
and professionals ~~\$79.95~~ **Special Sale \$39.95**
- More pictures with PICTUREDISKS
Cars and planes **\$24.95 ea.**
- See our COMPUTER ART PRINTS - 20x24" -
"Room", "Storm", "Holy Land" (3 for \$25) **\$8.95 ea.**

Works with Epson Jx-80 and Okimate 10 Color Printers

SEND FOR OUR FREE BROCHURE — Dealer Inquiries Welcome

Add \$2 p.h., Pay in advance by check, m.o., VISA or MC. In MS add 6% sales tax.

Programs on diskette from



KIWISOFT™
PROGRAMS



Ace Software, P.O. Box 9332, Columbus, MS 39705
Phone: (601) 328-9491

Reader Service No. 162

FREE!

BONUS GIFT WITH ANY SOFTWARE ORDER — AN EXCELLENT PUBLIC DOMAIN VERSION OF AN ARCADE HIT GAME ON ITS OWN DISK.

ARCADE

Archon	19.95
Archon II Adept	26.95
Beachhead II	25.95
Blue Max 2001	20.95
Bruce Lee	24.95
Castles of Dr. Creep	20.95
Championship Loderunner	24.95
Computer Quarterback	28.95
F15 Strike Eagle	23.95
Flight Simulator II	35.95
Impossible Mission	23.95
Karateka	20.95
Kennedy Approach	23.95
Mail Order Monsters	26.95
Micro League Baseball	28.95
Statistics Disk (1984)	13.95
Night Mission Pinball	21.95
Pitstop II	27.95
Questron	27.95
Racing Destruction Set	26.95
Raid Over Moscow	27.95
Rescue on Fractalus	20.95
Skyfox	24.95
Solo Flight	23.95
Spy vs. Spy	20.95
Stealth	20.95
Strip Poker	20.95
Summer Games II	27.95
Super Bowl Sunday	20.95
Super Huey	14.95

ADVENTURE AND MIND GAMES

Amazon	23.95
Adventure Construction Set	31.95
Below the Root	18.95
Bridge 4.0	17.95
Cutthroats	28.95
Dragonworld	23.95
Fahrenheit 451	23.95
Felony	23.95
Hitchhikers Guide	24.95
Infidel	24.95
Master of the Lamps	20.95
Micro Astrologer	15.95
Mind Prober	21.95
Mind Wheel	27.95
Monty Plays Scrabble	27.95
Murder By The Dozen	23.95
Party Quiz	49.95
Party Quiz Refills	17.95
Phantasie	27.95
Rendezvous With Rama	23.95
Robots of Dawn	27.95
Scott Adams Adventures	22.95
Seven Cities of Gold	26.95
Starcross	26.95
Suspended	26.95
Swiss Family Robinson	18.95
Ultima IV	43.95
Wishbringer	24.95
Witness	24.95
Zork II & III	19.95

EDUCATIONAL PROGRAMS

Agent USA	21.95
Bank Street Storybook	27.95
Build a Book	28.95
Cave of the Word Wizard	24.95
CBS Success w/Math Series	ea. 18.95
Evelyn Wood's Dynamic Reader	35.95
Gertrude's Secrets	20.95
Halley Project	33.95
Harcourt Brace Computer SAT	54.95
Kidwriter	19.95
Muppet Learning Keys	49.95
Reader Rabbit	26.95
Sky Travel	27.95
Spell It	33.95
Story Machine	22.95
Typing Tutor III	28.95
Word Attack	33.95

WORD PROC.-DATA BASES-SPREADSHEETS

Batteries Included Home Organizers	
Audio/Video	13.95
Checkbook	13.95
Electronic Address Book	13.95
Home Inventory	13.95
Mail List	13.95
Photos/Slides/Movies	13.95
Recipes	13.95
Batteries Included Home Pak	34.95
B-Graph	19.95
Calc Result Advanced	52.95
Complete Personal Accountant	54.95
Consultant (Delphi's Oracle)	68.95
Cut and Paste	36.95
Financial Cookbook	31.95
Fleet Systems II	56.95
Magic Desk I	35.95
Mirage Data Base Manager	38.95
Mirage Word Processor	38.95
Net Worth	55.95
Paperclip w/SPELLPACK	82.95
PFS File	55.95
Practi Calc II	35.95
Practi File	34.95
Silent Butler	23.95
Superbase 64	52.95

GRAPHICS

Animation Station	63.95
Doodle	28.95
Koala Pad	65.95
Koala Printer	17.95
Micro Illustrator	23.95
Newsroom	CALL
Perspectives	38.95
Print Shop	31.95
Print Shop Graphics Library	17.95
Screen Dumper 64	15.95

MISCELLANEOUS

Bank Street Music Writer	34.95
Bulk Discs - Quantities of 10	9.95
Clone Machine	37.95
Compuserve Starter Kit	21.95
Copy II 64	27.95
Facsimile	17.95
Fast Load	27.95

Isepic	52.95
Mach 5	24.95
Maxell Disks - Box of 10	15.95
Ortho Complete Gardening	37.95
Pro-Tech Vinyl Covers	5.35
Simon's Basic	38.95
Tac II Joystick	9.95
Vidtex	21.95
VIP Terminal	29.95

HARDWARE AND PERIPHERALS

B.I. 80 Column Display	134.95
Cardco +G Interface	43.95
Cardco Numeric Keypad	36.95
Commodore Hardware	CALL
Indus Disk Drive	245.95
Okimate 10 w/Plug and Print	175.00
Okimate 10 Blk & Wht Ribbon	4.75
Okimate 10 Color Ribbon	5.25
Panasonic KXP1091 Printer	279.00
PPI Interface	39.95
Prowriter 7500 Printer	229.00
Prowriter 8510 AP Printer	319.00
Prowriter 8510 Ribbons	7.95
Tac II Joystick	9.95
Total Telecommunications Modem	42.95

LEROY'S CHEATSHEETS \$2.95

Basic	Practicalc
Blanks (3)	Practicalc II
Calc Result Adv.	Printers
Calc Result Easy	Epson RX80
Comal (1.4)	Gemini 10X
The Consultant	1525/801
Disk 1541	Microline
Doodle	Quick Brown Fox
Easy Script	Simon's Basic
Fleet System II	Sky Travel
Flight Simulator II	Speedscript
For the Beginner	Sprites Only
Hes Writer	Superbase 64
Logo Sheet 1	Terminals
Logo Sheet 2	Smart 64
The Manager	Vidtex
Multiplan	VIP
Omnwriter	Word Pro 3+
Paperclip	Word Pro 64

**FLOPPY
HOUSE
SOFTWARE**

16 S. Chestnut Street, Box 308, Palmyra, PA 17078

SPECIALS

Compuserve Starter
Kit/Vidtex
39.95
S-Games
(Formerly Hes Games)
11.95

**MAILING CHARGE ON
LEROY'S CHEATSHEETS
\$1.00**

ORDERING & TERMS

- * VISA & M.C. accepted with no charge in the continental U.S.A.
- * \$2.50 shipping charge on orders under \$100.00
- * Pa. Residents add 6% Sales Tax
- * Prices subject to change w/o notice
- * 48 hour shipping for cashier check - Money order - charge

cause you can move sprites around and read the joystick doesn't mean that you've got a game. Last month we moved the sprites around, read the joystick, checked collisions, and animated the sprites, all at machine language speed—but it wasn't a game.

It isn't a game until it has a story or a puzzle or a problem. Then you can design the rules to make it challenging and yet playable. I hope you like this one. I think it's kind of fun.

It's also *long*. But I think you've caught on by now to the fact that the best games *do* eat up memory—because good video and good text take space.

In fact, it takes up so much space that for this game to be *really* good, it would need to have mid-game disk accesses. Then we could set up solar systems, with the planets orbiting stars, and let the stars drift, planets and all, the way stars really do. The starships could go into hyperspace and “jump” from system to system. And when we got to the planets, we could actually *see* the alien or human creatures we were meeting. There are a lot of fantastic things that *could* be done.

If I had six months to work on it. If I didn't know that the people who would use the game would have to type it in, letter by letter. If the good folks at *Ahoy!* didn't have this crazy idea that 300-sector programs take up too much space in the magazine. There are *limits* to what can be done in a monthly column.

But if you've got the time, you can do it yourself. That's what a magazine like *Ahoy!* is all about, isn't it? For you to do it yourself. Even when a game is as “complete” as this one!

A WRINKLE IN THE INTERRUPTS

Last month, when we first worked with machine language interrupts, we used the regular timer interrupt. But this time I needed to use a different interrupt source. So I disabled the timer interrupt by POKEing (actually, STA-ing) a 1 into location 56333. I replaced this interrupt with a raster interrupt.

The raster scan is the path followed by the cathode ray inside your TV or monitor picture tube, as it moves from left to right across each line, line by line down the screen. It takes less than a sixtieth of a second to scan the whole screen; then the ray returns to the upper left hand corner and starts over.

The VIC-II video chip in your 64 sends the TV or monitor all the information about what color to display in each dot on each line of the television screen. The VIC-II reads this data from screen, character, color, and sprite memory; interprets it according to the selected color and location codes; and then sends the fully interpreted and translated data to the TV in a form the television can understand.

Inside the computer, each time the VIC-II prepares to send a scan line's worth of data to the TV, it stores the number of the current screen line that it is scanning at location 53266. This is a number from 0 to 261. (The scan lines that are actually shown on the screen are from 50 to 249.) That's what you'll see if you PEEK(53266). But if you POKE a number into 53266, something completely different happens. The number you POKE will be remembered, even though you can't PEEK and see it, and every time the VIC-II scans the line with the same number as the one you POKEd there, the VIC-II will generate an interrupt request—an IRQ.

And when that happens, the current program (including BASIC), is stopped, the computer jumps to the address stored at locations 788 and 789, and it begins executing the machine language program stored there. It continues executing that code until it meets an RTI instruction (or jumps back into the regular interrupt routine). *Just like the regular timer interrupt.*

Of course, you have to enable the Raster interrupt by POKEing 53274 with 1, and each time the interrupt is executed, you have to clear the raster interrupt flag by POKEing 53273 with 15.

Also, since there are 262 scan lines and location 53266 can hold no value higher than 255, the last 6 scan lines are signaled by the high bit at location 53265 (the way that sprite locations to the right of the “International Date Line” are flagged at location 53264). However, I've found that the simplest solution is to make sure that the high bit is set to 0 with POKE 53265, PEEK(53265) AND 127 and then never try to generate an interrupt at a scanline higher than 255.

Program Your Own EPROMS

**VIC 20
C 64 \$99.50**

PLUGS INTO USER PORT.
NOTHING ELSE NEEDED.
EASY TO USE. VERSATILE.

- Read or Program. One byte or 32K bytes!

OR Use like a disk drive. LOAD,
SAVE, GET, INPUT, PRINT, CMD,
OPEN, CLOSE—**EPROM FILES!**

Our software lets you use familiar BASIC commands to create, modify, scratch files on readily available EPROM chips. Adds a new dimension to your computing capability. Works with most ML Monitors too.

- Make Auto-Start Cartridges of your programs.
- The *promenade*™ C1 gives you 4 programming voltages, 2 EPROM supply voltages, 3 intelligent programming algorithms, 15 bit chip addressing, 3 LED's and NO switches. Your computer controls everything from software!
- Textool socket. Anti-static aluminum housing.
- EPROMS, cartridge PC boards, etc. at extra charge.
- Some EPROM types you can use with the *promenade*™

2758	2532	462732P	27128	5133	X2816A*
2516	2732	2564	27256	5143	52813*
2716	27C32	2764	68764	2815*	48016P*
27C16	2732A	27C64	68766	2816*	

► *Commodore Business Machines

*Denotes electrically erasable types

Call Toll Free: 800-421-7731 or 408-287-0259
In California: 800-421-7748



JASON-RANHEIM

580 Parrott St., San Jose, CA 95112

Reader Service No. 163



promenade™

C-64 and C-128* OWNERS:

Now YOU too can get the "Software Edge!"



Do you know the full contents of all your Disks in your Software Library?

Stop playing "Hide-and-Seek" with your Disk software! Let your Commodore 64™ "memory" do all the work for you. Easy Manual and Program Menu-Screens make everyone a "pro" in 1 day!

Here's a small "PEEK" at SOME of the FULLY-INTEGRATED POWER of PRODUCTIVITY at your fingertips. . .

MASTERDISK®:

- a SORTED Master Catalog of ALL your Disks (even those un-listable "protected" Directories: Names, ID's, File info, etc.)
- Search + List any File/Disk/ID in seconds, automatically, in any of SEVEN WAYS.
- Transfer ML-Programs or Files from Disk to Disk (CATEGORIZE your software)
- Stop disaster before it strikes: change duplicate ID's fast, without total re-copy.
- Restore accidentally-scratched files in a flash, with VERIFICATION that they're OK.
- Works with 1 or 2 Single Disk Drives (1541, MSD, etc.) with or without Printer (Commodore or ASCII).
- Handy-Reference Card for HEX/ASCII/BINARY-TO-DECIMAL VALUE TRANSLATION + FORMULAS, included FREE.
- All this + MUCH MORE, for just \$34.95. (U.S.A.), \$45.95 (Canada)

NEW!! - MASTERDUAL®, "Son of MASTERDISK®" . . . same power, but with Dual Drive Speed!

- Same Catalog Features as MASTERDISK®
- Same Disk repair functions, too
- For all C-64 & C-128* systems with Dual Disk Drives (4040, MSD, etc.)
- Utilizes all Dual Drive functions for maximum speed and ease of use
- FREE Handy Reference Card for HEX/ASCII/Binary to Decimal Translation + Formulas
- Experience FULLY-INTEGRATED POWER for just \$29.95 (U.S.A.), \$39.95 (Canada)

*MASTERDISK® and MASTERDUAL® are also compatible with the NEW C-128 (in C-64 Mode)!

Don't MESS with anything LESS! OUR CUSTOMERS WRITE:

"Been meaning to write and let you know how much I've enjoyed it . . . So, let me say that MASTERDISK is EXCELLENT." — Middletown, NY

" . . . just the thing I need." — APO, NY (Germany)

"Hope to get my [MASTERDISK] yesterday." — Maple Grove, MN

"I am impressed with your product and would like to be able to endorse it for TPUG." — Ontario, Canada

" . . . nothing else even comes close!" — Burlington, IA

We ship within 24 hours! Send Money Order or Check to:

INTEGRATED-SOFTWARE SYSTEMS
P.O. Box 1801, Ames, IA 50010
VISA/M.C./C.O.D., CALL (515) 233-2992
9 am - 9 pm (Central Time) Mon.-Fri.
Add \$3 Shipping/plus \$2 Foreign, C.O.D.
IA Residents add 4% Sales Tax.

IN CANADA: Cricket Distribution Co.,
P.O. Box 953, Cobourg, Ontario, Canada K9A 4W4
VISA/M.C./C.O.D., CALL (416) 372-3692
9 am - 6 pm (Eastern Time) Mon.-Fri.
Add \$3 Shipping/plus \$2 C.O.D.
Ontario Residents add 7% Sales Tax

**Whether you have tens or hundreds of disks, now YOU can be the MASTER
of your TOTAL Software Library!**

LYCO COMPUTER

Marketing & Consultants

Buy Lyco and Enjoy:

- *THE LOWEST PRICES!!!
- *TOLL FREE ORDER LINE!
- *FREE Shipping on Prepaid Cash Orders in U.S.
- *All Merchandise Factory Fresh!
- *24 Hours Shipping on in stock product!
- *Access to our Multi Million \$ Inventory!
- *No Deposit on UPS COD Orders!
- *Orders Outside PA SAVE State Sales Tax!
- *Full Manufacturer's Warranty Apply!
- *Air Freight Service Available!
- *Full Accessory Line in Stock!
- *Purchase Orders Accepted from Educational Institutions!
- *We Check for Stolen Credit Cards!
- *You'll Love Our Courteous Sales Staff!
- *We Ship to Our Servicemen Overseas!

DISKETTES

(Box 10)

DENNISON

ELEPHANT 5 1/4" SSDD	11.99
ELEPHANT 5 1/4" SSDD	12.99
ELEPHANT 5 1/4" DSDD	14.99
PREMIUM 5 1/4" SSDD	13.99
PREMIUM 5 1/4" DSDD	15.99

SUNKYONG

SKC 5 1/4" SSDD	11.99
SKC 5 1/4" DSDD	13.99

MAXELL

5 1/4" MD1	13.99
5 1/4" MD2	19.99

VERBATIM

5 1/4" SSDD	13.99
5 1/4" DSDD	19.99

BONUS

5 1/4" SSDD	9.99
5 1/4" DSDD	12.99

NO LABEL DISKETTES

NL 5 1/4" SSDD	10.99 (Box 10)
NL 5 1/4" DSDD	15.99 (Box 10)
*Free Diskette Writer Pen!	
*Free Storage Case!	
*Lifetime Warranty!	

PAPER

3000 SHEETS	
FANFOLD	\$42.75
1000 SHEETS	
FANFOLD	\$19.75
1000 SHEET LETTER	\$21.95
200 SHEETS LETTER	\$8.99
150 RAG STATIONARY	\$10.99
MAILING LABELS (1 in.)	\$9.95

COMMODORE SOFT-WARE

COMMODORE

C-128 NEW	CALL
1571 Drive	CALL
1572 Drive	CALL
1902 Monitor	CALL
1670 Modem	CALL
C-64 Computer	CALL
1541 Drive	189
MPS801 Printer	LOW
1702 Monitor	199
Simon's Basic	24.75
Assembler 64	34.75
Super Expander	22.75
Logo 64	49.75
Pilot 64	38.75
Easy Calc	34.75
Easy Script	38.75

SPINNAKER (C-64ROM)

Cosmic Life ROM	19.75
Jukebox	19.75
Alphabet Zoo	17.75
Ali in Color Caves	19.75
Up for Grabs	19.75
Delta Drawing	19.75
Kids on Keys	16.75
Kindercomp	14.75
Facemaker	17.75
Fraction Fever	17.75

MICROPROSE (C-64)

Kennedy Approach	21.75
Crusade in Europe	24.75
Decision in Desert	24.75
Solo Flight	20.75
Nato Commander	20.75
Spitfire Ace	18.75
F-15 Strike Eagle	20.75
Hellcat Ace	18.75

BATTERIES INCLUDED

Paper Clip	59.95
Spell Pak	34.95
Consultant	59.95
Paper Clip	
w/Spell Pak	75.95
Home Pak	34.95
Bus Card	129.95
80 Column Board	109.95

SUB LOGIC (C-64)

Flight Simulator II	32.75
Night Mission Pinball	20.75

QR & D

Copy Q	27.95
GPC Printer Interface	65.00

BRODERBUND

The Print Shop	28.75
Graphics Library	18.75
Graphics Library II	19.75
Graphics Library III	19.95
Karateka	19.75
Castles Dr. Creep	19.75
Bank St. Writer	32.75
Loderunner	20.75
Mask of the Sun	24.75
Spelunker	19.75
Serpent's Star	24.75
Whistler's Brother	18.75
Raid Bungle Bay	18.75

SSI (C-64)

Colonial Conquest	24.75
Wings of War	24.75
Computer Ambush	34.75
Field of Fire	24.75
Fighter Command	36.75
Kampfgruppe	36.75
Mech Brigade	36.75
Market Garden	29.75
Six Gun Shootout	24.75
Computer Baseball	24.75
Computer Quarterback	24.75
Imperium Galactum	24.75
Phantasia	24.75
Cartels & Cutthroats	24.75
50 Mission Crush	24.75
Qwestron	24.75

EPYX

(C-64)

Fast Load	26.75
Breakdance	23.75
Greatest Baseball	24.75
Summer Games	26.75

EASTERN HOUSE

Rabbit C-64	19.95
Rabbit VIC-20	19.95
MAE C-64	27.95
Telstar 64	19.95
M.L. Monitor 64	18.95

CONTINENTAL

(C-64)

Home Accountant	44.75
1984 Tax Advantage	35.75
1985 C-64 Book of Software	16.95

SYNAPSE-64

Essex	23.95
Brimstone	23.95
Lode Run Rescue	18.95
Synalc	33.75
Synalca Temp	12.95
Mindwheel	23.95

PRECISION SOFTWARE

Superbase 64	52.75
--------------	-------

CARDCO

Digitizer Camera	189.95
32K Printer Buffer	59.95
Numeric Keypad	34.95
CB/5 5-slot Board(64)	54.00
CB/2 2-slot Board(64)	25.00
S'More Basic Rom	49.95
Write Now-64	35.00
Mail Now-64	29.00
Spell Now-64	29.00
File Now-64	29.00
Paint Now-64	29.00
Calc Now-64	29.00
Tax Survival	29.00
Super Printer Utility	27.95
Write Now-Vic-20	29.95

PERSONAL PERIPHERALS

Super Sketch 64	32.75
Printer Utility	18.75

KOALA

(C-64)

Koala Pad	59.95
-----------	-------

SCARBOROUGH (C-64)

Build A Book	24.75
Improved Mastertype	23.75
NET WORTH	48.75
Mastertype Filer	22.75
Boston 64 Diet	27.75

WICO Joysticks

15-9714 Bat Handle	16.75
50-2030 Boss	11.99
50-2002 Super 3-Way	19.99
50-0110 IBM-Analog	29.95
50-1030 Apple-Analog	29.95
72-4545 Trackball	29.95

INNOVATIVE CONCEPTS

Flip-n-File 10	3.50
Flip-n-File 15	8.25
Flip-n-File 25 Lock	17.95
Flip-n-File 50	17.25
Flip-n-File 50 Lock	22.95
Flip-n-File Rom	17.25

COMPUTER CARE

NORTRONICS DISK DRIVE CLEANER with software


REG. 49.95 NOW 19.95

AMERICA'S MAIL ORDER HEADQUARTERS
LYCO COMPUTER
WORLD'S LEADER IN SALES & SERVICE

TO ORDER
CALL TOLL FREE
800-233-8760
In PA 1 717-327-1824
Lyco Computer
P.O. Box 5088
Jersey Shore, PA 17740

LYCO COMPUTER

Marketing & Consultants



SG-10 .. \$208.00

AXIOM SEIKOSHA

GP550AT (Atari).....	222
GP550CD (C-64).....	222
GP700AT (Atari).....	439
GP700AP (Apple).....	439
ELITE5CD (C-64).....	229

C. ITOH

8510Ap+.....	299
1550P.....	437
1550BP.....	437
1550EP.....	437
1550BCD.....	469
F10-40.....	859
F10-55.....	1039
7500AP.....	204
7500AR.....	244

TOSHIBA

P1340.....	557
P351.....	1286

SAVE ON THESE PRINTERS

CARDCO

32K BUFFER (C-64).....	59
------------------------	----

CORONA

LP300 Laser Printer.....	2686
200361 Toner Cartridge.....	89

EPSON

FX85 (New).....	333
LX80.....	212
FX185 (New).....	464
LX90 (New).....	226
SQ2000 (New).....	1555
JX80.....	467
Homewriter 10.....	193
CR-20-Atari.....	153
CR-220-C-64.....	153
DX-10 (New).....	207
DX-20 (New).....	297
HS-80 (New).....	288
LO1500P.....	975
LO1500S.....	1039
RX-100.....	356
FX-100+.....	CALL

CITIZEN

MSP-10.....	269
MSP-15.....	358
MSP-20.....	337
MSP-25.....	495
Sheetfr (10/20).....	189
Sheetfr (15/25).....	199

OKIDATA

Okimate 10.....	179
Okimate 20.....	214
182.....	348
192.....	348
193.....	563
92P.....	349
93P.....	565
84P.....	645
92 Imagewriter.....	349

*IBM versions also

BROTHER

HR-15XL-P.....	359
HR-15XL-S.....	359
HR-35P.....	839
HR-35S.....	839
2024L-P.....	949
M1009-P.....	189

JUKI

Juki 6100.....	347
RS232 Serial Board.....	55
6100 Tractor.....	119
6100 Sheet Feeder.....	209
Juki 6300.....	757

LEGEND


880.....	188
1080.....	222
1380.....	262
1385.....	296

DIGITAL DEVICES

16K BUFFER.....	75
32K BUFFER.....	89
64K BUFFER.....	125

DIABLO

D25.....	549
630API.....	1599
630ECS.....	1759
D801F.....	2395
P32CQ1.....	699
P38.....	1749
C150.....	999



1091 ... \$233.00

PANASONIC

1091.....	233
3131 (NEW).....	269
1092.....	373
1093.....	426
3151 Letter.....	426
4K Buffer.....	65

SILVER REED

EXP400.....	249
EXP500.....	295
EXP550.....	399
EXP770.....	749

STAR MICRONICS

SG-10.....	208
SG-15.....	373
SD-10.....	336
SD-15.....	442
SR-10.....	483
SR-15.....	583
PowerType.....	303
SB-10.....	CALL
SG-10C-64 (NEW).....	CALL

MONITORS

AMDEK

300 Green.....	118
300 Amber.....	128
310 Amber IBM.....	155
Color 300 Audio.....	234
Color 500 Composite.....	369
Color 600.....	397
Color 700.....	495
Color 710.....	569

TEKNIKA

MJ-10 Composite.....	179
MJ-22 RGB.....	255

TAXAN

115 12" Green Composite.....	CALL
116 12" Amber Composite.....	CALL
121 12" Green TTL.....	135
122 12" Amber TTL.....	145
220 14" Color Composite.....	259
410 12" RGB Hi Res IBM.....	329
420 12" RGB Super Hi Res.....	409
440 12" RGB Ultra Hi Res.....	555
Tilt Stand.....	35

PANASONIC

DT1300D 13" RGB/Composite.....	247
DTM140 14" RGB/Composite.....	329
DTM103 10" RGB Hi Res.....	395
DTS101 10" Composite.....	175
DT1000G 10" RGB.....	166
TX12H3P 12" Color.....	419
TR120M1PA 12" Green.....	109
TR120MBPA 12" Amber.....	109
TR122M9P 12" Green IBM.....	148
TR122MYP 12" Amber IBM.....	148

ZENITH

ZVM 122A Amber.....	75
ZVM 123G Green.....	75
ZVM 124 Amber IBM.....	129
ZVM 131 Color.....	275
ZVM 133 RGB.....	389
ZVM 135 Composite.....	449
ZVM 136 Hi Res Color.....	589
1220 1230 1240.....	CALL

NEC

JB-1260 Green.....	95
JB-1201 Green.....	135
JC 1215 Color.....	235
JC 1216 RGB.....	375
JC1460 Color.....	265
JB-1205 Amber.....	139

PRINCETON GRAPHICS

MAX-12 Amber.....	185
HX-12 RGB.....	485
SR-12 RGB.....	595

X-TRON

Comcolor I Composite Green.....	177
---------------------------------	-----

SAKATA

SG1000 12" Green.....	99
SA1000 12" Amber.....	109
SG1500 12" Green TTL.....	119
SA1500 12" Amber TTL.....	129
SC100 13" Color Comp.....	209
SC200 13" RGB.....	389
STSI Tilt Stand.....	29

DRIVES

INDUS

GT ATARI.....	199
GT COMMODORE.....	199

COMTEL

Enhancer 2000 (c-64).....	179
---------------------------	-----

MSD

SD1 Drive (C-64).....	229
SD2 Drive (C-64).....	469

INTERFACING

AXIOM

Parallax (C-64).....	65
----------------------	----

QRD

GPC (C-64).....	59
-----------------	----

DIGITAL DEVICES

U-Print C (C-64).....	49
-----------------------	----

CARDCO

G-Wiz (C-64).....	54
C/7 + G (C-64).....	45
C/7PS (C-64).....	49
C/7B (C-64).....	39

ORANGE MICRO

Grappler CD (C-64).....	79
-------------------------	----

TYMAC

Connection (C-64).....	55
------------------------	----

MODEMS

HAYES

Smartmodem 300.....	133
Smartmodem 1200.....	377
Smartmodem 1200B.....	347
Smartmodem 2400.....	598
Micromodem IIE.....	135

Westridge (C-64).....	59
Milkey Mo Modem.....	89
Compuserve.....	19.85

NOVATION

IBM 300/1200 MS-DOS ext.....	319
IBM 300/1200 CPM-86 ext.....	319
IBM 300/1200/2400 ext.....	529
Microbits 1064 Modem.....	57

RACAL-VADIC

2400PC.....	549
2400PA.....	799
2400V.....	559

TELE LEARNING

Total Telecommunications (C-64).....	29.95
AP-250 (300 Baud Apple).....	69.95
IB-250 (300 Baud IBM).....	69.95

ANCHOR

Volkmodem.....	55
Volkmodem 12.....	186
Mark 12.....	229

TOLL FREE 1-800-233-8760



TO ORDER



CALL TOLL FREE

800-233-8760

Customer Service 1-717-327-1825 Jersey Shore PA 17740

or send order to

Lyco Computer

P.O. Box 5088

RISK FREE POLICY

In stock items shipped within 24 hours of order. No deposit on C.O.D. orders. Free shipping on prepaid cash orders within the continental U.S. Volume discounts available. PA residents add sales tax. APO, FPO and international orders add \$5.00 plus 3% for priority mail service. Advertised prices show 4% discount for cash, add 4% for MasterCard or Visa. Personal checks require 4 weeks' clearance before shipping. Ask about UPS Blue and Red label shipping. All merchandise carried under manufacturer's warranty. Free catalog with order. All items subject to change without notice.

What's the advantage to this?

Because the interrupt is tied to an actual position on the screen, the interrupt can *change the screen* in the middle of the display!

That's what this program does—it's the most important alteration from last month's animation routines. An interrupt is generated at scanline 234—the beginning of the penultimate text line. That interrupt executes a routine that clears the interrupt flag, resets the vector to point to a different interrupt routine, and then fiddles with video memory:

It sets the screen memory pointer at 53272 to point to a different location.

Since the sprite location table is the last eight bytes of the 1K block that contains screen memory, the VIC-II will look for sprite shapes at a completely different place—and in this case, all the sprite shapes will be completely blank.

The effect is simple. Now the BASIC program can completely ignore the stars in the background on the upper part of the screen. Instead, it will PRINT the fuel and supply gauges on the last two lines of a *different screen memory*.

While it's doing that, though, the sprites are still moving around on the screen. When a sprite reaches scanline 234, the VIC-II suddenly starts looking for its shape

in a different place; when it finds it, the shape is blank. Any part of the sprite that falls below scanline 234 is completely invisible.

What have we done? Why, moved the bottom of the screen up two text lines, as far as the sprites are concerned. If we cause the starfield screen to scroll upward, the screen memory that contains the fuel and supply gauges is not affected; if we clear the gauge screen, the starfield is not affected.

Don't look now, but that's called "windowing." The top 23 text lines are a window into one screen memory; the last 2 lines are a window into another.

That interrupt routine generated at scanline 234 also set location 53266 to generate another interrupt at a later scanline. So only a few scanlines later, the VIC-II causes another interrupt. This one sets everything back to normal—and then goes ahead and executes the animation and movement routines from last month's program.


In each screen display, several different interrupts are generated, the display is changed, and hundreds of different jobs are done. Not triggered by the computer's timer, but synchronized with the video display itself. Even ABC, CBS, and NBC can't get any more control over your television set than that! □

SEE PROGRAM LISTINGS ON PAGE 131

Next month in **Creating Your Own Games on the Commodore 64...**

Orson Scott Card will explain the extended background color mode used in this month's *Gypsy Starship*, and how you can use it to create windows in C-64 programs (along with providing a demonstration program).

PROJECT SPACE STATION



The ultimate construction set.

Human Engineered Software

390 Swift Ave. #14 So. San Francisco, Ca. 94080

415-871-0570

Reader Service No. 175

USE AISLE 12
4 DRIVE UNITS OR LESS

PREPAY ONLY

NO CREDIT ON SERVICE WORK
NO MACHINE WITHOUT THE GREEN

PAY FOR 5 ALIGNMENTS
GET 6TH ONE FREE

NOT RESPONSIBLE
FOR MISSING FLOPPIES

BE POLITE
EVERYONE HAS TO WAIT

NOW
SERVING

No 90

DEPOSIT
EACH
DRIVE
UNIT

TAKE
NUMBER

SAVE YOUR RECEIPTS
FREE VACUUM CLEANER
WITH 200TH ALIGNMENT

Who needs this?

When you can solve disk drive alignment problems
in 60 minutes with the CSM program.

**Disk drive alignment problems?
Drive out of alignment again?
Tired of waiting two weeks or
more to get your drive fixed??**

WE HAVE THE ANSWER !!

With the 1541 DISK DRIVE ALIGNMENT PROGRAM you can align the drive yourself in an hour or so. Not only that, you can do it at home AND no special equipment is required. Anyone with average mechanical skills can do it!

**Read What Compute!'s Gazette
had to say. (Oct., 1984)**

"... with 1541 Disk Drive Alignment from CSM Software, you can fix it [the disk drive] yourself in an hour or so and the program will pay for itself the first time you use it...No technical expertise is required to accomplish the alignment procedures, and the manual accompanying the program thoroughly describes the procedures."

**WHY BE AT THE MERCY OF
REPAIR SHOPS?**

INSTRUCTIONS INCLUDED FOR "THE FIX"—It may just keep your drive from ever going out of alignment again.

**1541 DISK DRIVE ALIGNMENT
PROGRAM VERSION 2.0
\$44.95 plus shipping**

PROGRAM PROTECTION MANUAL FOR THE C-64 VOLUME II

Not just a third edition — a new and up-to-date manual covering the latest advances in program protection. Over 275 pages of valuable information. Topics include:

- ENCRYPTION AND DECRYPTION
- UNDOCUMENTED OPCODES
- GCR RECORDING
- CUSTOM DOS ROUTINES
- CARTRIDGES AND EPROMS
- PROTECTING YOUR OWN SOFTWARE
- TIPS FROM EXPERTS ON PROTECTION, BACKUP & MORE
- DISK INCLUDED

\$34.95 plus shipping

PROGRAM PROTECTION MANUAL FOR THE C-64 VOLUME I

- A MUST FOR BEGINNERS
- THE PERFECT INTRODUCTION TO PROGRAM PROTECTION
- DISK INCLUDED

\$29.95 plus shipping

NUMERIC KEYPAD

FOR VIC and C-64

NO SOFTWARE
REQUIRED

**100% COMPATIBLE
WITH ALL SOFTWARE**

MORE FUNCTIONS THAN
KEYPADS COSTING \$79.95

7	8	9	*
4	5	6	/
1	2	3	+
0	.	-	DEL
ENTER	SH	↑	

\$64.95 plus shipping

CARTRIDGE BACKER

PACKAGE INCLUDES:

1. EXPANSION BOARD, PROGRAM DISK AND USER'S MANUAL
2. CARTRIDGE BACKER software to back-up 99% of the most popular C-64 cartridges to disk.
3. SOFTWARE TO BACK UP MANY DISK PROGRAMS.
4. SOLD FOR ARCHIVAL USE ONLY!!

\$54.95 plus shipping

NEW PRODUCT

★ SNAPSHOT 64™ ★

SNAPSHOT 64 is a new backup utility program that literally takes a 'SNAPSHOT' of your computer's memory. This snapshot is then saved to disk with an autoboot so that it may be easily loaded back in. It does all this automatically and easily.

- EASY TO USE. TAKES ONLY 3-5 MINUTES
- BACKS UP MANY MORE PROGRAMS THAN SIMILAR UTILITIES
- SOLD FOR ARCHIVAL PURPOSES ONLY
- EXCLUSIVE FEATURE - ALLOWS YOU TO STOP MOST PROGRAMS AT ANY POINT, EXAMINE THE COMPUTER'S MEMORY, AND THEN RESTART THE PROGRAM. THIS IS A VERY VALUABLE FEATURE FOR THE HACKER!!

\$49.95 plus shipping

VISA AND MASTERCARD ACCEPTED

Shipping \$3.50 per item in U.S.; foreign orders extra

CE is a registered trademark of Commodore Business Machines, Inc.



Available through your local software dealer or call:

CSM SOFTWARE, INC.

POST OFFICE BOX 563, CROWN POINT IN. 46307, PHONE (219) 663-4335

Reader Service No. 210

THE SHADOW KNOWS

**NEW
TOLL-FREE PHONE
1-800-541-1541**

Shadow is a new and revolutionary way to back up your most protected software. It encompasses all the latest advances in software, as well as a highly sophisticated piece of hardware. This is absolutely **the best** utility available today. You may not even need updates, but if you do, the Shadow's unique design allows for updates to be available for a nominal fee.

HACKER PACKAGE INTRODUCTORY OFFER **\$39.95**

Shadow a disk while it loads, then read an exact list of:

- Track, sector, ID, check sum, drive status
- High and low track limits
- Density use on each track
- Half tracks that are used
- Command recorder shows exact commands that were sent to the 1541 while program was loading
- RAM recorder records custom DOS

Shadow-scan any disk, then read exact list of:

- Valid tracks, half tracks, partial tracks and segments
- Sync mark links, header block links, and data block links
- Track to track synchronization


Exclusive snap shot recorder will give you an exact copy of the 1541 RAM and can be viewed, saved or printed. Plus many more features included.

GT PACKAGE INTRODUCTORY OFFER **\$39.95**

Highly sophisticated and integrated piece of hardware that turns your 1541 into something you've always wanted.

- Track and sector display
- Drive reset switch
- Device number change
- Half track indicator
- Abnormal bit density indicator
- Shadow on-off indicator

The Shadow display will give you an accurate display of precisely what track you are accessing during a normal load even if the program does a read past track 35.



MegaSoft

LTD


P.O. Box 1080 Battle Ground, Washington 98604 1-800-541-1541
Reader Service No. 216

Order by phone 24 hrs./7 days or send cashier's check/money order payable to MegaSoft. Visa, MasterCard include card # and exp. date. Add \$3.50 shipping/handling for continental U.S., \$5.50 for UPS air. CODs add \$7.50. Canada add \$10.00. Other foreign orders add \$15.00 and remit certified U.S. funds only. Distributors invited and supported.

SPEECH SYNTHESIZERS

for the Commodore Computers

By Morton Kevelson



Left to right: Voice Messenger, inside & out (Reader Service No. 282); Magic Voice (Reader Service No. 283); Voice Command Module (Reader Service No. 284).

INTRODUCTION: SPEAK TO ME ONLY WITH THINE ?????

The ability to converse with the computer is uppermost in the minds of most users. The usual method of maintaining informative discourse involves tactile manipulation of the keyboard coordinated by visual stimulation via the video monitor. In other words, the user must bang away on the keyboard while paying attention to the video display. It doesn't take long to realize that the ability to indulge in verbal discourse with the computer could go a long way towards feeling up the tactile manipulators for other activities.

It isn't likely that the C-64 will ever attain the capability of a voice-activated typewriter. The technology for such applications just isn't with us yet, at least not in a \$100 package. The C-64 does not have the speed or memory to handle that sort of voice recognition. However, there are sev-

eral low-cost peripherals which will allow you the luxury of acoustic communication with your C-64. These products may be placed into two categories: speech synthesizers and speech digitizers. The former are self-contained devices, controlled by the computer, for simulating human speech. The latter create digitized images of the spoken voice for storage in RAM or on disk. These digitized images can subsequently be used for audible playback or, when properly processed, as recognition templates to permit verbal direction of the computer.

THE SOUNDS OF SPEECH

The human vocal apparatus is capable of producing two fundamental sounds. The vocal chords, essentially a vibratory apparatus, produce a buzzing sound. The fundamental, or lowest, frequency of this sound is in the order of 100 vibrations per second. The nature of this buzz is such that it contains a large number of harmonics, or integral multiples, of the fundamental vibration. These overtones, which vibrate at 200, 300, and so on times per second, are of nearly the same amplitude or loudness as the fundamental tone. A well-known

example of this type of sound is the "ah" which is frequently produced as a slender sliver of wood is introduced into the mouth.

In contrast, the lungs are a source of compressed air, which when forcibly expelled produces a rushing sound. The random nature of this "white noise" contains a mixture of all audible frequencies. A common unvoiced sound is the "sh" used to represent a request for silence.

The audible output of these two mechanisms is controlled by the throat and mouth, which by the positioning of the tongue and lips form a highly adjustable resonating chamber. Each fundamental resonance so obtained is called a formant. These formants are combined into complex vibrations, known as allophones, which are the fundamental speech components. The allophones are further combined to produce the various vowel or consonant sounds known as phonemes.

SPEECH DIGITIZATION

The first method used to digitize speech stores the actual speech information. The production of sounds in the real world is a continuous or ana-

log process. That is, speech sounds change in a smooth and continuous stream. On the other hand, information stored and manipulated in a computer is done so in a discrete or digitized form. In other words, a series of numbers are used to represent the original information.

The process of converting real world information to digitized form is known as sampling. In effect, a real time event is looked at briefly at periodic intervals. The quantity being digitized is carefully measured and the results are stored away. Thus two pieces of information are required, the interval between samples and the actual value of the sample.

The degree of accuracy with which this is done depends on two things. The first is how often the original information is sampled. The second is the range of measurement which is available for each sample.

The sample rate sets an upper limit on how fast the original information can change and still be record-

ed with any accuracy. For example, if we want to make sure that we know the position of a door which might open or close once every second, we have to look at it at least twice every second. Less frequent observations would leave open the possibility of missing an opening or closing. Sampling theory agrees with this concept by specifying the need to sample at twice the maximum rate of change of the sampled signal. In terms of sound or speech, a faster sample rate results in greater fidelity.

The measurement range determines how precisely each measurement is recorded. Using our door as an example, if we wish only to record if it is open or closed a single bit would suffice. In this case a 0 could represent a closed door, in which case a 1 would represent an open door. Of course this tells us nothing about the intermediate positions. If we wish to refine our measurement, say up to 256 different positions, a single byte would be re-

quired. In terms of speech or sound a greater range of measurement results in a greater spread between the loudest and softest sounds which can be recorded.

In music recording and playback equipment these two parameters are listed as the frequency response and dynamic range.



It turns out that for speech to be reasonably intelligible, a minimum of 3000 vibrations per second have to be heard. This would require a total of 6000 samples per second. If we use the same 256 possible levels, an understandable (although rather coarse) reproduction would result. In terms of computer memory, each sample would require one byte and each second of recorded speech would fill 6000 bytes of memory. Things aren't all that bad. Various mathematical compaction techniques have been developed to reduce the memory requirements somewhat. Nevertheless, speech reproduction in this way is memory intensive.

The second method of speech digitization turns a large part of the task over to the hardware. Electronic analogs of the vocal tract are constructed. A number of these circuits, representing the various positions of the vocal apparatus, are combined on a single chip. The task of speech production is reduced to controlling the speech circuits so as to reproduce the appropriate allophones. The problem of speech reproduction is thus reduced to one of selecting the appropriate circuits in the proper sequence for the correct lengths of time.

The data storage requirements for the hardware method are significantly less than for full digitization. Several tradeoffs exist. The hardware method is somewhat costly, although this is becoming much less of a factor. As with all semiconductor products, cost of the components are dramatically reduced after the initial development is complete. The most significant tradeoff is in flexibility. Digitization has the ability to record any sounds, not just the spoken word. The hardware devices are somewhat limited to a predefined set of acoustic characteristics. Both methods have



Aeronaut game included with Voice Command Module requires you to direct the hot air balloon by voice rather than by keyboard or joystick. That is, you use your own hot air to manipulate the balloon's hot air.



Interior views of Magic Voice (left) and Voice Command Module. Note the two kilobytes of ROM and the onboard microprocessor in the latter.

COMMODORE COMPATIBLE SINGLE DISK DRIVE



Commodore™ owners, are you ready for a disk drive that delivers more FEATURES, PERFORMANCE AND COMPATIBILITY at a competitive price to the 1541? Peripheral Systems of America CS-1™ gives you all that the existing drives offer and much more.

FEATURES:

- 100% compatible.
- Reset button to save wear and tear on your disk drive.
- Free utility software - Q-Load (fast load), Copy-Q (fast copy).
- External switch for selecting device number.
- Data error detection and correction feature.
- Reliable @ Save function.
- Formats in 16 seconds.
- State of the art design - streamlined with an external power supply.
- Reliable and durable.
- 90 day limited warranty.
- 9 month extended warranty available.

C-64 is a registered trademark of Commodore Business Machines Inc.
DEALER INQUIRIES WELCOME

Other products offered by Peripheral Systems of America:

FOR COMMODORE

Hardware: Dual Drive, Serial Interface, 300 Baud Modem, Graphic Printer Interface, Fast Load/DOS Cartridge, Light Pens, Joysticks.
Software: Terminal Program, Back-Up Copy, Five Modular Accounting Packages

OTHER COMPUTERS

4-Color Centronics Plotter/Printer, Disk Notcher



Peripheral Systems of America, Inc.
2526 Manana Rd., Suite 209, Dallas, TX 75220 (214) 956-7866

PRODUCTS YOU CAN BELIEVE IN

Reader Service No. 168

their uses.

The reverse of speech digitization is speech recognition. The demands of a workable speech recognition system are far greater than those of a workable speech digitization system. In the ideal case, a speech recognition system would be both speaker independent and receptive of continuous utterance. That is, anybody could talk a blue streak at the computer and every word would be properly understood within the context of what was said. Even with the largest computer systems this is a yet-to-be-realized scenario.

A step down the difficulty ladder is a speaker-dependent continuous utterance system. These results may be achieved to a limited extent with existing hardware and software. The realm of the smaller computer is in the speaker independent discrete utterance field. That is, anyone will be understood, but only one clearly defined word at a time. In practice, most systems can be trained for a select group of individuals.

For the C-64 we come down to the speaker-dependent discrete utterance situation. That is, a select vocabulary discretely uttered by a single individual will be understood.

In actual practice a number of other factors must be considered. Perhaps the most important is the background or environmental noise which must be dealt with both during the training and recognition phases. Think of it as studying for a final exam in the cafeteria while actually taking the exam at a ball game. Things of this sort can drive the small system for a loop.

As Commodore users we are a fortunate group. The low cost and large

numbers of our computers which are in use prompt the development of a large variety of inexpensive yet powerful peripherals. At a very minimal cost, speech products which perform many of the above functions are readily available. We will now examine a selection of these. □

MAGIC VOICE SPEECH MODULE

Commodore Business Machines, Inc.

1200 Wilson Drive

West Chester, PA 19380

Phone: 215-431-9100

Price: \$59.95

No roundup of speech products would be complete without Commodore's own entry into the market. As is usual with Commodore products, the *Magic Voice* is an impressive piece of hardware for the price.

Connecting up the *Magic Voice* is straightforward if you are using a TV set. Just plug the module into the cartridge port and hook up the supplied audio cable between the module and the computer's video port. If you are using a monitor, things are a little more complicated. The audio connection to the monitor will have to be diverted to the *Magic Voice*. Audio for the video monitor is then supplied from the *Magic Voice*. A minimum of one and probably two user-supplied audio cables are required.

The *Magic Voice* speech module places its priorities on the production of clear, natural-sounding speech. To achieve this goal, Commodore has chosen to limit the module's repertoire to a total of 235 different utterances. The majority of these speech fragments are entire words, of which 25 per cent are devoted to the letters of the alphabet, numbers, and numer-



ical suffixes. This last set provides enough flexibility to allow the user to SAY any number up to 999,999,999. Speech is produced in a realistic female voice with just a hint of an "accent."

Attaining a high level of intelligibility is not without a price. The storage requirement for this limited vocabulary and its associated driver software exceeds 16 kilobytes. The bulk of this data is the speech module's resident vocabulary. Fortunately, the Commodore 64's architecture supports the acquisition of operating system extensions without affecting BASIC's user RAM. The speech extensions are mapped into the address space which is shared by the computer's built-in BASIC and operating system ROMs. Only one kilobyte, in the \$C000 block, is visible to BASIC. This area is normally reserved for machine language subroutines.

The voice module consists of a compact, enclosed plastic package which is installed in the Commodore 64's cartridge port. A set of hinged doors on top of the cartridge covers a spare socket which permits the use of additional cartridge-based software. Only an audio hookup is needed to complete the connection.

The addition of four commands to BASIC allows for simple programming of the device. The SAY command works very much like a print statement. It is limited to single words in the resident vocabulary or to the numbers 0 through 234, each of which corresponds to one of the available utterances. Thus, the rendition of complete sentences requires successive SAY statements.

The most significant shortcoming, aside from the limited vocabulary, is



Voice Master has both speech digitization and recording capabilities. The accompanying headset/microphone simplifies recording of voice patterns.

READER SERVICE NO. 285

COMMODORE 128 REFERENCE LIBRARY



A detailed guide presenting the 128's operating system, explanations of the graphics chips, a concise description of the Memory Management Unit, and well documented ROM listings, much more. **\$19.95**

This book is chock full of information which no '128 user should be without. It covers memory management, producing hires graphics in 80 columns, using windows, important memory locations and much more. **\$19.95**

An insiders' guide for the novice and advanced users. Describes sequential and relative files, using direct access commands, directory organization, important DOS routines plus commented DOS listings. **\$19.95**

An essential guide to using CP/M on your 128, with simple explanations of the operating system and its memory usage, using CP/M utility programs, creating submit files and many other subjects. **\$19.95**

...and a sensational selection of COMMODORE 64 BOOKS

The Anatomy of the C-64
For two years a best seller. C-64
internals w/ROM listings. **\$19.95**

Tricks and Tips for the C-64
Favorite among programmers.
75,000+ sold worldwide. **\$19.95**

Peeks and Pokes for the C-64
Quickhitting, easy-to-use routines
for every C-64 owner. **\$14.95**

The Anatomy of the 1541
Revised, expanded edition. De-
tailed ROM listings. 500pp. **\$19.95**

1541 Repair & Maintenance
Brand new! Keep your 1541 Disk
Drive in top shape. **\$19.95**

Science & Engineering on C-64
Intro to computers and the world of
science. Real examples. **\$19.95**

C-128 Computer Aided Design
CAD techniques using C-128/C-64.
Many program examples. **\$19.95**

Compiler Design/Implementation
Learn to design and write your own
compilers. A how-to book. **\$19.95**

The Graphics Book for the C-64
Most in depth treatment available.
Dozens of techniques. **\$19.95**

The Machine Language Book
Intro to machine language geared
to the C-64. Assembler incl. **\$14.95**

Advanced Machine Language
Techniques never covered before.
interrupts, controllers, etc. **\$14.95**

Printer Book for the C-64 & Vic
All about using various printers.
Graphics, text, interfaces. **\$19.95**

Cassette Book for the '64 & Vic
A must for cassette owners. High
speed cassette system. **\$19.95**

Adventure Gamewriters Hndbk
Write your own adventures. Learn
strategy, motivation. **\$14.95**

Ideas for Use on Your C-64
Dozens of interesting projects for
your C-64. Easy to read. **\$12.95**

Call now for the name of your nearest dealer. To order by credit card call 616/241-5510. Other software and books also available - ask for free catalog. Add \$4.00 for shipping per order. Foreign orders add \$8.00 per book. Dealer inquiries welcome - 1200+ dealers nationwide.

Abacus Software
P.O. Box 7211 Grand Rapids, MI 49510
For fast service phone 616/241-5510
Telex 709-101

BREAK THROUGH

The

BARRIER

with **Ahoy!**

PROGRAM DISKS AND CASSETTES

BEST OF '84

Multi Draw 64
Address Book
VIC Space Lanes
64 Space Lanes
Name that Star
Lunar Lander
Air Assault
Math Master
Biorhythm
Checklist
The Alpiner
Post Time
Salvage Diver
DOS
Micro Minder '85
VIC 40
Emerald Elephant
Lawn Job
Construction Co.
Space Patrol
Multi Draw Boot

BEST UTILITIES

Booter
BASIC Trace
Two Column Directory
Commodore Font Editor
Screen Magic
Screen Bit Dump
Printat
Auto Append
Formatter
Windows
Start & End File Address
Fastnew
Maestro
1541 Cleaning Utility
DOS
Base Conversions
Micro Minder '85
Lucky Lottery

BEST GAMES

Name That Star
Post Time
Alpiner
Salvage Diver
Lawn Job
Emerald Elephant
Construction Co.
Space Patrol
Tile Time
Duck Shoot
Script Analysis
Wizard of Im
Disintegrator
Gators N Snakes
Dragon Type
Gravinauts
Mystery at Mycroft Mews

Why waste time typing?
All the programs in this
issue of *Ahoy!* are avail-
able on disk or cas-
sette! Use the cou-
pon below to order a
single disk or tape
or a subscription...
as well as the spe-
cial disks de-
scribed at left.

SINGLE ISSUE AND SUBSCRIPTION PRICES

(Postage and Handling Included)

	U.S.A.	CANADA	ELSEWHERE
☐ December '85 <i>Ahoy!</i> Disk	\$ 7.95	\$ 12.95	\$ 13.95
☐ December '85 <i>Ahoy!</i> Cassette			
☐ 12-Month Disk Subscription	\$ 79.95	\$ 99.95	\$124.95
☐ 12-Month Cassette Subscription			
☐ 24-Month Disk Subscription	\$149.95	\$179.95	—
☐ 24-Month Cassette Subscription			

\$10.95 EACH (disk only): ☐ Best of '84 ☐ Best Utilities ☐ Best Games

Make check or money order payable to **Double L Software**. N.Y. State Residents must add 8 1/4% sales tax.

BACK ISSUES \$8.95

(except months listed)

In Canada add \$2.00 per issue; outside US
and Canada add \$4.00 per issue.

☐ Jan. '84	\$9.95	☐ _____	\$8.95
☐ _____	\$8.95	☐ _____	\$8.95
☐ _____	\$8.95	☐ _____	\$8.95
☐ _____	\$8.95	☐ _____	\$8.95

SPECIFY

☐ DISK ☐ CASSETTE

Send coupon or facsimile to:
Ahoy! Program Disk/Cassette
Ion International Inc.
45 West 34th Street, Suite 407
New York, NY 10001

NAME _____
ADDRESS _____
CITY _____ STATE _____ ZIP _____

BASIC's error routine. Any attempt to voice an utterance which is not part of the resident vocabulary results in the cessation of program execution and the display of the ?ILLEGAL QUANTITY ERROR message. A far more practical approach would have been to simply ignore the offending phrase or perhaps to utter a non-committal grunt. Fortunately, a simple out exists. POKE 49457,76:POKE 49458,174:POKE 49459,167 will harmlessly redirect the error routine.

The built-in RATE command varies the speed of the spoken word over a two-to-one range without affecting the voice's pitch. The RDY variable allows BASIC to test the speech module for completion of the current phrase. The VOC function alerts the module to any vocabulary extensions in user RAM.

TABLE OF BASIC EXTENSIONS

Magic Voice

SAY "text" or A\$ or N—utters text string or number

RATE (I)—sets speech speed

VOC (AD)—defines user speech dictionary

RDY—*Magic Voice* status variable
text=utterance in *Magic Voice* vocabulary

A\$=string variable

N=utterance number from *Magic Voice* vocabulary

AD=address of vocabulary data

I=1(fast) to 10(slow)

Do not expect to be able to encode your own vocabulary. The complexity of the process will force most users to depend on outside sources for supplementary vocabularies.

The *Magic Voice* has been around for some time now. When first introduced, numerous promises were made about the new games and software which would soon be available to support it. Aside from several cartridge-based games, very little if any of this software has materialized. This is a shame, as the *Magic Voice* has a great deal of potential.

The *Magic Voice* comes with a rea-

sonably detailed manual complete with a sufficient number of programming examples. For the advanced user, a chapter on interfacing to the machine language routines is included. □

THE VOICE MESSENGER-SPEECH 64

Welwyn Currah Ltd.

104 West 4th Street

Royal Oak, MI 48067

Phone: 313-547-8300

Price: \$59.95

The *Voice Messenger-Speech 64* offers a generalized approach to computerized speech. All speech is generated by combining allophones, the basic speech components. These consist of 58 speech sounds with four pauses of varying lengths. The resulting speech is quite intelligible with just a bit more "accent" than the *Magic Voice*.

Installation is as simple as plugging a cartridge into the expansion port. If you are using a TV, just plug the attached cable into the computer's video port. If you are using a video monitor, use the included "Y" adapter. We did discover an interesting quirk. If a disk drive connected to the serial port is not turned on, the *Voice Messenger* will not work. Either turn on the drive or disconnect it while using the *Voice Messenger*.

The user is not required to combine allophones to generate speech. The *Voice Messenger* has its own eight-kilobyte operating system which does a commendable job of translating ordinary text into speech. The SAY command, which has been added to BASIC, will convert any string or string variable. If the pronunciation is not to the user's liking, it is a simple matter to tweak the vocalization by modifying the spelling. The translator will also accept a mix of text and allophones for maximum flexibility.

The only limitation to be aware of when voicing speech is the 256-allophone speech buffer. In real time this amounts of about 25 seconds' worth of speech. In computer time the buffer can be filled in just a few milliseconds. The reserved variable, SP%, allows the BASIC programmer to test the status of the speech buffer.

MUST LIQUIDATE AT BELOW DEALER COST! Genuine Leather ATTACHE CASE

FACTORY NEW! FIRST QUALITY!

Ideal for:

- Salesmen
- Executives
- Accountants
- Attorneys
- Students



Impressive case has genuine leather exterior with rich brass-plated hardware! Two combination locks provide extra security!

Manufacturer over-projected sales volume and wound up with a surplus of Attache Cases for liquidation at a **LOW money-saving price.**

Case measures a roomy 17" x 12" x 3" with plenty of capacity for papers, folders, books, and miscellaneous items. Large, expandable pockets provide organization for your material.

Leather exterior has burgundy finish and is double-stitched for added durability! Case interior is golden suede-like material. Folding corner hinges lock in position to keep lid firmly upright when in use. Protective brass-plated feet. Comfort carrying handle.

Compare At:

\$99.00

\$38

Liquidation Price . . .

Item H-772-61046-10 Ship, hand: \$5.00

Price subject to change after 60 days. Sales outside continental U.S. are subject to special conditions.

Please call or write to inquire.

Credit card customers can order by phone.

24 hours a day.

7 days a week



Toll-Free: 1-800-328-0609

Your check is welcome!
No delays in orders paid by check.

C.O.M.B. CO.® Item H-772-61046-10
14605 28th Ave. N./Minneapolis, MN 55441-3397

Send ____ Attache Case(s) at \$38 each plus \$5.00 each for shipping and handling. (Minnesota residents add 6% sales tax. Allow 3-4 weeks delivery. Sorry, no C.O.D.)

☐ My check or money order is enclosed. (No delays in processing orders paid by check, thanks to TeleCheck.)

Charge: ☐ MasterCard ☐ VISA

Acct. No. _____ Exp. _____

PLEASE PRINT CLEARLY

Name _____

Address _____

City _____

State _____ ZIP _____

Phone _____

Sign Here _____

C.O.M.B. CO.®
Authorized Liquidator

14605 28TH AVENUE NORTH
MINNEAPOLIS, MINNESOTA 55441-3397

Reader Service No. 200

AHOY! 39

The *Voice Messenger* will also convert the Commodore 64 into an instant talking computer. The KON command causes vocalization of all keystrokes. All keys are sounded, including the function keys, with the exception of the CTRL, RUN/STOP, Commodore logo, and RESTORE keys. The Commodore graphic symbols are simply sounded by the word "graphic." Priority is given to the most recent keystroke, which cancels the sounding of the last keystroke in mid-utterance. Pressing the keys faster than they can be uttered results in a peculiar echo effect.

Speech is normally sounded by a distinctly male tenor voice. The pitch may be easily altered to a rich baritone. The intonation of either voice can be subtly varied when direct allophone voicing is used. The clever programmer can add considerable expression to the generated speech.

The *Voice Messenger* operating system does not utilize any of the Commodore 64's BASIC memory space. Some memory locations in the \$C000 block are used. A brief manual is supplied with the package. The commands are clearly described along with several examples. For advanced programmers, a chapter on the machine language interfacing is included.

A required DIN plug "Y" adapter, not included with early production models of the *Voice Messenger*, now comes packaged with the hardware.

The *Voice Messenger* is a good all-purpose speech synthesizer for the Commodore 64. Its performance flexibility and reasonable price make it a best buy. □

Voice Messenger

INIT—initializes voice messenger

SAY n "text" or n A\$—utters text string with specified voice

KON n—key voicing on

KOFF—key voicing off

BYE—suspends *Voice Messenger*

SP%—speech buffer status variable

A\$=string variable

text=any text data

n=0 or 1; 0=low voice, 1=high voice

EASY SPEECH 64

Research In Speech Technology, Inc.

1825 74th Street

Brooklyn, NY 11204

Phone: 718-232-7266

Price: \$24.95

It appears that we have discovered a genuine cottage industry (at least in what passes for a cottage in Brooklyn) right in our own backyard. Research In Speech Technology (RIST) has been dealing in personal computer speech products for several years. Until now they have been content to use indirect marketing to distribute their wares. RIST will now be offering, direct to the consumer, their own line of speech products.

The first of these, *Easy Speech 64*, is a disk-based utility designed to work with the Welwyn Currah *Voice Messenger*. In fact, you must have the *Voice Messenger* to derive any benefit from *Easy Speech 64*. If you have met the basic requirements, then *Easy Speech 64* can be set to automatically vocalize any text sent to the Commodore 64 screen or any other output device. This sleight of mouth is accomplished by intercepting all output as it is sent to the screen for display. Text is then vocalized in real time.

Easy Speech 64 is designed to be as transparent as possible to the normal workings of the C-64. The bulk of the code resides in the RAM which is hidden beneath the Kernal ROM (\$E000-\$FFFF). As a result *Easy Speech* will function with many commercial software packages. Most notably, it will work with the entire line of Infocom interactive fiction software from the original *Zork* to the latest *Wishbringer*. Just initialize *Easy Speech 64* and then boot the adventure game as per Infocom's instructions. Everything works as before, except every word is clearly enunciated in the *Voice Messenger's* own peculiar accent.

The alert reader will realize that text is often displayed at a rate which is far greater than that of the spoken word. Herein lies the most significant disadvantage of the system. Operation is slowed up considerably when *Easy*

Speech 64 is active. The solution is quite simple. *Easy Speech 64* may be toggled on and off by a CTRL V (for voice) keystroke sequence.

Installation of *Easy Speech* is straightforward. Simply boot the program from disk. After a lengthy and unavoidable message, which is accompanied by the display of a talking disk, the main menu appears. At this point you have the option to accept the defaults and run your application software or customize *Easy Speech*. Upon choosing the latter, the modify menu appears, offering four possibilities:

1. The default device can be changed to anything from 1 to 255 (the screen is device 3). Thus text being sent to the cassette, printer, or disk drive can be vocalized. This may not even slow things down if you are using the cassette or a letter quality printer.

2. The memory location of the *Easy Speech 64* operating software can be changed to the RAM under BASIC (\$A000-\$BFFF). This provides some flexibility to accommodate additional commercial software.

3. If you are not happy with the tone of *Easy Speech 64* you can do something about it. The default is a low voice in a high pitch. An optional high voice and low pitch can be selected for a total of four combinations. These are two separate selections on the customize menu.

4. The most powerful option is the dictionary. This lets you customize the pronunciation of the words which are important to your application. Actually, entire phrases can be entered into the dictionary for subsequent recall by PRINTing a single character. This can be a significant memory saver for your BASIC programs. Over four kilobytes of dictionary space is available in the RAM under the ROM. An unlimited number of dictionaries can be stored on disk.

Dictionary entries are created with *Easy Speech's* own custom editor. The screen is divided into three windows. The top window is for direct entry of text. Although the manual indicated a 67-character limitation, we found the editor would accept text of any length. *Easy Speech* includes a sophisticated algorithm to translate

presenting . . . **CAPTURE™**

A NEW WAY TO UNLOCK THE POWER OF YOUR C64 OR C128*

- **CAPTURE** IS A CARTRIDGE THAT PLUGS INTO YOUR COMPUTER'S EXPANSION PORT.
- **CAPTURE** DOES NOTHING — UNTIL YOU PRESS ITS **CAPTURE** BUTTON. UNTIL THEN, A RUNNING PROGRAM CANNOT DETECT ITS PRESENCE.
- **CAPTURE** THEN TAKES CONTROL — NO IFS, ANDS OR BUTS — AND PRESENTS A MENU.
- **CAPTURE** WILL NEATLY SAVE EVERYTHING IN YOUR COMPUTER TO YOUR 1541 OR COMPATIBLE DISK DRIVE — ALL 64K OF RAM, CPU, VIC AND SID CHIP REGISTERS — EVERYTHING. IN EASY TO VIEW CHUNKS.
- **CAPTURE** WILL, IF YOU WANT, PRE-CONFIGURE YOUR COMPUTER'S RAM SO THAT ONLY MEMORY ALTERED BY YOUR PROGRAM NEED BE SAVED.
- **CAPTURE** WILL WRITE A BOOT ON YOUR DISK SO YOU CAN RELOAD AND BEGIN EXECUTION RIGHT WHERE YOU LEFT OFF.
- **CAPTURE** DOES ALL THIS AT A COST OF JUST **\$39.95**

BUT HERE'S THE BEST PART

- **CAPTURE** WILL MAKE AN AUTO-START CARTRIDGE OF YOUR PROGRAM. IT'S EASY! JUST FOLLOW THE DIRECTIONS ON THE SCREEN. NOW PLUG IN YOUR CARTRIDGE AND TURN ON YOUR COMPUTER. IN LESS THAN TWO SECONDS YOUR PROGRAM BEGINS AGAIN AT PRECISELY THE POINT WHERE YOU **CAPTURE'D** IT. MAGIC!

BESIDES **CAPTURE**, YOU NEED A *promenade* C1 AND A SUPPLY OF CPR3 CARTRIDGE KITS.

ORDERING INFORMATION

- **CAPTURE** CARTRIDGE — COMPLETE WITH INSTRUCTIONS \$ 39.95
- *promenade* C1 — EPROM PROGRAMMER WITH DISK SOFTWARE 99.50
- CPR3 CARTRIDGE KIT — PC BOARD, CASE AND 3 EPROMS 29.95
- DR—EPROM ERASER, TWO AT A TIME, 3 TO 10 MINUTES 34.95
- STARTER SET — **CAPTURE**, *promenade* C1 AND 1 CPR3..... 149.95
- DELUXE SET — **CAPTURE**, *promenade* C1, DR AND 2 CPR's 199.95

SHIPPING AND HANDLING — USA: UPS SURFACE \$3.00

BLUE LABEL \$5.00

NEXT DAY AIR \$13.00

CANADA: AIR MAIL \$7.00

OTHER FOREIGN AIR \$12.00

CALIFORNIA RESIDENTS ADD APPLICABLE SALES TAX

COD ORDERS, USA ONLY, ADD \$3.00

C64 AND C128 TM COMMODORE ELECTRONICS, LTD. *WHEN OPERATING IN 64 MODE

TO ORDER: TOLL FREE 800-421-7731
FROM CALIFORNIA 800-421-7748

TECHNICAL SUPPORT AND 408-287-0259
FROM OUTSIDE THE US: 408-287-0264



JASON-RANHEIM

580 PARROT STREET
SAN JOSE, CA USA 95112



MasterCard



most text into the appropriate allophone for use by the *Voice Messenger*. Simply hit return and the allophone version of the text will appear in the second window. Of course, it is impossible for it to be 100% perfect. At this point you can voice the message and modify the allophones to fine tune the speech. Alternatively, the text entry stage may be bypassed to direct allophone entry.

The bottom window displays the available editor commands in abbreviated form. The window also displays user prompts when required. Four built-in help screens provide a slightly more detailed description of the commands, as well as an annotated listing of all the available allophones.

The editor worked well once we became accustomed to its unique conventions. The allophone window would only accept genuine allophones and not arbitrary text. Full disk support is provided, including the loading and saving of dictionaries, directory display, and the issu-

ance of disk commands. The editor did have several nonfatal flaws. It was all too easy to exit the editor without adding the current phrase to the dictionary. This results in the loss of whatever was in the editor's buffer. Although the editor listed the word identification in the dictionary, it did not permit the recall of an added phrase for further editing.

Once you have left the modification mode, *Easy Speech* parameters are fixed. There is no way to remodify any of the parameters without rebooting from the very start. None of these limitations detracted from the overall performance of *Easy Speech*. In general they are easily circumvented if you are aware of their existence.

We were disappointed in one aspect of *Easy Speech*, the vocalization of BASIC program listings. In the ideal case, the online text to speech converter would read back a program as it LISTs to the screen. This would enable you to proofread a program without the need for constant head swinging between the screen and the source code. Unfortunately, the text to speech algorithms were not up to the task of decoding a BASIC program. Characters which are crucial to BASIC (such as punctuation symbols) as well as key words and BASIC variables were all vocalized as normal text. The results were rather strange and of little value for proofreading. What is needed is a custom dictionary which examines the BASIC tokens stored in memory. In addition, all BASIC text would have to be vocalized one character at a time. We did pass these suggestions on to RIST. Perhaps some favorable results will be forthcoming.

Easy Speech 64 is a very useful utility. If you already have the Welwyn Currah *Voice Messenger*, you should definitely consider the purchase of *Easy Speech*. □

COVOX VOICE MASTER

Covox Inc.
675-D Conger Street
Eugene, OR 97402
Phone: 503-342-1271
Price: \$89.95

The *Voice Master* system from Co-

vox, Inc. is a combination of hardware and software for the digital recording of speech and sound with the Commodore 64. The digitized data is initially stored in the computer's memory and may be saved to disk for subsequent playback.

The package includes a compact hardware module about the size of a pack of cigarettes. Early versions of the *Voice Master* were installed in the user port. These were supplied with a simple hand-held microphone. More recent versions plug into the joystick port, leaving the user port free for other applications. A combination headband with earphone and microphone are presently supplied with the package. The latest versions are very similar to the one depicted on page 36, the primary difference being the elimination of the calibrate adjustment.

Early versions also used a single analog to digital integrated circuit conversion chip. Current models utilize more common integrated circuits, which seem to perform just as well. The hardware module is needed only for the recording of speech or sounds. Reproduction of digitized speech is via the Commodore 64 SID chip. Once the speech files have been digitized and saved to disk, they may be recalled for use by user-written programs. The only requirement here is that the *Voice Master* software (see below) must be LOADED into the computer.

The heart of the system software is a four kilobyte machine language program which LOADs into the \$C000 block. The major memory overhead is associated with the storage of the digitized sound data or vocabularies. The specific amount of memory available for speech data is user-adjustable. The minimum amount uses the RAM under the BASIC ROM. About six kilobytes or six seconds of speech is thus available. It is possible to allocate a maximum of 41,140 bytes for speech data storage.

The operating system includes a fast LOAD routine which makes possible the use of the disk drive for real time vocabulary storage. The fast LOAD

ALSOFT COMMODORE 64 DISKETTES

SECURITY PAC 64 - Single bit encryption and decryption of any PRG or SEQ file. Encryption is based on a user selectable password. Provides state of the art data security. **\$24.95**

SECRET DIARY - One key paragraph indentation, automatic wordwrap and total security are only a few of the many built in features. Uses the same single bit encryption process as Security Pac 64. Printer optional. **\$24.95**

THE PUZZLE GENERATOR - Choose one of over a billion built in criss-cross or wordsearch puzzles, or create one from your own list of words. Printer required. **\$24.95**

HARNESS RACE ANALYZER - Cross references info on up to 20 races to pick the best available bets. Greyhound and Thoroughbred analyzers also available. Printer optional. **\$24.95**

(SATISFACTION GUARANTEED)

Prices include postage & handling.
 PA residents add \$1.50 sales tax.
 No delays in orders paid by check.
 All orders shipped same day.

ALSOFT
 305 LARGE AVENUE • CLAIRTON, PA 15025

MASTER CARD • VISA • COD

PHONE (412) 233-4659

Reader Service No. 170



DISCOUNT SOFTWARE

ABBY'S CHRISTMAS STOCKING STUFFERS

ATARISOFT VIC-20 (ROM)

Pac-Man, Donkey Kong, and Centipede

All Four Titles for only **\$10** — PLUS — Receive
FREE Gortek & The Microchips

ATARISOFT C-64 & C-128 (ROM)\$8 Each

Dig Dug, Jumble Hunt, Robotron: 2084, Defender
Pac Man and Pole Position

ATARISOFT APPLE (Disk)\$7 Each

Stargate, Jungle, Defender, Pac Man,
Donkey Kong, Robotron, Dig Dug, Centipede

SPINNAKER C-64 & C-128 (ROM)\$16 Each

Adventure Creator, Aegean Voyage, Alf in the Color Caves,
Alphabet Zoo, Bubble Burst, Delta Drawing, Facemaker,
Fraction Fever, Jukebox, Kids on Keys, Kindercomp,
Up For Grabs

FISHER PRICE C-64 & C-128 (ROM)\$13 Each

Dance Fantasy, Memory Manor, Linking Logic,
Logic Levels, Alpha Build, Hop Along Counting,
Up & Add 'Em, Sea Speller, Number Tumbler

**We Carry A Complete Line
of Software. The Following Is
Just a Sample of Our Products**

ABACUS

Ada Training Course	\$33
TAS-64	\$49
Basic-64	\$36
Assembler Monitor-64	\$36
Power-Plan	\$49
Anatomy of the Commodore (Book)	\$18
Anatomy of the Commodore (Disc)	\$14
Anatomy of the 1541 (Book)	\$18
Anatomy of the 1541 (Disc)	\$14
Super Pascal	\$48
Super C Compiler	\$59

NEW C-128 BOOKS

C-128 Internals	CALL
C-128 Tricks & Tips	CALL
1571 Internals	CALL
CP/M On The C-128	CALL

DAVIDSON & ASSOCIATES

Math Blaster!	\$34
Word Attack!	\$34
Spell It!	\$34

MICROPROSE

F-15 Strike Eagle	\$25
Kennedy Approach	\$24
Decision In The Desert	\$25
Crusade In Europe	\$25
Acrojet	\$27
Silent Service	\$27
Gunship	\$27

EPYX

Ballblazer	\$26
Rescue on Fractalus	\$26
Summer Games II	\$26
Jet Combat Simulator	\$26
World's Greatest Football Game	\$26
Winter Games	\$26
The Eidolon	\$26
Koronis Rift	\$26
Temple of Apshai Trilogy	\$26
Fast Load (R)	\$26

ELECTRONIC ARTS

Music Construction Set	\$17
Realm of Impossibility	\$17
7 Cities of Gold	\$24
Adv. Construction Kit	\$28
Archon	\$17
Archon II	\$24
Financial Cookbook	\$28
One On One	\$24
Pinball Construction	\$17
Murder/Zindeneuf	\$17
Moviemaker	CALL
Sky Fox	\$27
Reach For Stars	\$39
Europe Ablaze	\$39
Carriers At War	\$39
Golden Oldies	\$19
Heart of Africa	\$23


INFOCOM

Deadline	\$29
Enchanter	\$25
Hitch Hiker's Guide to the Galaxy	\$25
Infidel	\$27
Sorcerer	\$27
Witness	\$25
Invisiclues	each \$7
Wishbringer	\$27
ZORK I	\$25
ZORK II & III	\$27

MINDSCAPE

Show Director	\$29
Perfect Score: SAT	\$54
Crossword Magic	\$39
Keyboard Cadet	\$29
Bank St. Music Writer	\$39
Color Me: The Computer Coloring Kit	\$24
To Use With Color Me:	
Hugga Bunch	\$8
Rainbow Brite	\$8
Shirt Tales	\$8
Supply Box	\$8
Tinka's Mazes	\$19
Tinka's Adventure	\$19
Tonk in the Land of Buddy-Bots	\$19
Halley Project	\$29

ABBY'S SPECTACULAR COMMODORE MPS 803 SALE



ONLY \$79⁹⁵

**RETAILS FOR \$149.95.
YOU SAVE \$70 WITH ABBY'S!**

ARKTRONICS - C-128

Jane Write, Calc & ListCALL

DIGITAL SOLUTIONS

Paperback Writer C-128	\$35
Paperback Writer C-64	\$29

THORN EMI SOFTWARE C-128

Perfect Writer	CALL
Perfect Calc	CALL
Perfect Filer	CALL

CARDCO, INC.

Write Now/64	\$42
Mail Now/64	\$32
Spell Now/64	\$32
File Now/64	\$32
Paint Now/Graph Now/64	\$32

BRODERBUND

Karateka	\$22
Print Shop	\$35
Graphic Library I, II, III	ea. \$18
Paper Refill	\$16
Mask of the Sun	\$28
Spelunker	\$22
Stealth	\$22
Serpent's Star	\$28

AMIGA SOFTWARE

Winter Games	CALL
Ball Blazer	CALL
Paintcraft	CALL
Chartcraft	CALL
Videocraft	CALL
Textcraft	CALL
Musicaft	CALL
Amiga "C"	CALL
General Ledger	CALL
Accounts Receivable	CALL
Accounts Payable	CALL
Sales	CALL
Enable	CALL
Enable/Write	CALL
Enable/Calc	CALL
Enable/DB	CALL

BATTERIES INCLUDED C-128

Paperclip	\$69
Consultant	\$59

SSI

Kampfgruppe	\$45
Field of Fire	\$27
Operation Market Garden	\$35
Computer Quarterback	\$27
Battle for Normandy	\$27
Broadsides	\$27
Gemstone Warrior	\$25
Wings of War	CALL
Imperium Galactum	\$27
Six Gun Shootout	\$27
Phantasie	\$27
Computer Ambush	\$44
Colonial Conquest	\$44
Question	\$35
Battalion Commander	CALL
Panzer Grenier	CALL
Norway 1985	CALL
Fighter Command	CALL
Battle of Antietam	\$37
U.S.A.F.	\$47

HARDWARE

1670 Modem	CALL
C-128 Computer	CALL
1571 Disk Drive	CALL
1572 Dual Drive	CALL
1902 Monitor	CALL
Printers	CALL
Toshiba 5400 VCR	\$399
Toshiba 5000 VCR	\$299

ACCESSORIES

Disk Notcher	\$5
Ribbon Cartridge For Okimate 10	\$6
128 K Upgrade for C-128	CALL
384 K Upgrade for C-128	CALL
Covers for All Computers	
& Accessories	\$8 & Up
G-WIZ	\$55
Datatech (Box of 10)	\$10
U Print Interface	\$79
Commander 22 Recorder	\$19.95
Receive 3 FREE Tapes	

SOLID STATE SOFTWARE

Vizastar XL8	\$89
Vizastar C-128	\$99

TIMETWORKS

Swiftcalc with Sideways	CALL
Data Manager	CALL
Word Writer	CALL

TOP HITS

Fleet System II	\$65
Paperclip/Speller	\$85
Homepak	\$37
B/Graph	\$29
Cave of the Word Wizards	\$24
Beachhead II	\$29
CSM 1541 Disk Alignment	\$39
Net Worth	\$71
Star League Football	\$25
Doodle	\$29
Dow Jones	\$27
Compuserve	\$24
Micro League Baseball	\$31
Team Disk (for above)	\$16
Flight Sim. II (D or C)	\$39
Mach 5	\$29
VIP Terminal L	\$36
Super Bowl Sunday	\$24
Calkit	\$39
Spy vs. Spy	\$21
Mindwheel	\$29
Spy Hunter	\$34
Tapper	\$34
Tsushima	\$24
Sargon III	\$35
Mind Prober	\$22
Fontmaster	\$19
Fontmaster II	CALL
Mr. Nibble MSD	\$34
Mr. Nibble	\$34
Alcazar: Forgotten Fortress	CALL
Countdown to Shutdown	CALL
Master of Lamps	CALL
Hacker	CALL
Basic Programming Course	\$19

ALL TITLES ON DISK UNLESS MARKED (R) FOR ROM CARTRIDGE

Order Line

1-800-282-0333

**ORDERS ONLY! Sales Personnel Do
Not Have Information on
Previous Orders or Product Specs.**

WE CHECK FOR STOLEN VISA & MASTERCARD

M-F 10 a.m.-7 p.m.; Sat. 10-3 ET

37 S. Broad Street, Fairborn, OH 45324

Customer Service

& Ohio Residents

1-513-879-9699

AD #AH-125

SOFTWARE ONLY — Prepaid orders over \$50 receive free shipping via UPS in continental U.S. Please add \$2 orders under \$50. Hardware and all orders requiring shipment via U.S. Post Office are subject to additional freight charges. Add \$5 for COD orders. VISA/MasterCard orders under \$15 add \$1 service charge. Ohio residents add 5.5% sales tax. Personal checks require a three-week waiting period. No waiting when paid by credit card, certified check or money order. All items subject to availability and price change. PLEASE CITE AD NUMBER WHEN ORDERING.

Reader Service No. 191



routines may not be available on versions sold outside of North America.

The software extends the Commodore 64 BASIC with 18 new commands. These allow for very easy programming of the Commodore 64 for the recording and playback of digitized sound. For example, LEARN 5 records the next sound as phrase number 5. SPEAK 5 will play back the sound. As with other BASIC functions, the parameters may be explicitly defined or may consist of any BASIC expression. A total of 64 phrases may be addressed.

Disk or tape storage of the phrase file is by the PUT and FIND commands. These are analogous to SAVE and LOAD; however, they affect only the digitized sound data. The remainder of the commands allow easy adjustment of the recording and playback parameters, including sampling rate, playback speed, and volume.

The sample rate as set by the RATE command is important. The allowable range is from a minimum of 4,000 up to a maximum of 12,500 samples per second. The tradeoff is fidelity versus memory. The higher sample rates give better reproduction, but use up memory at a proportional rate. We found that voices were easily recognizable even at the slower rates.

Included with the software are several sample programs that demonstrate the use of the new BASIC commands. Among these are a talking alarm clock and calculator. Also demonstrated are the ease with which special effects can be created, such as generating echoes. Some of the demonstration programs are also used to adjust the hardware. The BAR program is a rudimentary spectrum analyzer which is also used to calibrate the gain or volume control. A spectrum analyzer is an instrument used to display the frequency content of a signal. Unfortunately, the version supplied was too crude for any serious use, although it did make for an effective display.

In use, the package performed well. Individual voices were clearly understood and easily recognizable. Voice quality was slightly harsh due to the

limitations of the SID chip. Best results were obtained with the screen blanked. Overall, the speech quality is quite good when compared with dedicated speech synthesizer devices. Even if we do say so ourselves.

The package includes speech recognition software, which performed surprisingly well. However, it did require some practice on the user's part to achieve consistent results. The important thing is to train your voice to repeat the key words in exactly the same way. As with the speech digitization software, the speech recognition routines have their own BASIC commands. These include special TPUT and TFIND commands for SAVEing and LOADing templates.

A special digitization process reduces each spoken phrase to a template which is only 96 bytes long. Thus real time manipulation of speech recogni-

tion templates is possible.

Three versions of the machine language routines are supplied. These consist of separate and combined versions of the speech digitization and recognition software. This allows the user to optimize the use of memory to suit the needs of the application. All commands also work under program control. All commands also work under program control. This makes it feasible to write a program which will LEARN a user's voice, be TRAINed to recognize it, and respond in kind when spoken to.

User documentation is thorough, with numerous examples. The demonstration programs may be listed for further study. The machine language routines can be disassembled. We would have preferred to see a commented source code listing as well. A detailed technical manual for the more sophisticated user would be a welcome addition. This would allow the technically inclined to experiment with other aspects of the *Voice Master* package. For example, although intended for speech applications, the hardware could be trained to recognize many other types of signals as well. Virtually any measurable parameter, when converted into a properly scaled electrical signal, could be fed into the microphone port.

The Covox *Voice Master* is a flexible, easy-to-use package. Many applications readily suggest themselves. The samples supplied with the package are a good place to start. The included *Voice Harp* is a case in point. This three-part program lets the computer sing along with you as well as compose music and print out the resultant score—all under your vocal direction. Just be careful with the volume setting on the video monitor. If it is too high, the microphone will pick up the generated sound. The result is the computer literally singing to itself.

Perhaps some day, with the help of the *Voice Master* or products like it, digitized voice libraries of famous personalities will be possible. So watch out, the person answering the phone may not be who you think. □

COVOX BASIC

Speech Digitization

LEARN n—digitizes spoken word

SPEAK n—voices digitized phrase (n=0..63)

SPEED m—varies playback rate

RATE m—varies sample rate (m=0..10)

VOLUME k—playback volume (0..15)

PAUSE k—delay in 1/4 second increments (0..255)

SCREEN k—screen on or off

PUT "name",dn—saves vocabulary

FIND "name",dn—loads vocabulary

FFIND "name",8—fast load (dn=device number)

CLEAR n—clears all speech, sets page for recording (16..160)

Speech Recognition

TRAIN n—records a template

BLANK n—erases a template

RECOG m—scans range of templates for a match (m=0..4, n=0..31)

TPUT "name",dn—saves a template

TFIND "name",dn—loads a template

MIN n—sets recognition threshold lower limit (0..100)

MAX n—sets recognition threshold upper limit (0..700)

THE WORLD'S #1 SPORTS SOFTWARE

Whether You're a Player, Statistician, Coach, Computer Bug, Dabbler,
or just a Real Sports Fan, PDS has a Sports Package for You

PDS SPORTS PRO-FOOTBALL HANDICAPPING SYSTEM

The PDS SPORTS handicapping wizards evaluated over 1,000 pro-football games to arrive at the WINNING computer formulations which selected over 70% winners during the 1984 NFL season. Sophisticated statistical record keeping for each team is easily maintained with our comprehensive and thorough statistics portion of the system. Simply enter box scores from your local newspaper and the system automatically stores and evaluates over 60 different offense and defense categories on each team. Don't spend hours agonizing... spend minutes each week to generate updated statistics and POWER RATINGS. Match any two teams and see their strengths and weaknesses graphically displayed. Last year's & year-to-date NFL Data disks are available.



Football Handicapping & Statistics System . . . \$ 49.95
Football Statistics System . . . \$ 39.95
Data Disks NFL Past Year's • Year-to-Date . . . \$ 19.95

PDS SPORTS PRO-BASKETBALL HANDICAPPING SYSTEM

This system gives you the opportunity to compare all the teams in the NBA through updated statistics and POWER RATINGS. The easy-to-update comprehensive and thorough statistics portion of the system maintains sophisticated statistical record keeping for each team. Simply enter box scores from your local newspaper and the system automatically stores and evaluates the data. Match any two teams and see their strengths and weaknesses in points scored, overs & unders, point spreads, win/loss records, average points scored & given up, offense, defense & against point spread, etc. Past year's data disks available for 1982, 1983, 1984, 1985 & year-to-date.



Basketball Handicapping & Statistics System . . . \$ 49.95
Basketball Statistics System . . . \$ 39.95
Data Disks NBA 1982 • 1983 • 1984 •
1985 • Year-to-Date . . . \$ 19.95

PDS SPORTS THOROUGHBRED HANDICAPPING SYSTEM

You no longer have to spend countless hours studying a racing form to handicap a day at the races and still be unsure of the horses you have chosen. You can now handicap the entire day's card in less than an hour using the software system designed and used by professionals. The system is designed to assist you in determining which races are playable and which races are not. By playing only those races which the system indicates a horse having a distinct advantage, you will be maximizing your return on investment. As past performance and today's relevant information are entered, the system automatically applies proven formulas for class, pace, speed, distance, recency, track category, trainer, jockey or harness driver.



Thoroughbred Handicapping System . . . \$129.00
Harness Horse Handicapping System . . . \$129.00
Quarter Horse Handicapping System . . . \$129.00

PDS SPORTS TRAINER & JOCKEY STATISTICS SYSTEMS

For years professionals have used 2 basic facts in rating trainers, jockeys and harness drivers: 1) The top 15 at all local tracks win 90+ percent of all races; and 2) In the vast majority of cases, the top 15 have the best mounts. Each trainer, jockey or harness driver's ability is both measurable and predictable at either route or sprint distances. This unique way of rating trainers, jockeys and harness drivers has stood up to rigid tests at all major race tracks throughout the country. Armed with these ratings, you'll have a distinct advantage in selecting more winners and maximizing your return on investment. These programs complement the Thoroughbred, Quarter Horse, and Harness Horse Handicapping Systems.



Trainer Statistics System . . . \$ 39.95
Jockey Statistics System . . . \$ 39.95
Harness Driver Statistics System . . . \$ 39.95

PDS SPORTS™

SEND TO:

PDS SPORTS™

P.O. BOX E
TORRANCE, CA 90507

OR
CHARGE BY PHONE

213/212-7788

800/222-2601

Please send me the following PDS SPORTS software packages:

_____	\$ _____
_____	\$ _____
Add \$6.00 Shipping & Handling for 1st ordered item & \$1.00 for each additional item.	Shipping & Handling \$ _____
California residents add 6 1/2 % sales tax.	TOTAL \$ _____
Apple (☐), IBM (☐), Commodore 64 (☐), Atari (☐), Macintosh (☐), TRS-80 (☐)	
Model # _____ Charge my credit card: AMX (☐), VISA (☐), M.C. (☐), Check Enclosed (☐)	
Card No. _____ Expires _____	
Name _____ Signature _____	
(as it appears on card)	
Address _____ Phone (_____) _____	
City _____ State _____ Zip _____	
Contact your nearest computer store for details on all PDS SPORTS™ software.	

VOICE COMMAND MODULE (VCM-64)
Eng Manufacturing, Inc.
4304 W. Saturn Way
Chandler, AZ 85224
Phone: 602-961-0165
Price: \$49.95

The *Voice Command Module* from Eng Manufacturing, Inc. is a combination of hardware and software that adds speech recognition capabilities to the Commodore 64. The word recognition "lexicons" are initially stored in the computer's memory and may be saved to disk for subsequent use. Unlike any of the other speech products we looked at, the *VCM-64* has no capability to generate digitized speech.

The package includes a compact hardware module about the size of a large pocket calculator and disk-based software. The module connects to the C-64's user port via a three-foot length of ribbon cable, terminated with the appropriate edge card connector. The arrangement leaves a number of electrical contacts exposed at the rear of the computer. These could be shorted out by a carelessly placed object. A short length of insulating tape, wrapped about the connector card, should eliminate the hazard. For voice recording a miniature microphone with a lapel clip is included in the package.

Internally, *VCM-64* displays a high degree of sophistication. The module contains two kilobytes of ROM and an onboard microprocessor. The module does all the speech preprocessing before passing the data along to the computer. This minimizes the data processing requirements of the C-64 itself. As we shall see, the Speech Operating System inside the computer requires a minimum of memory.

The heart of the system software is a four kilobyte machine language program which LOADs into the \$C000 block. The major memory overhead is associated with the storage of the digitized sound data or speech recognition lexicons. Each lexicon includes a maximum of 64 unique words. The maximum length of a word is 1.28 seconds. The data for each word requires exactly 128 bytes. Thus an entire lexicon fills

eight kilobytes. Since lexicons are LOADed into the RAM beneath the BASIC ROM (the C-64's \$A000 block), all of BASIC memory remains available for the user. Lexicons are always exactly eight kilobytes. If there are fewer than 64 unique words in a lexicon, the software will train more than one pattern for each word. Thus a single word lexicon will contain 64 versions of the word.

The software does not add any commands to the Commodore BASIC. Instead, a general utility program, the Speech Operation System (SOS), is included on the disk. This menu-driven routine, written in BASIC, provides a user interface to the machine language operating system. It lets the user easily create and manipulate lexicons for later use. The menu-driven functions include routines to copy and modify lexicons, as well as train and rehearse lexicons.

In addition to the SOS, several demonstration programs are included. All programs are accessed from a menu-driven loader. All the programs, which are speech-driven, require that a command lexicon be created by the end user. Included are a simple card file, a hot air balloon aeronaut game, and a word mix puzzle.

We derived considerable amusement from the aeronaut game. Although simple and unsophisticated, the uniqueness of directing the balloon by voice, rather than keyboard or joystick, resulted in considerable interest by our game testers. Particularly amusing was the body English employed as commands were given in a carefully controlled voice. Due to the limitations of the system, spoken commands must bear a high resemblance to the utterances as they were originally trained.

Among the demo programs is the Speech Graphics display generator. This generates a graphical representation of a spoken word. This snapshot is related to the format which is used by *VCM-64* for creating the word recognition templates. The program allows the user to compare repeated utterances of the same word. We found the routine to be of some assistance in

training the end user for uniform repetition of command words.

Using speech recognition in your own program is not difficult. Although *VCM-64* lacks any extensions to BASIC, the speech recognition features are easily accessed by a series of PEEKs, POKEs, and SYS calls. These allow the user to initialize the system, LOAD a lexicon, and listen to an utterance. All calls are done to location 50000 as follows:

SYS 50000,I: initializes system
SYS 50000,L: LOADs a lexicon
SYS 50000,F: recognizes utterance

The LOADing of a lexicon must be preceded by the OPENing of the lexicon file. The results of an utterance recognition are stored in series of memory locations starting at address 53000. These have to be examined by the user.

The accompanying manual described all of the above operations in some detail. Unfortunately, the accompanying example contained several significant errors. Fortunately, sufficient detail was included to allow a reasonably competent BASIC programmer to figure out what to do. Overall, the documentation was clear and concise. Use of the various demonstration programs and utilities was well-explained. Our biggest beef with the documentation is the lack of technical detail for what is actually an experimental product. Given the wide range of possible applications and the unusual technology, we felt that an educated user would be a better customer.

We encountered one additional bit of misdirection. The machine language program, which is the heart of the system, is referred to as "CHIRPEE" by all the documentation. In fact, the label on the back of the *VCM* is so marked. This file did not exist on the distribution disk. Instead the main program was listed as "VCM."

Overall, *VCM-64* is an interesting product. Speech recognition depended a great deal on the user's ability to voice commands in a repetitive manner. Once this trick was mastered, *VCM* performed acceptably. □

THE YEAR'S BEST COMMODORE ENTERTAINMENT SOFTWARE

Here Are 1985's Top 25 Games
and Recreations

By the *Ahoy!* Editorial Staff

Looking back on 1985's array of new programs should put broad smiles on the faces of Commodore owners. It was quite a year, perhaps the best in the history of computer entertainment software. Electronic publishers took dead aim at the huge Commodore audience and broke all records for both quality and quantity.

The writers who cover entertainment for *Ahoy!* have collaborated on this survey of the 25 best leisure programs. The compilers beg the indulgence of readers whose favorites are omitted and publishers whose worthy titles appeared too late to make the deadline. Such are the perils of "best" lists.

Strategy

At one time, virtually all strategy games were military simulations. Computer wargames are still very popular, but there's now a wider variety of subject matter.

There are two distinct types of strategy contests, both of which are represented among 1985's best programs. Traditional strategy games let the players think as long as they want, while action-strategy contests require the player to concoct tactics to deal with more fluid situations.

Field of Fire (Strategic Simulations). Designer Roger Damon has created an unusually compelling military simulation by adding an element of role-playing to the fighting. The soli-

taire commander can gain insight into small unit actions during World War II at the head of Easy Company of the U.S. Army's First Division. Eight scenarios follow the glory road from North Africa to Europe. *Field of Fire* can be played as a single engagement or as a campaign which strings all eight battles together. The gamer can rename individual characters to put the conflict on a more personal basis.


Felony! (CBS Software). *Murder by the Dozen* earned praise as one of 1984's best strategy programs. The sequel smooths out the (few) rough edges of the original, and boasts a greater variety of cases to tickle the wits of would-be investigators. A doz-

en crimes, from vandalism to gangland murder, are baffling the Huxley police force. The mayor is putting the screws to the boys in blue to catch some crooks. *Felony!* is equally enjoyable solitaire or with up to four sleuths. As a detective moves around Huxley, he or she selects lines of inquiry from onscreen menus. The investigator deciphers the coded responses with the special clue book. Anyone who loves a rousing mystery should book passage to Huxley without delay.

Mail Order Monsters (Electronic Arts). This one- or two-player action-strategy program makes the gamer the owner/manager of an array of




Airwar made easy.
READER SERVICE NO. 153



Donald Duck changing bills.
READER SERVICE NO. 154



Six Gun Shoot-out: slap silicon.
READER SERVICE NO. 155



Chipwits: enjoyable programming tutor.
READER SERVICE NO. 156



Karateka: combat in various styles.
READER SERVICE NO. 157

fighting creatures which even professional wrestling's Vince McMahon Jr. would envy. The confrontations take place in a variety of settings, each of which aids and hinders the contestants in a different way. There are three variations of the game. The beginner's level teaches the rules, the intermediate game focuses on single battles and the tournament is an extended contest involving stables of morphs. Victory points can improve a monster's abilities and equipment. The super-powered battling will excite younger computerists, while the interplay of tactics and the ability to customize the creatures make it just as suitable for adults.

Six Gun Shoot-out (Strategic Simulations). One or two gunslingers can relive 10 scenes drawn from the history and folklore of the Old West. Participants can play a stock situation such as the Gunfight at the O.K. Corral, modify any or all of the characters, or let the computer assign random values. There's even an easy method for designing original scenarios. Those who crave direct participation can enter the fracas as a substitute for any existing character. On-screen prompts make order entry surprisingly fast, even in scenarios with many characters. *Six Gun Shoot-out* hits the entertainment bullseye.

Squire (Blue Chip Software). Tired of hearing radio's financial advisors dispense wisdom? Jim Zuber's detailed simulation, the fourth in the series which includes *Millionaire*, *Baron*, and *Tycoon*, makes a fascinating game out of comprehensive financial planning. *Squire* challenges the player to accumulate a retirement nest egg of \$1,000,000 by trading stocks, commodities, collectibles and other investments. Each turn, the computer presents charts, graphs, and tables which outline the situation and provide the backdrop for the wheeling and dealing. Those who make their million can try the ultimate test: playing *Squire* using the computerist's real-life financial statistics.

Spy vs Spy: The Island Caper (First Star Software). Antonio Prohias' madcap spies return in a sequel that's even better than their first outing. The adversaries must search an island for three pieces of a secret missile. They battle natural hazards, fiendish traps, and a time limit to assemble the pieces and catch the submarine for home. The simulvision windows pan as the spy moves around the island instead of jump-cutting from location to location, and the pseudo-3-D graphics are even better than in *Spy vs Spy*.

Adventures

Gamers aren't complaining, but the traditional trickle of new Commodore adventures became a tidal flood in 1985. Manufacturers introduced more adventures for the C-64 last year,

considering both new designs and translations, than in any previous 12-month period.

The Fourth Protocol (Bantam Electronic Publishing). This icon-driven adventure employs characters and situations from Frederick Forsyth's 1985 novel of the same name. Agent John Preston is the only man in Great Britain who scents a nuclear plot which could shatter the delicate balance of world power. Preston must uncover the identity of the double-agent in the British government, then locate the miniature atomic bomb and finally disarm it. The icon-based interface facilitates fast play and eliminates the need to type lengthy orders.

Hacker (Activision). This joystick-controlled adventure plunges the gamer into the heart of a high-tech conspiracy. A freak accident throws the player into a secret computer network controlled by Magma, Ltd. Bit by tantalizing bit, the hacker learns about both the corporation's reckless scheme and a secret report which can blow the lid off the whole operation. Unfortunately, spies all around the world have acquired pieces of the document. The gamer uses a scout robot to visit these agents and buy or trade for the pieces. The trick is to learn what form of payment each spy wants. The simple control system, excellent graphics, and animated tunnel sequences keep *Hacker* fun to play again and again while the computerist gropes for the perfect strategy.

Mindshadow (Activision). The search for one's own lost identity is a staple of fiction. The same intriguing premise is the mainspring of this illustrated adventure designed by Interplay Productions. The protagonist, an amnesiac, must first find a way off the depressingly barren island. Shock follows shock in quick succession as the hero journeys around the world in the hunt for the secrets of his own past. A unique feature of *Mindshadow* is the "think" command. It is used to test any newly encountered person, place, or piece of information to see if it sparks any mental images. The situations in *Mindshadow* are exceptionally logical, though a

few are complex enough to keep veteran adventurers scratching their heads for awhile.

Sherlock Holmes in Another Bow (Bantam Electronic Publishing). Increased memory capacity has made possible adventures, like this Victorian mystery, which combine illustration with extensive text. The player becomes Sherlock Holmes, whose exploits aboard an ocean liner are recounted in excellent novelistic prose. Dr. Watson is at the detective's side, offering help. The cases aren't really that tough, but there are a lot of them to solve before the ship docks in America.

Recreations

Games are still the most popular type of entertainment software, but there's more than one way to have fun with your Commodore computer. Many computerists enjoy recreational software because it's interactive and mind-stretching without the tension of competitive contests.

Art and music programs ruled this category last year. Publishers grew more venturesome in 1985 and marketed recreational programs on subjects ranging from model railroads to electronic paper dolls.

Adventure Construction Set (Electronic Arts). The foremost author of action adventures, Stuart (Return of Heracles, Ali Baba) Smith has made it possible for any reasonably imaginative computerist to design a science fiction, fantasy, or mystery adventure without any knowledge of programming. The instruction booklet and playable tutorials provide ample instruction for producing an action adventure game, complete with graphics and music. Smith has refined and upgraded almost all the subsystems familiar to fans of his earlier hits, so the *Adventure Construction Set* can produce games which are as good as professionally published titles.

The Complete Computer Fireworks Celebration Kit (Activision). Parents who fear Fourth of July accidents would do well to buy this disk for their kids, though they'll probably end up elbowing the youngsters away from the console. The computerist

picks choices from menus to orchestrate a fireworks show, including music and special messages. The frame-by-frame construction system makes the process surprisingly simple. *The Complete Computer Fireworks Celebration Kit* even produces animated greeting cards which run on any Commodore 64 or 128 without the original program.


The Little Computer People Project (Activision). This unique cross between a doll house and an ant farm turns the monitor into a window to another world. The computerist observes, and periodically interacts with, a charming electronic family which "lives" inside the Commodore 64. The lifestyle of the computer people unfolds a little at a time over a year. For instance, the digital lord of the manor may start fooling around with a saxophone. After doing this a few times, he "learns" to play a tune. And if his rehearsals go well enough, eventually another musician enters the house and makes it a duet. The little computer people can do nearly 5,000 different things, and there's a supplemental disk already in the works.

Educational Games

Realism returned to the educational games market in 1985. Publishers have stopped over-producing ho-hum titles, a trend which swamped this category in 1984. This year's best entertain as they inform.

Chipwits (Epyx). This fascinating solitaire game transcends its original purpose: to teach the rudiments of programming. The user designs a tiny onscreen robot to deal with the conditions of an environment and then runs the miniature automaton through one of several obstacle courses. "Educational" can be the kiss of death when applied to an entertainment product. *Chipwits* does teach, but it never lets the lesson cut into the mind-stretching fun.


The Halley Project (Mindscape). Comet fever is spreading as Halley's pet rock swings toward the earth for its second and last visit of this century. This one-player space piloting game capitalizes on public interest in



Mindshadow has "think" command.
READER SERVICE NO. 158



Little Computer People in your C-64.
READER SERVICE NO. 159



Island Caper: new avian intrigue.
READER SERVICE NO. 160

this astronomical event to teach the constellations. It's exciting to fly the missions from Halley's Comet to each major planet, and the navigation process guarantees that any spaceship captain will know the names and configurations of all the major star groups after a few interplanetary trips.

Donald Duck's Playground (Sierra). Teaching youngsters about money is the object of this beautifully designed program. Ages 7 to 11 use the joystick to manipulate a well-drawn version of the famous Disney quacker as he tries to get playground equipment for his nephews. Donald must do odd jobs to earn the money with which to buy swings and teetertotters. Be-



Halley Project: scrutinize the stars.
READER SERVICE NO. 238



Field of Fire: combat role-playing.
READER SERVICE NO. 239



Dam Busters: recreates WWII air raid.
READER SERVICE NO. 240

sides instilling an appreciation for the Work Ethic, the grade schooler learns how to make change. *Donald Duck's Playground* meets the essential criterion of a great educational game: it is entertaining enough to keep the student interested in learning the lessons it teaches.

Sports

On-Court Tennis (Gamestar). The world of computer entertainment, which began with *Pong*, comes full circle with this one- or two-player action strategy program. The differences between these two titles shows how far electronic gaming has come

in the last 15 years. The program moves each onscreen athlete into position to return a volley, but the computerist picks the shot with the joystick. Cleverly implemented artificial intelligence gives each of the racquet-eers a unique personality and style of play.

On-Field Football While the computer football programs aspire to Super Bowl realism, this one- or two-player game evokes the anything-can-happen atmosphere of sandlot football. One or two coaches use the joystick to develop a variety of offensive and defensive plays for their four-man teams. Artificial intelligence endows onscreen athletes with individualized abilities. For instance, the gamer can choose possession receiver "Hands" Hannah or flyer "Legs" Lancer to play split end. *On-Field Football* is an easy-to-play blend of exciting action and gridiron tactics.

Micro League Baseball (Micro League Sports Association). Every baseball fan secretly dreams of piloting the home team to the pennant. This statistical replay game lets every arm-chair manager grapple with the same strategic and tactical questions which bedevil Tommy Lasorda and Earl Weaver. Each athlete in *Micro League Baseball* is a mathematical model of his real-life counterpart, but *Micro League* is more than just a number-cruncher. Excellent graphics buttressed by charming animation make *Micro League Baseball* a delightful play experience, even for those who don't eat, sleep, and dream hardball.

Summer Games II (Epyx). Eight great events make this a worthy follow-up to the award-winning *Summer Games*. From the lavish opening sequence to the new closing ceremony, *Summer Games II* is fast-action thrills with enough strategy to make it fun to play again and again. An excellent feature is that this program can be linked to the original so that participants can compete in a grand tournament of all 16 events.

Super Bowl Sunday (Avalon Hill). Twenty great Super Bowl teams of the past are ready for one or two computerists to coach in this statistical replay football simulation. Menu-

driven play-selection gives both offense and defense a wide variety of options, but doesn't require nearly as much memorization as comparable programs. Quest, the design team responsible, didn't neglect the visuals. After both sides enter their orders, full-screen animation shows the result. Additional disks, available for separate purchase, expand the range of available teams.

Action

The fall of the Videogame Era also signalled the end of the vogue for action contests. Even two years later, the quantity of action games is still well below the 1983 peak.

Action programs are beginning to make a comeback, however, because publishers are learning how to satisfy the more sophisticated and mature computer market. Today's action contests emphasize properly timed movements and good strategy rather than blinding reflexes, making them more suitable for adult computerists.

Beach-Head II (Access). This multi-scenario battle game continues the war which began with 1984's *Beach-Head*. The Carver brothers have expanded on their original concept to produce a game which can be played head-to-head as well as solitaire. The first scenario, in which a paratroop force attempts to knock out a machine gun nest, features the most chillingly realistic speech synthesis found on any microcomputer game. A leavening of humor keeps the horrors of war from becoming too overwhelming.

Dam Busters (Accolade). This solitaire action-strategy epic recreates the daring World War II air raid on key German hydro-electric installations which was celebrated in the mid-1950s movie, "The Dam Busters." The gamer pilots a Lancaster bomber on this perilous mission through the unfriendly skies in this pulse-pounding air combat program. Sydney Software, best-known for its designs based on "B.C.," turns realistic in this detailed real-time simulation.

Karateka (Broderbund). Author Justin Mechner brings the breakneck excitement of a martial arts movie to the computer screen. The player as-

ALSO AVAILABLE!
MicroLeague Disks
with stats of '85 NL & AL players!

\$39.95
Sug. Retail

NOW!

—the ultimate *Strategy* game!

MICRO LEAGUE Baseball®



The only baseball
computer game endorsed
by the major leagues

"...it's like being
in the dugout."

See action unfold on
realistic color graphics!

HEY, "GRANDSTAND MANAGERS"! How would you do managing your favorite real team against any challenger? Take on the '27 Yanks, with Ruth & Gehrig, the '75 Cincy Big Red Machine, the '84 World Champion Tigers, or any current powerhouse team!

Manage any team, past or present, in the MicroLeagues!

- Not a "pretend," joystick game! MicroLeague is a computer simulation game using real players and their performance—with stats endorsed by the Players Association.
- You manage a real team, with all the strategies of big league managers! Pick your lineups, choose your spots for steals, pinch-hitters, relief pitchers, bunts, and much more!
- For 2 players, or if no one's around, play against the "Baseball Buddha," the computer's built-in manager.
- And to complete your MicroLeague Game... get each season's NL and AL roster/player disk—all 26 teams (\$19.95).
- Update rosters & stats, trade & draft players—even create your own team—with MicroLeague's GM Owner disk (\$39.95).



"...when I played
MicroLeague—it
was like being in
my own dugout!"

Sparky Anderson
Manager, Detroit Tigers

© 1984 MicroLeague Sports Association
28 East Cleveland Ave., Newark, DE 19711

Disks Available

Apple II—Commodore 64—Atari 800 & XL—IBM PC/PC jr.

If your retail store does not have MicroLeague Call 800-PLAYBAL or (302) 368-9990

For direct VISA/MC orders


The logos and insignias depicted are the exclusive property of Major League Baseball, the American League, the National League, and the respective Major League Clubs, and may not be reproduced without their written consent.



sumes the role of a fighting hero who is the only one capable of liberating the beautiful Princess Mariko from a stoutly defended citadel. An ingenious joystick-activated command system lets the computerist's onscreen surrogate deliver an assortment of deadly punches and kicks to the tenacious defenders, each of whom employs a distinctive combat style.

F-15 Strike Eagle (MicroProse). The documentation for some flight simulators is the size of the New York City telephone book, but *F-15 Strike Eagle* snips away needless complexity to heighten playability. The gamer can pilot an ultra-sophisticated jet airplane with a minimum of advance study. Despite the ease of play, designer Sid Meier has created a challenging simulation with scenarios based on a range of actual and hypothetical modern airwar situations.

When you go software shopping, these titles are worth a good look. Any of them makes a fine gift or addition to your own collection. □



Alpine Encounter: snowballing action.
READER SERVICE NO. 164

THE ALPINE ENCOUNTER

Random House Software

Commodore 64

Disk; \$29.95

The Alpine Encounter is an illustrated adventure with a novel twist: this secret agent thriller includes an arcade-type skiing sequence. The player becomes Agent 456, who, as the game begins, has just arrived at the Alpenhof Hotel in Switzerland.

Agent 456's superiors have traced two seemingly unrelated crimes to

VODAC, the sinister secret organization responsible for everything from the breakup of detente to the common cold.

The Alpine Encounter is an acceptable, if somewhat dated, game. Unfortunately, it banged around for a couple of years before finding a home at Random House, and state-of-the-art has advanced appreciably during this interval.

The plot moves along at a nice pace, it is satisfyingly convoluted, and the Alpenhof Resort is an intriguingly offbeat setting.


Once you locate skis, boots, and poles, the gamer may want to take a few practice runs down the mountain. The skiing sequence is a key plot element, not just a cheap frill. The player uses the joystick or keyboard to move left or right while zipping downhill. Although the graphics are hardly breathtaking, the real-time action is a stimulating diversion in what is otherwise a conventional design.

The parser is the essence of any adventure which requires the user to enter orders through the keyboard. The one used here is much too restrictive. The vocabulary is small with few synonyms. For example, when the player walks out onto the deck overlooking the slopes, he is told that the stairs lead to the cellar. However, the command "go cellar" elicits the response, "I don't know the word 'cellar'."

The storyline is too linear. The game often ignores player actions, because the writer has not anticipated the normal gamut of possibilities. Anything that isn't smack in the middle of the plot won't work. Try wandering around the hotel and asking Alpenhof employees where to rent skis. You'll slide down the hill barefoot if you wait for these stiff to help you!

The quality of the illustrations is uneven. Inanimate objects, such as buildings, lobbies, and the tram, are just fine, but people resemble stick figures. The color scheme is one of the worst in recent memory. The white screen border and the excessive use of pastels makes everything look insubstantial: there are almost no dark colors, but there's no shortage of orange-on-grey and similarly revolting color combinations.

ENTERTAINMENT SOFTWARE SECTION



Countdown to Shutdown: beat the clock.
READER SERVICE NO. 165

Though *The Alpine Encounter* shows a flash of wit by naming the chalet midway down the slope the "Halfway Haus," even lines by Woody Allen wouldn't remedy its other shortcomings. Play it for the engaging plot and novel real-time action, but don't expect virtuoso programming.

Random House Software, 201 E. 50th Street, New York, NY 10022 (phone: 212-751-2600). —**Bill Kunkel**

COUNTDOWN TO SHUTDOWN

Activision

Commodore 64

Disk; \$29.95

Condition Red! Condition Red! A reactor buried deep beneath an underground complex is heating up fast. If a few carefully installed damper fields don't cool it soon, it's going to melt down! Of course, no human could survive the intense heat, radiation, and hostile attacks from haywire guardians for long—that's why the company built eight specialized, super-intelligent droids for the mission.

For all its action-game trappings, *Countdown to Shutdown* is a strategic race against time to penetrate eight levels of a technological labyrinth, locate the reactor control room, and then place enough damper fields on the inflamed machine to cool it down to a mere 1000 degrees or so. Succeed, and the world owes you a huge debt of gratitude. Fail, and the world might not exist much longer.

At the start of the game, the player gets a choice of eight different droids to control. Each is a little different: some are more powerful, some are smarter, and some have a higher level of technical know-how,



Sing Along With Your Favorite Christmas Carols

Here's a great way for you and your family to have fun with your Commodore 64™ or Commodore 128™ this Christmas. Our exciting Christmas Carols disk features 18 of your favorite holiday songs, with professionally-arranged music and entertaining graphics. For sing along fun, the lyrics appear in easy-to-read verse on your TV or monitor. Play just your favorite song or set your computer to play them all.

SONGS INCLUDE:

- Angels We Have Heard on High • Deck the Hall
- O Come All Ye Faithful • Away in a Manger
- The First Noel • God Rest You Merry, Gentlemen
- Hark! The Herald Angels Sing • O Holy Night
- It Came Upon The Midnight Clear • Jingle Bells
- O Little Town of Bethlehem • We Three Kings of Orient Are
- Jolly Old St. Nicholas
- Joy to the World
- O Christmas Tree
- Silent Night
- What Child is This?
- Up on the Housetop



An Actual Screen



John Henry Software®

QUALITY IS OUR STRENGTH

and Party Songs



For fun on New Year's Eve and throughout the year, order our Party Songs. The disk contains 18 favorites, including Auld Lang Syne, Dixie, For He's a Jolly Good Fellow, Oh! Susanna, Yankee Doodle, and more.

You can trust John Henry Software to bring you quality software at the lowest price. We specialize in prompt delivery and guarantee our product.

Don't wait, call us today! Toll Free Number:

1-800-223-2314

In Ohio call 513-898-7660

\$15.95 each

Both for only \$28.95

Please send me:

- ☐ Christmas Carols disk(s) at \$15.95 each
- ☐ Party Songs disk(s) at \$15.95 each
- ☐ Christmas Carols and Party Songs at \$28.95

Add \$1.00 for postage and handling. Ohio residents add 6% sales tax. Foreign orders, except Canada and APO, add \$3.00 for Air Mail. Please pay in U.S. funds.

☐ Check or money order enclosed ☐ Visa ☐ MasterCard

Acct. # _____ Exp. Date _____

Name _____

Address _____

City _____ State _____ Zip _____

Send to John Henry Software, P.O. Box 745, Vandalia, Ohio 45377.

Reader Service No. 212

a convenient collection of skills that makes it possible to fix broken door controls. The first order of strategy is to choose the one that has the best chance of surviving the various perils of the labyrinth.

As soon as the robot leaves the first elevator shaft, the core temperature starts rising one degree at a time. When the number indicator rolls over, meltdown begins and the game ends. The first order of business is to find a way down to the eighth level where the reactor control room is located.

Along the way, the droid may find useful objects like trans-mats, which teleport the user down a few levels, or techni-kits, which increase the droid's technical expertise. A few odd items, like fluted wine glasses and cigarette butts, serve no purpose. A single droid can't carry more than eight objects at a time, so choose possessions carefully.

Various enemies, like guardian droids and plasma, dog the robot's footsteps as it moves from room to room. They seem to be more of a nuisance than a real threat, since they can be destroyed by multiple blasts from the player's laser pistol.

The joystick guides robots through the maze. To open a closed door, the robot touches its control panel. Gray panels indicate broken or damaged locks which can be fixed by a technically adept droid. Other useful functions reverse the perspective of the room, making the bottom of the chamber appear at the top of the screen, transfer all inventory items from one Ranger droid to another, or use an item. There's also Help available for the baffled player.

Elevators and trans-mats are the surest, safest routes to the eighth level. Of course, finding them is the tricky part! Gaping holes in the floor provide a faster way down, but weaker droids are disabled by the damage sustained. If this happens, the player has no choice but to send another robot to the rescue.

Once the robot locates the reactor, it must insert dampening fields into the overheating core. This immediately starts lowering the temperature in single-degree increments. The re-

prieve doesn't last long, though, and total cooldown will probably require more fields than one robot can carry.

Countdown to Shutdown graphics feature careful details right down to the shadow cast by the droid as it walks. However, sound effects aren't the game's strong suit. The real fun starts *after* you've discovered the control room, when the first crucial damper fields are in place and the task is to find even more—without losing the way back to the reactor. Suspenseful? Absolutely. But if you can't stand the heat, get out of the control room!

Activision, 2350 Bayshore Frontage Road, Mountain View, CA 94043 (phone: 415-960-0410). —*Kim Clarke*

SLAP-SHOT

Advantage-Artworx

Commodore 64


Disk; \$19.95

Computer hockey simulations, whether action- or statistics-oriented, are as scarce as a checking forward's front teeth. U.S. Software producers are reluctant to devote time and resources to the development of a game based on a sport which is popular only in some regions of the country.

It seems only appropriate, therefore, that the first major league hockey game should hail from Canada. Ken Grant's *Slap-Shot* does not represent a high-water mark in the history of computer programming, but it easily surpasses any previous puck simulation. It's a three-screen, full-scrolling contest, complete with bodychecks and penalties, and should certainly appeal to devotees of mayhem on ice.

Slap-Shot is the product of a hockey fan's consciousness. The game opens with a "dedication" to Team Canada and a list of available Olympic squads. Unfortunately, this encourages the player to expect much more than the program actually delivers. The team selection affects only the color of the uniform, not the squad's style or quality of play.

The coaches use the Commodore's function keys to choose from among three speeds of play. Each player uses the joystick to control one active skater



Best hockey simulation available.

READER SERVICE NO. 176

while the machine directs the movements of the rest of the team members.

The man currently under joystick control turns a slightly darker color than the rest of his teammates. Pointing the joystick and hitting the action button shoots the puck or passes it to another player. Similar control schemes maneuver the goalie and throw bodychecks. The ice scrolls horizontally in response to the movement of the onscreen athletes, and the entire rink occupies three full screens.

This game's greatest weakness is its two-player-only format. The computer can't coach a team against a human opponent. Advantage-Artworx plans to remedy this by producing a



Crusade in Europe: won't fatigue.

READER SERVICE NO. 177

new version with solitaire option.

Let's hope the design also addresses some of the program's other shortcomings. Computer control is one area which could use some fixing. The skaters not directly controlled by a human might as well be on the bench. They cruise around in aimless, phlegmatic patterns, sometimes moving right next to the puck without attempting to claim possession of it. It's awfully difficult to pass the

You've Stumbled Into An Unknown Computer System. Now What?

Welcome To The Next Generation Of Home Computer Software.

"Plunge into every hacker's dream."

—Rick Manning/Louisville Times

"...the most mysterious game ever."

—Rawson Stovall/"The Vid Kid"

*"An open screen says 'logon please.'
That's it, no instructions."*

—Technology Notebook/Gannett News Service

Hacker™

*"Just like in real life, there are no rules, no clues,
no instructions."*

—David Greising/Technology Memo

What more can we say? Well, someone as clever and smart as you certainly wouldn't want any hints, right? So all we'll say is it was created by legendary designer, Steve Cartwright.



Created for the Commodore 64/128,
Apple II series and Atari 800, XE, XL
and compatible systems.

ACTIVISION
HOME COMPUTER SOFTWARE

The Next Generation.

puck when the other player doesn't want it.

Making the selection of the team mean something would also improve *Slap-Shot*. It would be very nice if the computer-directed skaters of "Team Canada" played very physically, while the Swedish squad favored a wide open game.

Slap-Shot claims to include penalties, but it doesn't handle them realistically. Whenever an infraction is called, the game brings the puck back to the offending team's end of the ice for a face-off. Since the primary consequence of a penalty in hockey is that one team must skate for at least two minutes without one of its skaters, the simulation of this aspect is rather ineffectual.

The graphics are acceptable. The playing surface is large enough to keep the skaters from blending together and becoming hard to follow. Designer Grant wisely chose to depict the rink in three-quarter perspective with the players shown from the side. The puck is large and easily visible against the white background. Audio consists of the usual cheering and a few fillips of voice simulation by Electronic Speech Systems, which also produced the voice in *Ghostbusters* and *Impossible Mission*.

Slap-Shot, though far from perfect, is nonetheless the best computer hockey simulation available today. Let's just hope that it doesn't stay that way too long.

Advantage Computer Accessories, Inc., 1020 Meyerside Drive, Unit 8, Mississauga, Ontario L5T 1K7 Canada.

Artworx Software Company, Inc., 150 North Main Street, Fairport, NY 14450 (phone: 800-828-6573).

—Bill Kunkel

CRUSADE IN EUROPE

MicroProse Simulation Software

Commodore 64

Disk; \$39.95

No type of game has benefitted more from the application of computer technology than the military simulation. The non-electronic variety generally takes ages to set up, requires players to do a lot of record-keeping, and comes with roughly

three pounds of documentation. In short, the typical war boardgame is a major undertaking.

Crusade in Europe is an excellent example of how the computer makes wargames easier to learn and more fun to play. Authors Ed Bever and Sid Meier have produced a game laden with features which bring out the nuances of World War II fighting in the European theater, but this is no ponderous "monster game" which requires a couple of hours to complete a single turn.

This operational-level simulation utilizes division-size units (8,000-20,000 men) to recreate battles from D-Day to mid-October, 1945, the point at which Nazi Germany was driven back inside its original borders on the Western Front. There are five basic scenarios. All but the campaign version, "Crusade: The Battle for Europe" have a selection of variants. The Normandy scenario, for instance, can cover just the beach landing or extend all the way to the liberation of Paris. The "Rommel's Strategy" and "Quick German Reaction" options allow players to see how hypothetical changes in Hitler's strategy for the defense of France might have affected the situation.

Unlike most military simulations, *Crusade in Europe* unfolds in accelerated real time. The player is not fettered by discrete turns, but may enter orders whenever appropriate. Each unit usually has a chance to move approximately every eight scale hours as indicated by the time/weather strip located immediately above the map. The game is intended for either solitaire or head-to-head play, but it works better when one human general fights against a computer-directed foe. Although the program provides a method for switching between two human competitors, it is clumsy and too likely to lead to jostling for the controls when the battle reaches a critical stage.

The cursor, manipulated with a joystick, is the primary means by which a player issues orders and obtains information about men under his or her command. After positioning the cursor over a friendly unit,

pushing the button (or the space bar) establishes contact with division command. This elicits information about the number of men and tanks in the unit, the amount of supplies remaining, the formation, the experience level of the troops, the unit's current effectiveness rating, and the nature of the last command it received.

A second press of the button prepares a friendly unit for an action order: Move, Attack, Defend, Reserve. Once a player issues an action command to a unit, moving the cursor and hitting the button enters an objective command. This is the part of the order which tells the unit where to move, attack, or defend.


A third set of orders, the information commands, help the gamer keep on top of the developing situation and obtain data on which to base tactical decisions. Most of these use a combination of the stick and a keystroke. For instance, putting the cursor on a unit and pressing "G" produces a statement about the general who currently commands that division, while moving the cursor to a city or other critical location and pressing "C" generates a quick status report about the place. In addition, "O" calls up a strategic map, "B" allows the general to review the battle in progress, "T" temporarily removes all units so generals can study the terrain, "?" tells who's winning the battle, and "W" moves the cursors over the friendly unit which has sent the most recent message to your headquarters. This last order is handy for coming to the aid of a unit in trouble before disaster overtakes it.

Many computerists will no doubt feel that the most important command is "f7", which pauses the game. Since order entry is continuous, a minute here and there to plot strategy is an absolute necessity. A game-in-progress can be saved on a formatted disk and restored at a later point.

Supply plays a larger role in *Crusade in Europe* than in most other computerized wargames. Every night, units which have a path to a headquarters unit or depot are resupplied at night. These valuable units can't put up much of a fight if attacked,

TAKE A BREAK!

For
Commodore 64[™]
Computers



WITH NIGHT MISSION **PINBALL**

You deserve the best. You've earned it. Now reward yourself with a session of **Night Mission PINBALL**, the most realistic and challenging arcade simulation ever conceived! ■ Stunning graphics and dazzling sound effects put **Night Mission PINBALL** in a class by itself. Game features: multi-ball and multi-player capabilities, ten different professionally designed levels of play, and an editor that lets you create *your own* custom modes. ■ So take a break with **Night Mission PINBALL** from SubLOGIC. Winner of *Electronic Games* magazine's 1983 Arcade Award for Best Computer Audio/Visual Effects.



See your dealer . . .

or write or call for more information.

Order Line: 800 / 637-4983

subLOGIC
Corporation
713 Edgebrook Drive
Champaign IL 61820
(217) 359-8482 Telex: 206995


so the commander must always make sure to protect them against the ever-present danger of lightning raids by the enemy.

The documentation straddles the line between providing the essential facts needed to boot and battle, and giving the player enjoyment-enhancing background. The first three sections explain the rules, the fourth provides extensive historical notes and a reading list, and the fifth presents full data, including the order of battle and victory conditions, for each of the scenarios.

Crusade in Europe hits a new high in playability for computer wargames without sacrificing mental challenge or tactical scope. Those who have always felt overwhelmed by complex military simulations are entirely likely to find this one a great deal less threatening and, therefore, a great deal more entertaining.

MicroProse Simulation Software, 120 Lakefront Dr., Hunt Valley, MD 21030 (phone: 301-667-1151).

—Arnie Katz



Flying Super Huey is no milk run.
READER SERVICE NO. 178

SUPER HUEY

Cosmi

Commodore 64

Disk; \$19.95

Electronic gamers just l-o-v-e helicopters. Always have. From the earliest days of videogaming, the helicopter has been the preferred mode of travel. Classic programs utilizing whirlybirds include *Super Cobra*, *Choplifter!* and *Raid on Bungeling Bay*. It was obviously just a matter of time until the current vogue for flight simulators caught up with this primal affection.

Paul Norman's ambitious *Super Huey* takes on the challenge in a self-confident, straightforward manner. The video pilot flies a UH-IX, an ultramodern, high speed chopper intended primarily for surveillance and reconnaissance, but able to defend itself with rockets and machine guns.

Super Huey opens with a truly ostentatious introductory sequence, complete with pseudo-majestic theme music and elaborate credits. (Designer Norman's name is emblazoned on a helicopter which flies across the screen.) It's quite amusing the first few times, but the gamer will soon wish for a way to short-circuit all the hoopla.

Super Huey provides a marvelous view of the action, with a front window, two side portals, and floor vents. Unfortunately, it isn't always worth the effort to look down through the vents, because the terrain is a relentless green speckled with icons which represent houses, radar, and other points of interest. The blocky, largely uncolored symbols and graphics are a real wet blanket. Helicopters, unlike jet fighters, fly close to the ground, so the landscape should be

quite detailed to look realistic.

Flying the UH-IX presents further difficulties. The documentation breaks flight into two main elements; the control stick and the computer keyboard. *Super Huey* is a good choice for cooperative play by two gamers. One can control the joystick while the other monitors the onscreen gauges and presses the appropriate keys. Doing both at once calls for quite a bit of practice and coordination.

The documentation gets to the crux of the matter when it states: "Airplanes are inherently stable whereas helicopters are inherently unstable." In other words, once an airplane gets into the air, the pilot can take a deep breath. A helicopter, on the other hand, requires constant attention. In striving for verisimilitude, *Super Huey* overdoes the number of control functions. Flying a helicopter is not easy, and neither is *Super Huey*.

The documentation helps. It is co-gently written, but errs in combining factual instruction with aerodynamic theory. Step by step directions for booting the disk and getting airborne appear cheek-by-jowl with a dissertation on conventional helicopter control. Nonetheless, it has all the information, and there's even a handy four-page card with specific flight instructions.

Players can opt for any of four types of missions. "Flight Instruction" is an excellent prompt-oriented tutorial; "Exploration" is an aerial survey; "Rescue" sends the copter into mountainous terrain to save injured soldiers; and "Combat" is set in a secret desert installation under enemy attack.

Actually, the UH-IX is not a combat aircraft, despite its armament, so the "Combat" scenario is less of a blast-athon than gamers might expect. The object is reconnaissance and, only when absolutely necessary, defense.

Super Huey tries very hard and succeeds at much of what it attempts. Purists will wish for more detailed terrain, and a less complex control scheme would have been a blessing, but most chopper fans will gladly take this exciting flight simulator just as it is.

Cosmi, 415 N. Figueroa, Wilmington, CA 90744 (phone: 213-835-9687).

—Bill Kunkel

NEW

**FOR
COMMODORE
64 / 128**

**HOME
INFORMATION
MANAGEMENT
SYSTEM**

INTEGRATED HOME DATA MANAGER with WINDOWS, ON SCREEN CALCULATOR, and CALENDAR.
HOME CHECKBOOK maintains multiple accounts for quick and easy analysis.
HOME ADDRESSBOOK up to 200 records of mailing data with search and label options.
HOME INVENTORY provides valuable property information recall and analysis.

AVAILABLE ON DISK ONLY... \$29.95
CHECK/MONEY ORDER + \$2.00 SHIPPING.
NEW YORK RESIDENTS ADD SALES TAX.

VMC SOFTWARE
P.O. BOX 326
CAMBRIA HTS. N.Y. 11411



Reader Service No. 211


SMASH HITS!

A PICK OF RECENT MONTHS BESTSELLERS FROM ABACUS

for Commodore 128 and 64


SUPER Pascal

Complete J&W development system. With enhanced editor, compiler, assembler, toolkit, graphics, fast DOS (3X faster than 1541), 220 page handbook, more. **\$59.95**



Compiler and Software Development System

SUPER-C




SUPER C

Complete K&R compiler and development system. With editor, compiler, linker, I/O library and extensive 200 page handbook. Creates fast 6510 machine code. **\$79.95**


CHARTPAK

Makes professional quality pie, bar and line charts from your data. Includes statistical functions. A long time bestseller. Hardcopy to most printers. **\$39.95**



BASIC Compiler

Versatile compiler instantly turns BASIC into lightning fast 6510 machine code and/or compact speedcode. Variable passing overlays, integer arithmetic, more. **\$39.95**



CADPAK ENHANCED

Graphics design and drawing package. Use w or w/o lightpen to create very detailed designs with dimensioning, scaling, text, rotation, hardcopy and more. **\$39.95**

XPER

Capture your information on XPER's knowledge base and let this first expert system for Commodore computers help you make decisions. Full editing and reporting. **\$59.95**



Personal Portfolio Manager

Easily manage your stocks, bonds, etc. Update portfolio manually or automatically through Dow Jones or Warner Computer. Complete reporting. **\$39.95**

Symbol	Type	Unit	Per Date	Open Date	Cost	Price	QY	WY	ST
IBM	Stock	10	04/29/1985	10/13/1985	5767.15	6297.00	936.85	17.34	ST
IBM	Stock	10	07/29/1985	10/29/1985	607.25	1075.81	127.78	14.88	ST

Call now for the name of your nearest dealer. To order by credit card call 616/241-5510. Other software and books also available - ask for free catalog. Add \$4.00 for shipping per order. Foreign orders add \$12.00 per item. Dealer inquiries welcome - more than 1200 dealers nationwide.

YOU CAN COUNT ON

Abacus Software
P.O. Box 7211 Grand Rapids, MI 49510
For Fast Service Phone (616) 241-5510

...Announcing

THE
COMMODORE USERS


Ahoy Access Club!

**FREE
TO ALL
SUBSCRIBERS**



An incredible offer from the publishers of Ahoy!...The **Ahoy! Access Club**. The **Ahoy! Access Club** offers members: discounts, rebates, coupons on products and services for your Commodore, a Commodore calendar of events, and much, much more! Members will also receive "The Clipper," an exclusive bi-monthly news bulletin. But the best thing about the **Ahoy! Access Club** is that it's **FREE!** to all Ahoy! subscribers. Subscribe today! and along with your first issue of Ahoy! you'll receive your official **Ahoy! Access Club** membership card...your ticket to super savings and bonuses you can only get from Ahoy! Don't miss out on this fantastic offer. The **Ahoy! Access Club**...if you own a Commodore — this club is for you!

THE COMMODORE MAGAZINE THAT OFFERS YOU MORE



THE IBM CONNECTION

One Electronic Brain Meets Another

By Dale Rupert

It's easy to link two computers and let them talk to each other. One computer might challenge the other to a quick game of checkers or chess. Through the concept of parallel processing, a lengthy task could be shared between two computers and finished in half the normal time. Fault-tolerant computer systems typically have three or more processors performing the same computations, comparing their results with the others' at crucial points. If two out of three agree, their result is used. If all three differ, the calculations are repeated or the problem is flagged. There are numerous other reasons to tie two or more computers together.

This month we will see what it takes to tie a Commodore 64 or a VIC 20 together or to almost any other computer. Specifically, we will discuss the hardware and the software needed for a Commodore computer to communicate with the IBM Personal Computer over a simple, three-wire RS-232 serial link.

We will deal with bare-bones, no-frills serial communication. The most difficult aspect of this month's project is to round up the proper connector for the User I/O port on the Commodore (C-64 or VIC 20) computer. Within minutes of getting the few required parts together, your computer can be happily chatting with another member

AN IDEAL
BUSINESS GIFT.

"No, I don't think so..."



Using the Sales Edge,[™] you anticipated that, prepared a strategy, and got the sale. The Sales Edge is a sophisticated expert system package for Commodore.[®] Only from Info Designs. Call CANADA 800-661-8358 Get the Edge from PHASE 4

InfoDesigns[®]

Registered Trademark: Commodore-Commodore Electronics Limited. Trademarks: The Sales Edge-Human Edge Software Corporation-developed exclusively for Info Designs on the Commodore 64/128. *U.S. Currency.



PERFECT
EXECUTIVE GIFT

"What about my attitude?"



You knew he'd say that. And you know how to respond with the Management Edge.[™] It's one of the most sophisticated expert system packages for Commodore.[®] Only from Info Designs. Call 800-661-8358 Get the Edge from PHASE 4

InfoDesigns[®]

Registered Trademark: Commodore-Commodore Electronics Limited. Trademarks: The Management Edge-Human Edge Software Corporation-developed exclusively for Info Designs on the Commodore 64/128. *U.S. Currency.



A
USEFUL
GIFT FOR EVERYONE.

"So, you want a raise?"



You'd know what to say next with the Negotiation Edge.[™] It's one of the most sophisticated expert system packages for Commodore.[®] Only from Info Designs. Call CANADA 800-661-8358 Get the Edge from PHASE 4

InfoDesigns[®]



THIS
YEAR'S
GREAT GIFT.

"Okay...so tell me again."



You have. He's not listening or you're not getting through. Try the Communication Edge.[™] It's a sophisticated expert system package for the Commodore.[®] Only from Info Designs. Call 800-661-8358 Get the EDGE from PHASE 4

InfoDesigns[®]



Reader Service No. 237

7157 FISHER ROAD S.E.

PHASE 4 DISTRIBUTORS INC.

CALGARY, ALBERTA, CANADA T2H 0W4

1-800-661-8358

of its family tree.

FIRST, THE HARD PART

Only minimal hardware is required to link two Commodore computers together. You need two twenty-four (24) pin card-edge connectors and three wires between them. The card-edge connector pins must be on 0.156 inch centers. The twelve pins on the upper half are numbered 1 through 12, and on the lower half they are labeled A through N (skipping G and I). The *User's Guide* and the *Programmer's Reference Guide* show the pin configuration of the card-edge at the rear of the computer. Look at your User I/O slot, then go to an electronics parts store for the proper connector. Besides the connectors, you need only wire and solder.

Figure 1 on page 114 shows the three-wire link to join two Commodore computers together. Table 6-1 in the *C-64 Programmer's Reference Guide* provides the signal names for the pins on the connectors.

To connect a Commodore computer to an IBM-PC or any other computer using RS-232 levels, you need two integrated circuits as well as a different connector for the IBM side of the cable. The IBM serial port uses a standard DB-25 female 25-pin submini D-type connector (Radio Shack #276-1548 for example). You also need a 1488 RS-232 line driver and a 1489 line receiver (Radio Shack #276-2520 and #276-2521 will work) as well as a 9 volt power source.

The Commodore User I/O signals are at TTL (transistor-transistor logic) voltage levels. A binary one output is any voltage from 2.4 volts up to the 5 volt supply, and a binary zero output is typically from 0.4 volt down to zero volts. RS-232 voltage levels are quite different. A logic one is a voltage below -3 volts and a logic zero is a voltage greater than +3 volts. The RS-232 logic levels are not only inverted but also shifted with respect to the TTL levels.

The 1488 line driver chip converts TTL signals into RS-232 signals. The 1489 line receiver chip converts RS-232 signals back into TTL levels. The 1488 needs two power supplies. The Commodore user port provides +5 volts which is used for the positive supply. A 9 volt battery may be used for the negative supply, although a 9 volt DC battery eliminator or power supply would be preferable for serious use of the interface. The 1488 draws as much as 17 milliamps from the -9 volt source, so a bargain battery won't have a very long life. It is also possible to build a negative DC supply from the 9 VAC outputs on pins 10 and 11 of the User I/O port. Figure 2 on page 114 shows the schematic for a Commodore to RS-232 interface.

I built the circuit on a solderless breadboard near the Commodore and ran a three-foot long three-conductor wire to the IBM. You may do the same, or for a more permanent circuit, you should solder the chips and wires to a predrilled PC board mounted near the Commodore's connector. The layout is not critical for transmissions up to 1200 baud over relatively short cables, and that is fast enough for use with BASIC.

If the hardware side of this project scares you away, consider having a friend at your user group help. If you've always wanted to try your hand at electronics, this is a perfect beginning project. Now over to the software side.

NEXT, THE SOFT PART

If you thought the hardware was easy, wait till you see the software! We will develop three levels of software for linking two computers together. We will begin with simple transmit-only and receive-only programs for the Commodore and the IBM computers. Next we will implement a bidirectional, software-handshaking pair of programs which let the computers communicate without human intervention. Finally we will present a computer v. computer Hi-Lo game in which one computer picks a number, and the other computer attempts to guess the number with clues of "too high" or "too low." The Hi-Lo program *almost* runs without human intervention (a human must type RUN on both machines!).

The programs COMMTX and COMMRX on pages 126 and 127 are transmitter and receiver programs for the Commodore computers. If you are tying two Commodore computers together, load COMMTX into one and COMMRX into the other. Type RUN on the receiver and then type RUN on the transmitter. An important note before you begin:

Do NOT use the Wedge program while running these
Continued on page 114

C-64™ • VIC™ • SX-64™ • C-128™ • Plus 4™ • C-16™ • B-128™ • PET™ • CBM™ • LCD™

Bought Expensive Software Lately? Brace Yourself.

The Intelligent Software package: an integrated home/business/educational package of **25 programs** on disk or tape at the ridiculous price of **\$29.95** (plus five cents for postage + handling).

The package is not public domain or home-brew software; totaling over 51 pages of source code listings, it is the one product that can take care of all your data processing needs. One customer writes: "... accolades for the authors. This is as slick a deal as I have seen and more than adequate for all except fancy presentations. The best thing is the ease of use..." The package includes:

Database: A complete multi-keyed fixed-record-length data base manager. Sort or select (using all relational operators: =, >, <, AND, OR, NOT, wild card) on any field, perform computations on numeric fields. Any operation can be performed on all, or only selected records. All fields completely user-definable. Can be used for any number of tasks, including accounting, mailing lists, inventory control, record, tape, or book cataloging, expense account maintenance, or as an electronic rolodex. Even if you use your Commodore for nothing else, this program alone might justify its expense.

Word Processor: A full-featured menu-driven word processor including: very fast file commands, screen editing, text locating and full control over margins, spacing, paging, indentation, and justification. "... well done and highly functional..." Provides an excellent alternative to the high priced word processors... this is an excellent buy. Highly recommended." — Midnite Software Gazette. "Provides good basic features." — Compute's Gazette.

Copycalc: An electronic spreadsheet. Turns your Commodore into a visible balance sheet; includes screen editor. "Excellent program for budgeting, estimating, or any math-oriented use... well worth the money. Highly recommended." — Midnite Software Gazette.

Also included: **ReportGen, ReportMerge** (interface W/P with Database to create form letters, statements, invoices, mailing labels, other reports.); **Baseball Statistician** (compiles betting statistics for a baseball league); several W/P utilities, including **Index** (indexes W/P's text files); several Database utilities, including **DBmerge** (facilitates multi-file database applications.), and **DBStat** (analyzes D/B files); a programming utility, **ASCII**, which converts text files (program listings) into program files; also **Checkbook, Inventory, Paper Route, Loan Analysis, Breakeven Analysis, Depreciation, Labeler, File Copier**; more.

Versions of the package are available for every Commodore computer having a minimum of 10k RAM. All programs will support tape, disk, and printer. Price includes documentation and shipping; Calif. residents add 6%. Add \$3 for credit card, COD, B050 disk, or cassette orders (cassette not available for Plus4™ and 16™). No personal checks from outside USA. This ad is the catalog; a sampling of program output is available for \$2.

Intelligent Software
Quality Software since 1982

Box A Dept. A-6
San Anselmo, CA 94960
(415) 457-6153

COMMODORE 64 COMPUTER

(Order Now)

\$139.95

- C128 Disks 79¢ ea.*
- Commodore Graphics Printer \$99.95
- 13" Zenith Color Monitor \$139.95

CALL BEFORE YOU ORDER

COMMODORE 64 COMPUTER \$139.95

You pay only \$139.95 when you order the powerful 84K COMMODORE 64 COMPUTER! LESS the value of the SPECIAL SOFTWARE DISCOUNT COUPON we pack with your computer that allows you to SAVE OVER \$250 off software sale prices!! With only \$100 of savings applied, your net computer cost is \$39.95!!

* C128 DOUBLE SIDED DISKS 79¢ EA.

Get these 5 1/4" Double Sided Floppy Disks specially designed for the Commodore 128 Computer (1571 Disk Drive). 100% Certified. **Lifetime Warranty.** Automatic Lint Cleaning Liner included. 1 Box of 10 - \$9.90 (99¢ ea.), 5 Boxes of 10 - \$44.50 (89¢ ea.), 10 Boxes of 10 - \$79.00 (79¢ ea.).

13" ZENITH COLOR MONITOR \$139.95

You pay only \$139.95 when you order this 13" ZENITH COLOR MONITOR. LESS the value of the SPECIAL SOFTWARE DISCOUNT COUPON we pack with your monitor that allows you to save over \$250 off software sale prices!! With only \$100 of savings applied, your net color monitor cost is only \$39.95. (16 Colors).

80 COLUMN

COMMODORE GRAPHICS PRINTER \$99.95

You pay only \$99.95 when you order the 803 Commodore Graphics Printer, 60 CPS, Dot Matrix, Bi-Directional, Prints 8 1/2" full size paper. Plug in direct interface included! LESS the value of the SPECIAL SOFTWARE DISCOUNT COUPON we pack with your printer that allows you to SAVE OVER \$250 off software sale prices!! With only \$100 of savings applied your net printer cost is ZERO!

4 SLOT EXPANDER & 80 COLUMN BOARD \$59.95

Now you program 80 COLUMNS on the screen at one time! Converts your Commodore 64 to 80 COLUMNS when you plug in the 80 COLUMN EXPANSION BOARD!! PLUS 4 slot expander!

80 COLUMNS IN COLOR

PAPERBACK WRITER 64 WORD PROCESSOR \$39.95

This PAPERBACK WRITER 64 WORD PROCESSOR is the finest available for the COMMODORE 64 computer! The ULTIMATE FOR PROFESSIONAL Word Processing. DISPLAYS 40 or 80 COLUMNS IN COLOR or black and white! Simple to operate, powerful text editing, complete cursor and insert/delete key controls line and paragraph insertion, automatic deletion, centering, margin settings and output to all printers! List \$99.00. **SALE \$39.95.** Coupon \$29.95.

COMMODORE 64 SYSTEM SALE

Deal 1 LTD. QTY. Deal 2

Commodore 64 Commodore 64
Com. 1541 Disk Drive Com. 1541 Disk Drive
Com. 803 Printer 13" Zenith Color Monitor
\$407 \$457

**PLUS FREE \$49.95 Oil Barons
Adventure Program**

SPECIAL SOFTWARE COUPON

We pack a SPECIAL SOFTWARE DISCOUNT COUPON with every COMMODORE 64 COMPUTER, DISK DRIVE, PRINTER, or MONITOR we sell! This coupon allows you to SAVE OVER \$250 OFF SALE PRICES!!

(Examples)

PROFESSIONAL SOFTWARE COMMODORE 64

Name	List	Sale	Coupon
Paperback Writer 64	\$99.00	\$39.95	\$29.95
Paperback Database 64	\$69.00	\$34.95	\$24.95
Paperback Dictionary	\$24.95	\$14.95	\$10.00
The Print Shop	\$44.95	\$27.95	\$26.95
Halley's Project	\$39.95	\$25.95	\$24.95
Practicals (spread sheet)	\$59.95	\$19.95	\$14.95
Programmers Reference Guide	\$24.95	\$16.95	\$12.50
Nine Princes in Amber	\$32.95	\$24.95	\$21.95
Super Bowl Sunday	\$30.00	\$19.95	\$17.95
Flip & File Disk Filer	\$24.95	\$14.95	\$12.95
Deluxe Tape Cassette (plus FREE game)	\$89.00	\$44.95	\$34.95
Pro Joystick	\$19.95	\$12.95	\$10.00
Computer Care Kit	\$44.95	\$29.95	\$24.95
Dust Cover	\$ 8.95	\$ 6.95	\$ 4.60
Injured Engine	\$39.95	\$27.95	\$24.95
Pitstop II (Epyx)	\$39.95	\$22.95	\$19.95
Music Calc	\$59.95	\$14.95	\$12.95
File Writer (by Codewriter)	\$39.95	\$29.95	\$24.95

(See over 100 coupon items in our catalog)

**Write or call for
Sample SPECIAL SOFTWARE COUPON!**

ATTENTION Computer Clubs We Offer Big Volume Discounts CALL TODAY!

PROTECTO WARRANTY

All Protecto's products carry a minimum 90 day warranty. If anything fails within 90 days from the date of purchase, simply send your product to us via United Parcel Service prepaid. We will IMMEDIATELY send you a replacement at no charge via United Parcel Service prepaid. This warranty proves once again that **We Love Our Customers.**

C128 COMMODORE COMPUTER

(Order Now)

\$289.95

Less \$30 FREE Software, your choice from our catalog (See Catalog Page 13)

- 340K 1571 Disk Drive \$259.00
- Voice Synthesizer \$39.95
- 12" Amber Monitor \$59.95

PRICES MAY BE LOWER

C128 COMMODORE COMPUTER \$289.95

We expect a limited supply for Christmas. We will ship on a first order basis. This all-new revolutionary 128K computer uses all Commodore 64 software and accessories plus all CPM programs formatted for the disk drive. **Less \$30 FREE Software, your choice from our catalog (See Catalog Page 13)** List \$349.00. **SALE \$289.95.**

340K 1571 COMMODORE DISK DRIVE \$259.00

Double Sided, Single Disk Drive for C-128 allows you to use C-128 mode plus CPM mode. 17 times faster than 1541, plus runs all 1541 formats. List \$349.00. **Sale \$259.00.**

SUPER AUTO DIAL MODEM \$37.95

Easy to use. Just plug into your Commodore 64 computer and you're ready to transmit and receive messages. Easier to use than dialing your telephone, just push one key on your computer! Includes exclusive easy to use program for up and down loading to printer and disk drives. **Best in U.S.A.** List \$129.00. **SALE \$37.95.**

VOICE SYNTHESIZER \$39.95

For Commodore-64 computers. Just plug it in and you can program words and sentences, adjust volume and pitch, make talking adventure games, sound action games and customized talkies!! FOR ONLY \$19.95 you can add TEXT TO SPEECH, just type a word and hear your computer talk — ADD SOUND TO "ZORK", SCOTT ADAMS AND OTHER ADVENTURE GAMES!! (Disk or tape.) List \$89.00. **SALE \$39.95**

12" AMBER MONITOR \$59.95

Your choice of green or amber screen monitor, top quality, 80 columns x 24 lines, easy to read, anti-glare! PLUS \$9.95 for connecting cable. Com-64 or VIC-20. List \$159.00. **SALE \$59.95.**

PRINTER/TYPEWRITER COMBINATION \$249.95

"JUKI" Superb letter quality, daisy wheel printer/typewriter combination. Two machines in one — just a flick of the switch. 12" extra large carriage, typewriter keyboard, automatic margin control and relocate key, drop in cassette ribbon! (90 day warranty) centronics parallel or RS232 serial port built in (Specify). List \$349.00. **SALE \$249.95.** (Ltd. Qty.)

13" RGB & COMPOSITE COLOR MONITOR \$259.95

Must be used to get 80 columns in color with 80 column computers (C128 - Atari ST - IBM - Apple). (Add \$14.50 shipping) List \$399.00. **SALE \$259.95.**

- LOWEST PRICES • 15 DAY FREE TRIAL
- BEST SERVICE IN U.S.A. • ONE DAY EXPRESS MAIL

PHONE ORDERS

8 a.m. - 8 p.m. Weekdays
9 a.m. - 12 noon Saturdays

- 90 DAY FREE REPLACEMENT WARRANTY
- OVER 500 PROGRAMS • FREE CATALOGS

Add \$10.00 for shipping, handling and insurance. Illinois residents please add 6% tax. Add \$20.00 for CANADA, PUERTO RICO, HAWAII, ALASKA, APO-FPO orders. Canadian orders must be in U.S. dollars. WE DO NOT EXPORT TO OTHER COUNTRIES EXCEPT CANADA. Enclose Cashiers Check, Money Order or Personal Check. Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail! VISA — MASTER CARD — C.O.D. No C.O.D. to Canada, APO-FPO

Reader Service No. 193

PROTECTO

We Love Our Customers

Box 550, Barrington, Illinois 60010

312/382-5244 to order

GIANT PRINTER SALE!!

List \$399.00

10" Printer

S \$ 179⁰⁰ SALE


10" Comstar 10X — This Bi-directional Tractor/Friction Printer prints standard sheet 8½"x11" paper and continuous forms or labels. High resolution bit image graphics, underlining, horizontal tab setting, true lower descenders, with super scripts and subscripts, prints standard pica, compressed, expanded, block graphics, etc. Fantastic value. (Centronics parallel interface.)

List \$399.00. Sale \$179.00.

1 Year Warranty

120-140 CPS

Premium Quality



List \$599.00

15½" Printer

S \$ 239⁰⁰ SALE

15½" Comstar 15X — Has all the features of the 10" Comstar 10X plus a wider 15½" carriage and more powerful electronics to handle large ledger business forms! (Better than FX-100). The 15½" Comstar 15X also prints on standard size paper and continuous forms and labels. Fantastic value. (Centronics parallel interface.)

List \$599.00. Sale \$239.00.

List \$499.00

10" Printer

S \$ 229⁰⁰ SALE


10" Comstar 160+ High Speed — This Bi-directional Tractor/Friction Printer combines the above features of the 10" Comstar 10X with speed (150-170 cps) and durability. Plus you get a 2K buffer, 96 user definable characters, super density bit image graphics, and square print pins for clearer, more legible print (near letter quality). This is the best value for a rugged dependable printer. (Centronics parallel interface.)

List \$499.00. Sale \$229.00.

1 Year Warranty

150-170 CPS

High Speed



List \$699.00

15½" Printer

S \$ 289⁰⁰ SALE

15½" Comstar 160+ High Speed — This Bi-directional Tractor/Friction Printer has all the features of the 10" Comstar 160+ High Speed plus a wider 15½" carriage and the heavy duty electronics required for today's business loads. You can use large ledger business forms as well as standard sheets and continuous forms and labels. This is the best wide carriage printer in the U.S.A. (Centronics parallel interface.)

List \$699.00. Sale \$289.00.

List \$599.00

10" Printer


S \$ 259⁰⁰ SALE

10" Comstar 2000 — The ultimate printer has arrived! This Bi-directional Tractor/Friction Printer gives you all the features of the Comstar 160 plus higher speed (165-185 cps), 256 downloadable characters, proportional setting, external dark printing mode and a *lifetime printhead warranty. PLUS ...

Lifetime warranty*

165-185 CPS

High Speed & Letter Quality



List \$599.00

10" Printer

S \$ 259⁰⁰ SALE

With the flip of a switch you can go into the letter quality mode which makes all your printing look like it came off a typewriter. Turn in term papers, do articles or just print programs. Have the best of letter quality and speed in one package. Fantastic printer (Centronics parallel interface.)

List \$599.00. Sale \$259.00.

• 15 Day Free Trial — 1 Year Immediate Replacement Warranty
Parallel Interfaces

Commodore-64, VIC 20 — \$39.00

Atari — \$59.00

Apple II, II+, IIe — \$59.00

Add \$10.00 (\$14.50 for 15½" Printers) for shipping, handling and insurance. Illinois residents please add 6% tax. Add \$20.00 for CANADA, PUERTO RICO, HAWAII, ALASKA, APO-FPO orders. Canadian orders must be in U.S. dollars. WE DO NOT EXPORT TO OTHER COUNTRIES, EXCEPT CANADA.

Enclose Cashiers Check, Money Order or Personal Check. Allow 14 days for delivery. 2 to 7 days for phone orders. 1 day express mail!

VISA — MASTER CARD — C.O.D. No C.O.D. to Canada, APO-FPO.

Reader Service No. 193

PROTECTO

We Love Our Customers

22292 N. Pepper Rd., Barrington, Illinois 60010

312/382-5244 to order

The Great Christmas Sale

Floppy Disk

FUJI SALE-21¢^{ea.}

Premium Quality Floppy Disks



EARN 21¢ per Disk^{*}

Buy 2 Boxes at \$24.80, receive \$4.00 mail-in rebate plus a \$25.00 value bonus pack for offers on other Fuji products (film, audio cassettes, video cassettes, cameras, etc.). If you use the entire bonus pack you earn \$4.20 (21¢ per disk)

Lifetime Guarantee

EXPIRES
12-25-85

BUY 2 BOXES

You Pay	\$24.80
Less mfg. rebate [*]	\$4.00
Net Cost	\$20.80
Bonus Pack Value	\$25.00
Net Earnings	\$4.20

BUY 1 BOX

You Pay	\$12.95
Less mfg. rebate	\$2.00
Net Cost	\$10.95

Box of 10 with hub rings, sleeves and labels

Famous Brand FUJI Floppy Disks for those who care about keeping their data.

Single Sided — Double Density

for Commodore 64, Atari, Apple

List \$29.95

Reg. Sale \$14.90

^{*} With Mfg. Mail-in Rebate: \$4.00/2 boxes plus \$25 bonus pack value applied.

*** \$12.95**



Flip-N-File
Data-Case



*** \$12.95**

Floppy Disk Filer

Everyone Needs a Floppy Disk Secretary



Facts:

- Dust and Dirt particles can hurt your disks
- Most disks go bad due to mishandling in storage
- Proper filing of your disk collection will reduce unnecessary handling of your disks

The Floppy Disk Filer is an inexpensive hard plastic flip-top case that will allow for easy filing, and protect your disks from dust, smoke, and dirt. Plus, the Floppy Disk Filer will keep all your disks out of unwanted hands and in one place where you can easily find them. **(Holds Over 50 Disks)**

List \$24.95

Introductory Sale Price \$14.95

*** Coupon \$12.95**

Add \$3.00 for shipping, handling and insurance. Illinois residents please add 6% tax. Add \$6.00 for CANADA, PUERTO RICO, HAWAII, ALASKA, APO-FPO orders. Canadian orders must be in U.S. dollars. WE DO NOT EXPORT TO OTHER COUNTRIES, EXCEPT CANADA. Enclose Cashiers Check, Money Order or Personal Check. Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail!!
VISA — MASTER CARD — C.O.D.
No C.O.D. to Canada, APO-FPO.

PROTECTO

We Love Our Customers

22292 N. Pepper Rd., Barrington, Illinois 60010

312/382-5244 to order

COLOR MONITOR



SALE!!!



(Premium Quality)

- Built in Speaker and Audio
- Front Panel Controls
- For Video Recorders
- For Small Business Computers
- Apple - Commodore - Atari - Franklin - etc.



(Premium Quality)

- Beautiful Color Contrast
- High Resolution
- Separated Video
- Sharp Clear Text
- Anti-Glare Screen
- 40 Columns x 24 Lines
- Supports 80 Columns
Requires special \$19.95 C-128 cable.

List \$329⁰⁰



13" Color Computer Monitor

IBM, C-128,
Apple, Atari ST

*C64/C128 connecting cable \$9.95

Sale \$159⁹⁵*
Add \$14.50 Shipping

13" RGB & COMPOSITE COLOR MONITOR

Allows use of C-128 and C64 mode - composite and 80 column RGB mode. Must be used to get 80 columns in color with 80 column computers (IBM, C-128, Apple & Atari ST). (add \$14.50 shipping)

List \$399.00

* C128 RGB cable \$19.95

Sale \$259⁹⁵*

13" ZENITH COLOR MONITOR

(add \$14.50 shipping)

List \$299.00

Sale \$149⁹⁵*

15 Day Free Trial - 90 Day Immediate Replacement Warranty

12" XTRON SUPER HI-RESOLUTION MONITOR

80 Columns x 24 Lines, Super Hi-Resolution 800 lines Green or Amber Super-Clear "Easy to Read" text with special anti-glare screen! (Ltd. Qty.) List \$249.00

Sale \$109⁹⁵*

12" **ZENITH** HI-RESOLUTION GREEN OR AMBER TEXT DISPLAY MONITOR

80 Columns x 24 Lines, Hi-Resolution, crisp clear easy to read text with anti-glare screen! A MUST for word processing. (Ltd. Qty.) List \$199.00

Sale \$89⁹⁵*

12" AMBER MONITOR

80 Columns x 24 Lines, easy to read up front controls (Ltd. Qty.)

List \$159.00

Sale \$59⁹⁵*

* C64/C128 connecting cable \$9.95

• LOWEST PRICES • BEST SERVICE IN U.S.A. • ONE DAY EXPRESS MAIL • OVER 500 PROGRAMS • FREE CATALOGS

Add \$10.00 for shipping, handling and insurance. Illinois residents please add 6% tax. Add \$20.00 for CANADA, PUERTO RICO, HAWAII, ALASKA, APO-FPO orders. Canadian orders must be in U.S. dollars. WE DO NOT EXPORT TO OTHER COUNTRIES. EXCEPT CANADA.

Enclose Cashiers Check, Money Order or Personal Check. Allow 14 days for delivery. 2 to 7 days for phone orders. 1 day express mail!

VISA — MASTER CARD — C.O.D.

No C.O.D. to Canada, APO-FPO.

PROTECTO

We Love Our Customers

22292 N. Pepper Rd., Barrington, Illinois 60010

312/382-5244 to order

Reader Service No. 193

☆☆ NEW ☆☆

Commodore - 64

☆☆ NEW ☆☆

WORD PROCESSING BREAKTHROUGH!

SALE

SALE

40 or 80 Columns
in Color

Paperback Writer 64

40 or 80 Columns
in Color

This is the easiest to use and most powerful word processor available for the Commodore 64. As you type on the screen, you will see your letters and words appear on the screen exactly as they will be printed (i.e. Italics will be *Italic*, Bold Face will be **Bold Face**). With the printer files you can customize Paperback Writer 64 to use all the fancy features of your printer. Loads EZ Script®, Paperclip®, & Wordpro 64® Files so you can easily upgrade your past wordprocessing text that you've written with obsolete wordprocessors. Take a look at some of the other features:



- **Wordwrap** — No Words Break At The Edge Of The Screen.
- **Flexible Cursor Movement**, Including Tabs And Other Timesavers.
- **Deletion And Insertion** Of Characters, Lines And Blocks Of Text.
- **On-screen Text Enhancement**, Such As Bold Face, Italics, Underlining, Superscripts And Subscripts, And Foreign And Other Characters.
- **Manipulation Of Blocks (ranges)** Of Text For Functions Such As Moving And Deleting, Even Between Files.
- **Sorting Lists** In Order Of Numbers And Letters.
- **Aligning And Adding Numbers** In Columns, Helpful With Tables.
- **Variable Margins** At Left And Right, And Paragraph Indentation.
- **Lines Centered, Justified Or Aligned** At The Right Side.
- **Variable Page Lengths And Line Spacing.**
- **Borders** At Top Or Bottom With Optional Title Lines And Page Numbers.
- **Linked Files** To Print Extra-long Documents In Sequence.
- **Flexible Printer Set-up** To Allow Use With Any Printer.
- **Find And Replace** Text Functions That Can Be Automatic.
- Complete Or Selective **Directories** Of Files On The Disk.
- **Sequential Files** For Mail Lists And Communication With Other Computers.
- **Spelling Checker**, Checks Your Spelling.

INTRODUCTORY PRICE

\$39⁹⁵

SALE PRICE

Coupon Price \$29.95

DOUBLE PROTECTO FREE TRIAL

We are so sure this is the easiest and most powerful word processor available, we will give you 30 days to try it out. If you are not completely satisfied, we will refund your purchase price.

☆☆☆ Plus ☆☆☆

Full help screens on line with additional help on the disks mean you don't even need a manual. If you're in the middle of a page and you want to know how to use a special function just hit F7 and the information will appear before your eyes. If you still don't understand hit F7 again and a more detailed explanation appears. Then simply hit F8 and you're back in the letter where you left off. No manual lookup necessary. This is the easiest word processor in the world to use. List \$99.00.

Introductory Sale Price \$39.95. Coupon \$29.95.

PAPERBACK DATABASE (Datafax) List \$69.00. Sale \$34.95. * Coupon \$24.95.

PAPERBACK DICTIONARY List \$29.95. Sale \$14.95. * Coupon \$10.00.

Add \$3.00 for shipping, handling and insurance. Illinois residents please add 6% tax. Add \$6.00 for CANADA, PUERTO RICO, HAWAII, ALASKA, APO-FPO orders. Canadian orders must be in U.S. dollars. WE DO NOT EXPORT TO OTHER COUNTRIES EXCEPT CANADA.

Enclose Cashiers Check, Money Order or Personal Check. Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail!

VISA — MASTER CARD — C.O.D.

No C.O.D. to Canada, APO-FPO.

PROTECTO

We Love Our Customers

22292 N. Pepper Rd., Barrington, Illinois 60010

312/382-5244 to order

Commodore 64

MODEM

Commodore 64



List \$99.00

Sale
\$37⁹⁵

Coupon \$32.95

**Telecommunications**

List \$99.00

Sale
\$37⁹⁵

Coupon \$32.95

Lowest Price In the U.S.A.**FOR CHILDREN · ADULTS · BUSINESS**

Complete Auto Dial Telecommunications Package

*"The only telecommunications package you will ever need."***(Exclusive Easy To Use Features)**

FREE VIEWTRON DATABASE MEMBERSHIP

• Only Good Color Graphic Database Service in the U.S.A. (C-64)

Viewtron Software Plus First Hour FREE (See the Protecto Software Catalog On-Line) \$9.95 value

• 300 Baud Modem • Auto Dial • Auto Answer • Upload & Download

Reach Out and Access Someone

- Educational courses
- Financial Information
- Banking at Home
- Popular Games
- News Updates and Information
- Electronic Shopping
- Research and Reference Materials

The Complete Telecommunications Package offers you all this plus ...

- Auto Log-on
- Dialing from Keyboard
- On-line Clock
- Capture and Display High Resolution Characters
- Download Text, Program or Data Files
- Stores on Disk Downloaded Files
- Reads Files from Disk and Uploads Text or Program Files
- Select Any Protocol (access almost any computer or modem)
- Plus Much, Much More

List \$99.00

Sale \$37⁹⁵ Coupon \$32.95**We are so sure this is the only telecommunications package you will need we will give you 15 days Free Trial.
Viewtron Membership sold separately — \$9.95.**

Add \$3.00 for shipping, handling and insurance. Illinois residents please add 6% tax. Add \$6.00 for CANADA, PUERTO RICO, HAWAII, ALASKA, APO-FPO orders. Canadian orders must be in U.S. dollars. WE DO NOT EXPORT TO OTHER COUNTRIES, EXCEPT CANADA.

Enclose Cashiers Check, Money Order or Personal Check. Allow 14 days for delivery. 2 to 7 days for phone orders. 1 day express mail!

VISA — MASTER CARD — C.O.D.

No C.O.D. to Canada, APO-FPO.


PROTECTO

We Love Our Customers

22292 N. Pepper Rd., Barrington, Illinois 60010

312/382-5244 to order

Left Brain.



Rational. Functional. Precise.

Introducing the OKIDATA 120, the logical printer for your Commodore® computer.

Get results fast. With a utility mode that zips through letters and reports at twice the speed of any Commodore printer.

Switch to the enhanced mode. And print your most important ideas with typewriter clarity. Or illustrate your rationale with the 120's bit image graphics for high resolution charts, graphs and drawings.

Stay on target. With a self-inking "Clean Hands" ribbon cartridge. And Okidata's famous full year warranty on parts, labor and printhead.

The OKIDATA 120. At \$269*, it's the only Commodore-compatible printer that makes sense.

For more information, call 1-800-OKIDATA (in New Jersey 609-235-2600). Mt. Laurel, NJ 08054.

Get the OKIDATA 120 at these fine stores:

Advantage Computer
Accessories (Canada)
Childworld/Children's Palace
Consumers Distributing
David Weis
Electronics Boutique/
Games & Gadgets
Federated
Fred Meyer
Lionel/Kiddie City/
Lionel Playworld
Montgomery Ward
(at participating stores)
S. E. Nichols
Service Merchandise
Toys 'R Us

OKIDATA®
an OKI AMERICA company
We put business on paper.

Commodore is a registered trademark of Commodore Business Machines, Inc.
OKIDATA is a registered trademark of OKI AMERICA, INC.
*Manufacturer's suggested retail price.

Right Brain.



Effervescent. Colorful. Outrageous.

Meet the OKIMATE 10, the \$208* color printer that takes your Atari® or Commodore® computer over the rainbow!

Dazzle 'em. With brilliant printing in over 36 eye-tickling colors. Reds, greens, golds and blues that breathe life into everything: from charts and graphs to original drawings and overhead transparencies.

And when you're forced to work in black and white, the OKIMATE 10 prints crisp, clean reports and papers—at 240 words per minute. You can even add spice with wide, bold and fine print.

Everything you need for color printing comes with the OKIMATE 10 and its Plug 'n Print package. Including a data cable, Learn to Print and Color Screen Print software diskettes, a color ribbon cartridge, a black ribbon cartridge and paper.

So c'mon, print on the wild side. With the OKIMATE 10 Personal Color Printer from Okidata.

For more information, call 1-800-OKIDATA (in New Jersey 609-235-2600). Mt. Laurel, NJ 08054.

OKIDATA®
an OKI AMERICA company
We put business on paper.

*Manufacturer's suggested retail price. Atari is a registered trademark of Atari, Inc. Commodore is a registered trademark of Commodore Business Machines, Inc. OKIDATA is a registered trademark of OKI AMERICA, INC. OKIMATE and Plug 'n Print are trademarks of OKI AMERICA, INC. To run Plug 'n Print software, the Commodore 64, 128 and PLUS 4 require disk drive. Atari requires disk drive and a 48K memory.

Buy Now!
\$15 Manufacturer's
rebate on OKIMATE 10.

Offer good from October 1, 1985 through January 31, 1986. See the following participating stores for details.

Advantage Computer
Accessories (Canada)
Arthur's Jewelers
Best Catalog Showrooms
Brendle's
Caldor
Childworld/Children's Palace
Consumers Distributing
Crazy Eddie
David Weis
Dolgins Catalog Showrooms
Electronic Boutique/
Games & Gadgets
Ellman's
Evans
Federated
Fred Meyer
Fred P. Gattas
G.C. Murphy/Murphy Mart
G.I. Joe
Great Western
Catalog Showrooms
J. Triesman
Jafco Catalog Showrooms
LaBelles Catalog Showrooms
Lionel/Kiddie City/
Lionel Playworld
McDade
Meijers (Michigan only)
Montgomery Ward
(at participating stores)
Prange
S.E. Nichols
Save-Rite
Sears, Roebuck & Co.
(at participating stores)
Service Merchandise
Stereo Village
Stokes
Toys 'R Us
Videoland
Witmark
Wizards Electronics
Zayre




ART GALLERY DISK SALE


Art Gallery images are now available on disk. High resolution bit-mapped images are available in *DOODLE!* format. Multicolor bit-mapped images are available in *Koala* format. Each disk includes a slide show program for easy viewing. *DOODLE!* disks include a bit map screen dump utility for the 1525 or properly interfaced dot matrix printer. *Koala* disks include a set of custom routines for bidirectional conversion to other multicolor formats. The conversion routines were expressly developed for the *Art Gallery* by Michael Beutjer of K.T. Software, author of the *Koala Printer* program and *Quad Print* (June '85 *Ahoy!*). Formats presently supported are *Cadpic*, *Peripheral Vision*, *Paint Magic*, and *Flying Colors*. Disks are available for \$15 from Morton Kelson, P.O. Box 260, Homecrest Station, Brooklyn, NY 11229. Send a stamped and self-addressed envelope for a complete listing.

Contributors to *Ahoy!*'s *Art Gallery* will receive royalties based on the sale of disks. Send your best work on disk, accompanied by a stamped and self-addressed mailer, to Morton Kelson, P.O. Box 260, Homecrest Station, Brooklyn, NY 11229. Indicate the drawing package that was used to create the image. If you employed a bit map of your own design, indicate the appropriate file parameters, i.e., hi-res or multicolor, location of bit map, screen or color data.



Readers call us every now and then to complain about snow on their computer screens. We're sure they wouldn't complain if their snow was as attractive as that rendered by two of the contributors to this month's *Art Gallery*. *Winter* by Michael Montauk (Brooklyn, NY) was created on the Koala Pad with *Koala Painter* software. *Snowman* was submitted by Earl Hamner (Milpitas, CA). Forming the background of this month's *Art Gallery* (and shown unobscured at lower left) is *Ice Planet*, drawn on *Paint Magic* by Jeffrey Hart (Brooksville, FL). Segueing from ice to rock, the covers of the albums *Rio* and *Signals* were interpreted on the Koala Pad by Sean Huxter (Springdale, NF). Mr. Huxter is a commercial freelance artist and cartoonist who is seeking to get his original comic strip syndicated. We wish his strip as much success as the one from which he derived his third image featured here—*Zonker*.





**FOR THE BEST &
LATEST COMMODORE
EQUIPMENT AT THE
LOWEST PRICES**




*You'll
Get the
Buy of a
Lifetime!*

commodore

C-64 COMPUTER

\$137

• Upper & lower case • Sprite graphic • Sid sound chip • Built in Basic.



**commodore
128K COMPUTER**

CALL!

• 128K expandable to 512K • 40 and or 80 column full color display • Professional typewriter keyboard with numeric key pad • Built in basic • Full CP/M plus.



commodore

1702 MONITOR

\$179

1902
COMMODORE
MONITOR
NOW AVAILABLE

• Extra clear picture from separate video luminance input • Audio input speaker.



**ENHANCER
2000 DISK DRIVE**

159⁹⁹

Super high speed slim sign construction commodore compatible direct drive motor.

**AMIGA
CALL**

FOR AVAILABILITY & PRICE
Ram 256K Exp. to 512K, 16 & 32
Bits, 3 1/2" floppy drive, 880K
storage, 8 programable Keys,
89 Keys plus numeric key pad.



**TO ORDER
CALL**

1-800-722-4002




IN NEW YORK VISIT OUR 5 SUPER SIZE STORES, WEST BABYLON, NEW HYDE PARK, PATCHOGUE, SYOSSET, BAYSIDE

commodore


COMPUTER WHOLESALERS




commodore
1541 DISK DRIVE
 • Lets you store & retrieve programs & other information you create on your computer.
\$159
 COMMODORE 1571 DISK DRIVE
 Call for Price & Availability



**XETEC INTERFACES
 SUPER GRAPHIX**
69⁹⁵
 • 8K Buffer
 • 10 printing modes.
 SUPER GRAPHIX JR. 49.95
 FONT MASTER 14.95



**TEKNIKA MJ10
 MONITOR**
\$159
 TEKNIKA RGB
 13" MONITOR
\$269
 • Color composite 13" monitor • 1 year parts & labor • Compatible with most home computers.



**SHARP 13" COLOR
 COMPOSITE MONITORS**
\$159
 SHARP 12" GREEN MONITOR
59⁹⁵
 Monitor provides sharper picture to show case colorful graphics.



STAR SG10 PRINTER
205⁹⁵
 • Tractor/Friction
 • 130 cps.
 STAR SG15
 PRINTER
359⁹⁵



VIDEO TAPE RIOT
 YOUR CHOICE
4³⁹ EACH
 TDK T120
 SCOTCH T120
 JVC T120
 PANASONIC T120
 MIN. PURCHASE 10



**NASHUA
 DISKETTES**
 BOX OF 10
8⁹⁵
 • Double density •
 Single sided.



**ELEPHANT
 DISKETTES**
 BOX OF 10
11⁹⁵
 Free Extra Disk Inside
 Featuring Success with
 Math & Success With
 Algebra by CBS



**SURGE
 PROTECTORS**
19⁹⁹ & Up
 6 outlet with lighted
 switch.
**SURGE
 PLUS 34⁹⁵**



**COMPETITION
 PRO 5000
 JOY STICK**
11⁹⁵ EA.
 Arcade quality joy
 stick score like a pro!

SPECIAL SOFTWARE FOR THE 128

Data Manager	59.95
Swiftcalc with sideways	59.95
Word Writer with Spell Checker	59.95
Paper Clip	69.95
Consultant	64.95

CBS SOFTWARE FOR COMMODORE 64

Grand prize \$10,000 cash for tuition. 1st. prize \$1,000 educational software 2nd prize \$100 each for school supplies Plus... with proof of purchase you will get \$10 rebate on CBS software's Easy Key program.



Dr. Seuss Fix Up The Mix Up Puzzle	9.95
Many ways to say I Love You	9.95
Astro-grover	9.95
Big Bird's Funhouse	9.95
Ernie's Magic Shapes	24.95
Forecast	9.95
Dinosaur Dig	39.95
Coast to Coast	39.95
Success with Math Series	24.95
Success with Algebra Series	34.95
Muppet Learning Keys	79.95

WORD PROCESSING
 Fleet system 2 w/70,000 word spellpak 50.00

MODEMS	59.95
Video 7	59.95
Mitey Mo (1 hour free compuserve time)	69.95
West Ridge	79.95

ACCESS SOFTWARE	29.95
Neutral Zone	29.95
Mach 5	29.95
Beach-Head II	29.95

TIMWORKS	49.95
Data Manager II	49.95
Evelyn Wood Dynamic	49.95
Work Writer with Spellcheck	49.95
Swiftcalc w/Sideways	49.95
Cave of the Word Wizards	34.95

EPY SOFTWARE	19.95
Hot Wheels	19.95
Summer Games II	19.95
Fast Load	19.95
Barbie	19.95
Breakdance	19.95
Baseball	19.95
Pitstop II	19.95
Winter Games	19.95

INTERFACES

Tymac Connection	69.95
G-Wiz	49.95

DISKETTES

Nashua Diskettes 3 1/2"	
DD/SS (box of 10)	27.95
Nashua (box of 10) DD/DS	12.95
Scotch (3M) (box of 10) DD/SS	10.95
Scotch Head Cleaner Kit	6.95

NIBBLE NOTCH



Turns your 5 1/4" Single Disk into A 2 Sided Disk **7.95**

DISK FILES

10 Disk Holder	6.00
60 Disk Holder (Stackable)	9.95

MONITORS

Sharp amber 12"	69.95
Teknika RGB/Composite 13"	259.00

JOYSTICKS

Wico Boss	10.50
Wico Bat	18.00
Wico Threeway	21.00
Gim 1000-left/right firing button	9.95

PRINTERS

StarSG10 Tractor/Friction 130cps	259.00
JUKI 6100 Daisywheel letter quality	
Parallel	399.95
Serial	449.95
SG10-C w/built in Commodore interface	215.00
Legend 880	239.95
Legende 1080	269.95
Legende 1380	300.95
Legende 1385	379.95

PAPER & RIBBON



Delivery on paper included in price paper size 9 1/2"-11"

1000 x 3 boxes Microperf.	49.95
Ribbon 802	
M120/M150	9.95
Ribbon SG10/SG15/	
Okidata 82A	2.95
Ribbon 1101	19.95

TO ORDER
 CALL

OUTSIDE N.Y.
1-800-722-4002

ORDER
 LINE!

Check, Money Order, MC or VISA accepted call for shipping & handling information. NYS residents add applicable sales tax. Prices and availability are subject to change without notice. Air factory fresh merchandise with manufacturer's warranty. Dealers welcome. Call for recent price reductions & new rebate information. No returns without authorization. For information & customer service call 1-718-895-2388.



**NEW!
 BIG 5 SOFTWARE
 BOUNTY BOB
 STRIKES BACK
 CALL**
 For use with both Atari & Commodore



**NEW!
 MINDSCAPE INC.
 THE HALLEY
 PROJECT
 CALL**
 A mission to our solar system used with Atari & Commodore

MAIL ORDERS TO: WORLD TRADE, 2075 JERICHO TURNPIKE, NEW HYDE PARK, NEW YORK, 11040

En
Pe
2 t
mu
CA
Pro

MAGNUM LOAD

Programed by Jim Drew

MAGNUM LOAD is a new replacement KERNAL (operating system) ROM chip for your Commodore 65 or 128 computer that will load and verify programs up to 6 times faster than before. The tape routines have been removed from the old chip and in their place have been put a high-speed loader, high-speed verify, and disk driver no-head-rattle routine. Unlike the older cartridge fast loaders, no ports are tied up at the rear of the computer, the screen is not blanked during loading and there is no wear-and-tear on the expansion port. For maximum convenience and performance, the chip is installed directly in the circuit board. Generally a socket has already been provided to make the operation easy, but occasionally some soldering may be required. Now you can give your 1541 disk drive "1571 speed."

Rather than give you more exaggerated claims about how many times faster our ROM chip is compared to the slower cartridge versions, a comparison chart is supplied listing MEASURED loading times.

Program	Star-Dos	Reg. Load	Mach 5	Fast Load	MAGNUM LOAD
Pitstop II	?	144 sec.	43 sec.	41 sec.	31 sec.
Music Shop	?	105 sec.	105 sec.*	105*	21 sec.
Hitchhiker's Guide to the Galaxy	?	70 sec.	70 sec.*	N.G.**	68 sec.
On-field Football	?	149 sec.	66 sec.	63 sec.	56 sec.
EASY FINANCE I	?	58 sec.	13 sec.	13 sec.	11 sec.

\$24⁹⁵

For 1541 or MSD Version

\$39⁹⁵

for Combo Version

*Will not fast load - defaulted back to regular load

**Failed to load at all

D-CODER

- Translates any machine language program into easy-to-read English descriptions with complete explanations of each command.
 - Makes complete notations of all important memory locations accessed by the program (SID, VIC, MOS, KERNAL, etc.)
 - Gives you three ways of accessing programs:
 1. Will read and list programs from DISK
 2. Will read and list programs from MEMORY
 3. Direct user input (from magazines, etc.)
 - Can be used to locate and examine any machine language program's protection routines!
 - Can be used to easily break apart machine language programs for study and examination!
 - Printer option for complete hard copy listings!
- You no longer need to be an EGGHEAD to read Machine Language.

\$19⁹⁵

N-CODER

THE PERFECT COMPANION PROGRAM TO D-CODER!

- Allows you to easily make changes in machine language programs... right on the disk!
- Rewrite ability allows code to be altered and then rewritten directly to the disk!
- Features sector-by-sector scrolling assembly language display of machine language programs!
- Notation of ASCII text equivalents for easy spotting of embedded text strings!
- Handy reference display of all assembly language commands and their ML numerical equivalents!
- Byte splitter for easy splitting of decimal addresses into low byte-high byte format!

\$19⁹⁵

SOFTWARE PROTECTION HANDBOOK Third Edition! Now Available!

If you're tired of being harassed by protected software and too many copy programs, then this is the book for you! This 224 page manual covers the gamut from legalities to protection methods to step-by-step back up procedures. Now you can learn both how to protect and unprotect software! The techniques covered include copying cartridges to tape or disk, tape protection, and disk protection. Disk protection covers error numbers 20, 21, 22, 23, 27 and 29 plus single track formatting, header modification, header swapping, half track reading and writing, reading and modified bit densities, formatting illegal track/sectors, sync writing and more! The Third edition explains, tells how to detect and how to write them with included software.

C-64 Book Only **\$19⁹⁵** US

Book & Disk of all Programs **\$29⁹⁵** US

This manual does not condone piracy

*Shipping: \$2.00

'TRACK TRAP' The 1541 Disk Expander!

- Supplement to the Software Protection Handbook •

The most unusual and innovative protection analysis tool for the Commodore yet! — **Not For Beginners** — This system expands your 1541 drive giving capability otherwise only possible for professional disk duplication equipment. Now you can create or analyze exotic forms of disk protection. "D.O.S. Kings' Take Note!" — Entire tracks of data can be read and written without regard to 'standard' sync and format. You are not longer limited to sector by sector searches. Whole track readouts reveal hidden data even when all or most of the sectors have been erased. Uncovers and writes data under errors, pulse coded sync or data, hidden data and access codes, multiple track densities and more! This supplemental manual covers the complete implementation of the track trap system including necessary software and hardware documentation.

Track Trap disk expanded manual **\$9⁹⁵** US

Top Secret Stuff I and Top Secret Stuff II

Programed by Jim Drew

Are both collections of 20 programs per diskette (that works out to about \$1.00 per program!) that help you explore and enhance your Commodore 64 and/or 128 and 1541 disk drive. Now you can unlock many secrets formerly known only to top machine language programmers by using these sophisticated "tools." If you have ever been curious about the inner workings of your computer system, now is your chance to dig in and find answers with the help of these programs. These collections of programs have gotten rave reviews from actual users, and we are sure that you, too, will be pleased.

The programs include on each diskette are listed below

TOP SECRET STUFF I

The Dock (view/repair disk contents)
Sync Checker (diskette)
Imbedded Track Number Creator
Disk Manipulation System
3 Minute Copy (backup program)
Diskette Matcher (compare sectors)
Unscratch A File (recover file)
View BAM (block allocation map)
1541 Read/Write Test
1/2 Track Reader
Header Reader (display disk header)
Sync Maker
Device Number Change (disk drive)
Electronic Arts Backup
Drive Mon (disk drive m/1 monitor)
Diskette File Log (start-end address)
Write-Protect Sensor Test
Repair A Track (recover data)
Fast Format (10 seconds)
1/2 Track Formatter

\$19⁹⁵


TOP SECRET STUFF II

RAM Test (test Computer RAM)
Copy \$A000-\$FFFF (under ROMS)
Display G.C.R. (All sector data)
Un-Write Protect (diskette)
Unnew Program
Wedge - \$8000
Smooth Scroll (messages up screen)
Koala Dump (koala pad screen dump)
Disk Manipulation System
Disk Eraser (20 second clean wipe)
Split Screen (TWO screen colors)
Disk Protection System (stops copies)
Write Protect (diskette)
Boot Maker (autobook BASIC programs)
Wedge - \$C000
Diskmatcher II (high speed version)
No Drive Rattle (on reading errors)
3 Times Disk Drive Head Speed
Monitor Test (check video monitor)

\$19⁹⁵

WAR GAMES AUTODIALER

1. Auto Dial will automatically dial a set of numbers you choose.
2. Review Numbers will review numbers that were answered by a computer.
3. Save Numbers will save numbers where a computer answered.
4. Hardcopy of Numbers will print out list of numbers where a computer answered.
5. LOAD Numbers will load in numbers to continue where it left off.
6. Continue will pick up dialing where it was interrupted.




\$29⁹⁵

BBS

- 300/1200 Band
- Remote access for sysop
- 2 levels of security for up and down load
- 7 rooms (read and write) with 4 security levels
- Secret highest level
- Open chalk board
- Auto message cycling
- Printer option

Plus the only BBS with all three (3) protocols X modem, new printer and midwest term, so anyone can up/down load.

Don't be fooled by cheap imitations. This is the most comprehensive system available anywhere. Now at a new low price.



\$39⁹⁵

Enclose Cashiers Check, Money Order or Personal Check. Allow 14 days for delivery. 2 to 7 days for phone orders. Canada orders must be in U.S. Dollars. VISA — MASTER CARD — C.O.D.



Programs for C-64 \$2.00 S & H on all orders
Software Submissions Invited

MegaSoft Limited

P.O. Box 1080, Battle Ground, Washington 98604
Phone 800-541-1541 • BBS 687-5205 After Hours Computer to Computer (BBS)



Aquarian Software Introduces . . . Powerful Programs at Affordable Prices

Mike J. Henry's **FAST BOOT!**

- Works with Both 1541 and MSD Drives!
- Multiple loading options for increased compatibility.
- Disk-Based & Non-Protected

Only \$14.95

Modem Master

The Fastest Commodore BBS Available!

- Works with 1541 or MSD Dual Drive
- 300/1200 Baud Operation
- New Punter File Transfer Protocol
- Fully Menu Driven
- Over 25 Commands
- Public Message Base
- Private E-Mail Base
- E-Mail Check at Sign-On
- Sub-Directories for File Transfer
- 250 User Capacity
- Accurate Clock/Calendar
- Printer Output
- Information Files
- "Old" E-Mail Deleted After One Week
- User Survey/Poll
- Set Up in Only 10 Minutes!

Only \$29.95

TURBO CALC/64

A Great Beginner's Spreadsheet At an UNBELIEVABLE Price!!

- 100% Memory Resident
- 100% Machine Code and P-Code
- 100% Menu Driven
- Over 13 K RAM for Data
- Large Matrix, 100 Rows by 26 Columns
- On-Line Help Screens
- On-Screen Menu at All Times
- Full Printer Support
- Built-in Functions (SUM, AVG, MIN, MAX)

At last, a powerful, yet affordable spreadsheet!

ONLY \$17.95

Disk-Lock V2.1

At Last! A professional copy protection system is available to YOU. Now you can protect your programs from most copy programs!

- Disk-Lock is Designed to Prevent Full Disk Copies.
- Stops Over 90% of All Copiers
- Offers Multiple Protection Schemes
- Place Protection on Any Track From 1 to 40!
- Fully Menu Driven

Only \$39.95

The Complete Thriller Collection

All six thrilling adventures now together on one disk! Plus — as a bonus — **Three Hours To Live!** Each is a full-length machine language text adventures that will take you weeks to complete. They feature full-sentence input (not just two words!) with color and sound.

Includes:

- Night of the Walking Dead
- Son of Ali Baba
- Perils of Darkest Africa
- Frankenstein's Legacy
- Revenge of The Moon Goddess
- Shipwrecked!

• Plus Three Hours to Live

Only \$24.95
For All SEVEN!

Graphic Screen Exporter 64

- A Universal Graphic Converter
- Converts Anything to Anything — Including:
Koala Pad Flexidraw
Doodle Print Shop
And Many More!
- Complete On-Screen Editor

NEW!
The Most Versatile Graphics Utility Ever Released
for the Commodore 64!

Only \$29.95

I.E.A. Instant Editor Assembler for the Commodore 64

- Written 100% in machine language
- Assembles 17K source code in 5 seconds!
- Co-resident editor assembler monitor
- Compatible with HES MON
- Slow-motion code analyzer
- Technical assistance number

"I would have to recommend the IEA Instant Editor Assembler, the BEST VALUE-FOR-PRICE development package on the market!"

Jim Gracely,
Technical Editor
Commodore Microcomputer Magazine

"IEA is a nice, simple assembler, good for beginners at an UNBELIEVABLE PRICE!"

Jim Butterfield

Now Only \$17.95

The Cataloger

The Ultimate Disk Cataloging System for the 64!

Features of The Cataloger V3.5A Include:

- Easy loading of information. Loads directly from the disk itself.
- Ability to change name of entry.
- Ability to change any information instantly — uses relative files exclusively.
- Search, Sort and Print by any of 12 fields.
- Capacity for 1100 different programs (or disks) per data disk.
- FAST — all machine language.
- Menu driven — very easy to use.
- Works with ALL printers.
- Works with one or two drives.
- Allows duplicate ID's.
- Allows selection of items to be entered.

Only \$24.95

Nova Decoder 64 Version 3.0

A 6502/6510 Disassembler Designed for the Commodore User

A MUST for anyone just learning Machine Language.

A TREAT for those examining the operation of the C-64.

A BLESSING to machine language programmers trying to de-bug their programs.

- Choose Screen or Printer Options
- Addresses Printed in Either Hex or Decimal
- Complete Calculations of Branch Commands
- Brief Explanations of Each Command Encountered
- Generates Tables of Zero Page Addresses Used, Branch Addresses, All Jump Routines, and More . . .

Only \$19.95

Canadian Best-Sellers NOW Available in the U.S.

The Gold Disk Series

Quality Software for Your 64 at an Affordable Price!

Only \$14.95 Per Disk*

* Plus Shipping and Handling

Each Disk Contains:

- The Feature Program
- Two High-Quality Games
- A Home Business Program
- Tutorials on Programming
- And MUCH MORE !!

Volume 10 Now Available —

Featuring an Advanced Sound Synthesizer

Volumes 1 through 9 Are Also Available

Dealers Welcome! — Call (503) 654-2641 For Details.

Aquarian Software

P.O. Box 22184
Portland, OR 97222

To Order, Call: (503) 654-2641
VISA and MasterCard Accepted



Dealer Inquiries Welcome!

Add \$3.00 S & H Per Order
Add \$5.00 for COD
Canadian Orders: Add \$10.00 S & H-U.S.
Funds Only, Please.
Allow 4 to 5 weeks for delivery.

REVIEWS

FEATURED THIS MONTH: A brief survey of what's available for connecting low-cost IEEE-488 business peripherals to your Commodore 64 system, plus a close look at the SFD-1001 Disk Drive.

BY MORTON KEVELSON

SFD-1001

Progressive Peripherals and Software
2186 South Holly, Suite 400
Denver, CO 80222
Phone: 303-759-5713
Price: \$199.00

It was the worst of times, it was the best of times. It was the year when Commodore, the company which introduced many of us to the wonders of personal computing, showed its first signs of faltering in its ongoing efforts to sell more for less. It was also the year when more products with unprecedented capabilities, in the form of the Amiga and C-128, were introduced to the consumer at lower prices per feature than ever before.

Although it is too soon to tell just how successful these products will be (they do look like winners), we are seeing some side effects. Along with the preparation for the new, Commodore is performing a general house-keeping. As users we have the opportunity to purchase tried and true high-powered performers at a fraction of their original costs. Although these are presently overshadowed by their newest high tech brethren, their fundamental powers and capabilities are in no way diminished. The venerable C-64, the computer which has made the greatest impact in the personal market to date, is now available for less than \$100—a mere pittance as compared to its original asking price of \$595 just a few brief years ago.

Existing C-64 users are truly fortunate. A bevy of high-powered Commodore peripherals, originally intended for the business market, have been "surplussed" into the consumer market at bargain basement prices. Perhaps the most dramatic example is the SFD-1001, a single 5¼" floppy disk drive with an online storage capacity that exceeds one million bytes. That is the equivalent of more

Figure 1

- A—Power Transformer
- B—Dual Read/Write Heads Below Shield
- C—Head Positioning Stepper Motor





Figure 2

- A—2K RAM
- B—Voltage Regulator Heat Sink
- C—IEEE-488 Connector
- D—Pair of 6532 RIOT Chips
- E—DOS on ROM
- F—Device No. Pads
- G—Twin 6502 Microprocessors speed up internal disk operations
- H—2K EPROM



Drive chassis (top) and main circuit board of SFD-1001 drive.
READER SERVICE NO. 144

than six full 1541 formatted disks. This esteemed piece of hardware is being offered to us at a giveaway price of just \$199 by Progressive Peripherals and Software. A true bargain, if you have an immediate or anticipated need for its capacity.

Under the circumstances, we felt the SFD-1001 merited a closer look. To start with, we call your attention to Table 1 where certain vital statistics are listed for easy comparison against the capabilities of the 1541 disk drive, that oft-maligned workhorse of the C-64 community.

A closer look at some of these parameters will be instructive. The SFD has more than four times the number of tracks used by the 1541. These data tracks, equally divided between both sides of the disk, contain more data than any single track of a 1541 disk. This means that double sided double density diskettes are required for the SFD-1001. These disks may cost significantly more than the single sided single density disks used by the 1541. Of course, each SFD disk will hold over six times the data of a 1541 disk.

Take note of the average file size




Figure 3

- A—1MHz Clock Crystal
- B—6522 VIA Chip
- C—5-volt Voltage Regulator (the hot spot)
- D—PET/IEEE Connector
- E—4K EPROM
- F—65C02 Microprocessor




Figure 4

- A—To C-64 Cartridge Port
- B—8K EPROM
- C—Reset Button
- D—Set-up Switches
- E—6520 PID
- F—IEEE Cable




Figure 5

- A—Parallel Printer Connector
- B—6532 RIOT Chip
- C—6821 PIA
- D—256 Bytes PROM
- E—To C-64 Cartridge Port
- F—8K EPROM
- G—C-64 Cartridge Port Extension
- H—Set-up Switches
- I—PET/IEEE Connector

Top: E-Link (Reader Service No. 145)

Middle: Quicksilver (Reader Service No. 146)

Bottom: BusCard II (Reader Service No. 147)

parameter in Table 1. This was obtained by simply dividing the total capacity of the disk by the number of available directory entries. The significance of this parameter lies with your own data habits. As you can see, the average file size on the SFD is 18.5 sectors, more than four kilobytes.

Compare this to the 1541 which is only 4.6 sectors, or one kilobyte. This means that the SFD-1001 is more likely than the 1541 to run out of disk space due to a full directory if your application creates large numbers of small files. This could result in a full disk even if there are a significant

number of blocks still free. The small average file size of the 1541 makes many users forget about this directory limitation, since it rarely happens.

Interestingly enough, the SFD uses the GCR recording format, which is unique to Commodore disk drives. You will also note that Commodore's practice of putting more data on the outer tracks than on the inner tracks has been retained. Table 2 compares the sector distributions of the 1541 and the SFD.

THE HARDWARE

The physical size of the SFD-1001 is identical to the 1541. Were it not for the labels it would be difficult to tell the two drives apart. Getting past the surface, things start to look a bit different. The most important concern to prospective users is the IEEE-488 interface over which the disk drive communicates with the computer. This parallel interface, which transfers data a byte at a time, is used on Commodore's PET and business series of computers. Although conceptually related to the disk drive serial bus on the C-64, this connection differs in both hardware and software from the disk drive serial port found on VIC 20, C-64, Plus/4, C-16, and C-128 computers. Thus an additional hardware interface will be required for most users. A detailed look at three of these peripherals follows immediately after this report.

Disks are locked into place by a twist lever. Do not attempt to close the disk door without first inserting a disk. The latching mechanism is mechanically interlocked to sense the presence of a disk. You cannot close the door unless a disk is in the slot. This is to prevent the hard, glass-smooth surface of the twin heads from coming into contact without the mitigating presence of the three-mil-thick disk mylar. Inadvertent contact of these polished surfaces could mar their finish beyond repair.

Internally, quality is visible throughout. Head position is checked by an optical sensor. The elimination of the head rap, familiar to all 1541 users, should go a long way towards

ENHANCER 2000



Commodore® Compatible Floppy Disk Drive
One Year Warranty With Second Year Extended Warranty Available
“Where Speed and Quality Meet”

• SUPER HIGH SPEED • SLIM LINE CONSTRUCTION (LOW PROFILE)
FULLY COMMODORE COMPATIBLE • DIRECT DRIVE (DC) MOTOR •
AVG. MTBF RATE OF 10,000 HOURS • VENTED CASE • SOLID STATE
POWER SUPPLY • DUAL SERIAL PORT (CHAINING OPTION) • 5¼"
INDUSTRY STANDARD FORMAT

Manufactured Exclusively BY CHINON INDUSTRIES of Japan For “THE COMTEL GROUP”

Foreign And Domestic
Inquiries Welcome

1651 East Edinger Suite 209 Santa Ana, CA 92705
Commodore® is a Registered Trademark of Commodore Bus. Machines.

Telephone: (714) 953-6165
Telex: 503727

Ahoy! PREMIER ISSUE
Serving The Commodore
Market With A
Compendium Of Programs

Ahoy! COMMODORE
USERS

Ahoy! COMMODORE
USERS

Ahoy! COMMODORE
USERS

Ahoy! COMMODORE
USERS

Ahoy! COMMODORE
USERS

Ahoy! COMMODORE
USERS

Ahoy! COMMODORE
USERS

Ahoy! COMMODORE
USERS

Ahoy! COMMODORE
USERS

Ahoy! COMMODORE
USERS

Back Issues

Ahoy! PREMIER ISSUE
Serving The Commodore
Market With A
Compendium Of Programs

Ahoy! COMMODORE
USERS

Ahoy! COMMODORE
USERS

Ahoy! COMMODORE
USERS

Ahoy! COMMODORE
USERS

Ahoy! COMMODORE
USERS

Ahoy! COMMODORE
USERS

Ahoy! COMMODORE
USERS

Ahoy! COMMODORE
USERS

Ahoy! COMMODORE
USERS

Ahoy! COMMODORE
USERS

ISSUE #1—JAN. '84 \$4.00
64 v. the Peanut! Telecommunications!
Tales of the Commodore! And ready
to enter: Multi Draw 64 Graphics Sys-
tem! Interrupt Music Maker/Editor! A
Peek at Memory! Sequential Files!

**Sorry...Issues #1, #2, and #7
sold out! Reprint editions
(programs and feature
articles only)
available for \$4.00 each.**

ISSUE #12—DEC. '84 \$4.00
Buyer's guide to printers! 1525 printer
tutorial! Custom characters! User
Guide to KMMM Pascal! Diving into
BASIC! And ready to enter: Construc-
tion Co.! Space Patrol! Cross Ref!

ISSUE #18—JUNE '85 \$4.00
Music & graphics entry systems! How
modems work! Inside the 6510! And
ready to enter: Quad-print! Mapping
4.4! Towers of Hanoi! Speedy! Duck
Shoot! The 6510 Simulator!

ISSUE #2—FEB. '84 \$4.00
Illustrated tour of the 1541! Artificial
intelligence! Synapse's Ihor Wolosen-
ko interviewed! And ready to enter:
Music Maker Part II! Screen Manipu-
lation! Night Attack! Relative Files!

ISSUE #7—JULY '84 \$4.00
MSD dual disk drive! Database buyer's
guide! Training your cursor! Screen
displays! File Sleuth! Users Groups!
And ready to enter: Renumbering!
Checklist! Math Defender! Brisk!

ISSUE #13—JAN. '85 \$4.00
VIC/64 OS exposed! Sprites! 1541 de-
vice # disconnect switch! Ghostbusters!
And ready to enter: Ultra Mail! Music
Tutor! Alice in Adventureland! Mid-
print! To the Top! Tape/Disk Transfer!

ISSUE #19—JULY '85 \$4.00
PROM programming! 3-part harmon-
ies on VIC/64! Speeding pixels! And
ready to enter: Auto-Append! Script
Analysis! Wizard of Im! Lucky Lot-
tery! Brainframe! Etch! Printat!

ISSUE #3—MAR. '84 \$4.00
Anatomy of the 64! Printer interfacing
for VIC & 64! Educational soft-
ware series begins! And ready to en-
ter: Address Book! Space Lanes! Ran-
dom Files on the 64! Dynamic Power!

ISSUE #8—AUG. '84 \$4.00
Choosing a word processor! Compu-
tational wizardry! Creating your own
word games! Sound on the 64! And
ready to enter: Micro-Minder! Direc-
tory Assistance! The Terrible Twins!

ISSUE #14—FEB. '85 \$4.00
Printer interfacing! Multicolor sprites!
Modems! Bulletin boards! Theory of
game design! And ready to enter: Fu-
turewar! Fontasia! VIC Eraser! Insur-
ance Agent! Flankspeed! Telelink 64!

ISSUE #20—AUG. '85 \$4.00
Inside the 128! Read-world simula-
tions! Sound effects! And ready to en-
ter: Windows! Formatter! Sound-a-
rama! Screen Dump! Selectachrome!
Disintegrator! Fidgets! Gators N Snakes!

ISSUE #4—APR. '84 \$4.00
Petspeed and Easy Script tutorials!
Printer interfacing continues! Laser-
disc! And ready to enter: Apple Pie!
Lunar Lander! Name that Star! Low-
er case descenders on the 1525 printer!

ISSUE #9—SEPT. '84 \$4.00
Program your own text adventure!
Build a C-64 cassette interface! Vide-
o RAM! And ready to enter: Salvage
Diver! DOS! Sound Explorer! The
Castle of Darkness! Base Conversions!

ISSUE #15—MAR. '85 \$4.00
Making multiscreen gameboards! In-
side the Plus/4! Commodore DOS!
And ready to enter: Old Routine! Pro-
grammable Functions! Automatic Line
Nos.! Home Budget! Salmon Run!

ISSUE #21—SEP. '85 \$4.00
Inside the 1571 drive and 128 keyboard!
Sprite programming! And ready to en-
ter: Fastnew! Go-Lister! File Lock!
Dragon Type! Superhero! Auto-Gen!
Moxey's Porch! Fish Math!

ISSUE #5—MAY '84 \$4.00
Future of Commodore! Inside BASIC
storage! Memory management on the
VIC & 64! Guide to spreadsheets! And
ready to enter: Math Master! Air As-
sault! Biorhythms! VIC Calculator!

ISSUE #10—OCT. '84 \$4.00
C-64 graphics programs! Bit-mapped
graphics! Joystick programming! And
ready to enter: VIC 40 Column Op-
erating System! BAM Read & Print!
Emerald Elephant! Lawn Job!

ISSUE #16—APR. '85 \$4.00
Assembly language column begins!
Programming the joystick! 1541 disk
drive alternatives! And ready to enter:
Hop Around! Faster 64! Booter! Ele-
check! BASIC Trace! Space Hunt!

ISSUE #22—OCT. '85 \$4.00
Create cartoon characters! Infinitesimal
intrigue! Inside copy protection! And
ready to enter: Shotgun! Maestro! Solitaire!
Mystery at Mycroft Mews! Gravinauts!
1541 Cleaning Utility! ShadyDump!

ISSUE #6—JUNE '84 \$4.00
Game programming column begins!
Program generators! Rupert on input-
ting! Memory management continues!
And ready to enter: Post Time for the
64 & VIC! Alpiner! Sound Concept!

ISSUE #11—NOV. '84 \$4.00
Music programs & keyboards for the
64! Graphics feature continues! And
ready to enter: PTE word processor!
Block Editor! Alternate Character Set
for the 64! The Tunnel of Tomachon!

ISSUE #17—MAY '85 \$4.00
Disk drive enhancements! Install a re-
set switch! Assembler escapades! And
ready to enter: Super Duper! Two-Col-
umn Directory! DSKDU! Raid! DOS
Plus! Font Editor! Tile Time!

ISSUE #23—NOV. '85 \$4.00
Adventure gaming! ML sprite manipu-
lation! BASIC for beginners! And ready
to enter: Lightning Loader! Knight's Tour!
Chopper Flight! Rhythmic Bits! Instant
Bug Repellent! File Scout! Slither!

Use coupon or facsimile. If or-
dering more than three issues,
list choices on separate sheet.

If you have a modem and want
more complete information on
any of the back issues listed,
call *Ahoy's* Bulletin Board Ser-
vice at 718-383-8909.

Ahoy!

BACK ISSUES
ION
INTERNATIONAL INC.
45 West 34th Street
Suite 407
New York, NY 10001

Please Send Me The Following:

____ Copies of issue number ____
____ Copies of issue number ____
____ Copies of issue number ____

Enclosed Please Find My Check or
Money Order for \$

(Outside the USA please
add \$1.00 for every copy)

NAME

ADDRESS

CITY

STATE

ZIP CODE

TABLE 1—DISK DRIVE CAPACITY

	1541	SFD-1001
Storage (bytes)	174,848(SS)	1,066,496(DS)
Max. Seq. File	168,656	1.05 MB
Max. Rel. File	167,132	1.04 MB
Directory Entries	144	224
Number of Tracks	35	154
Sectors/Track	17 to 21	23 to 29
Bytes/Sector	256	256
Sectors per Disk	683 664 free	4166 4133 free
BAM Sectors	1	4
Avg. File Size (sectors)	4.6	18.5
# Heads	1	2
Microprocessor(s)	6502	2 x 6502
RAM Buffer	2K	4K
Interface	VIC Serial	IEEE-488

TABLE 2—DISK SECTOR LAYOUT

1541		SFD-1001	
Track #	# of Sectors	Track #	# of Sectors
1 to 17	21	1 to 39	29
18 to 24	19	78 to 116	
25 to 30	18	40 to 53	27
31 to 35	17	117 to 130	
		54 to 64	25
		131 to 141	
		65 to 77	23
		142 to 154	

preserving the alignment of the SFD-1001. This is as it should be, since alignment is far more critical than in the 1541 due to the double track density. Disk rotation is performed by a brushless and beltless TDK direct drive motor.

The electronics are equally impressive. Not one but two 6502 microprocessors handle the internal and external operations of the SFD-1001. These are supported by a pair of 6532 Ram-I/O-Timer (RIOT) chips and a 6522 Versatile Interface Adapter (VIA) chip. We found at least 18 kilobytes of onboard ROM as well as 4 kilobytes of working RAM.

User interface and drive status indication is via two indicating light emitting diodes (LEDs) on the front panel. The first of these is a dual purpose unit which glows green for power on indication and glows red for DOS error indication. The second is a red LED on the drive door to indicate drive activity.

The SFD-1001 was intended to be

a "business" product. As such the Federal Communications Commission (FCC) requirements with regard to electromagnetic radiation are not as stringent as for consumer products such as the 1541. This is immediately apparent when the cover of the SFD-1001 is removed. The metal radiation shield, which is present in the 1541 disk drive, is not used in the SFD-1001. This does not affect the drive's performance as a computer peripheral. However, it may result in increased radio and television interference in the home. Prospective users of the SFD-1001 should be aware of this and be prepared to take corrective action. Generally all that will be required is a repositioning of the drive with respect to the affected components.

THE SOFTWARE

The SFD-1001 is equipped with version 2.7 of Commodore's DOS. It is fundamentally identical to the DOS used by the Commodore 8250 two

READER SERVICE INDEX

Page	Company	Svc. No.
37	Abacus Software	203
59	Abacus Software	204
43	Abby's Discount Software	191
C-4	Access Software	202
50	Accolade	240
24	Ace Software	162
49	Activision	158
49	Activision	159
52	Activision	165
55	Activision	185
54	Advantage-Artworx	176
42	Alsoft	170
16	American PEOPLE/LINK	166
78	Aquarian Software	205
115	APCAD	183
12	Bamtek	187
80	Batteries Included	147
74,75	Big I. Electronics	194
11	Bose Corporation	231
C-2	Broderbund Software	169
48	Broderbund Software	157
15	C.O.M.B. Co.	192
39	C.O.M.B. Co.	200
90	C.O.M.B. Co.	201
88	Central Point Software, Inc.	233
94	Cheatsheet Products Inc.	206
87	Comal Users Group, USA, Ltd.	-
33	Commodore Business Machines	283
20,21	CompuServe	195
4,5	Computer Centers of America	180
13	Computer Coverup, Inc.	228
C-3	Computer Devices International	198
97	Computer Information Ltd.	213
111	Computer Management Corp.	182
58	Cosmi	178
36	Covox Inc.	285
112	Covox Inc.	207
31	CSM Software	210
104	CVC Online	214
13	Electronic Specialists, Inc.	229
33	Eng Manufacturing, Inc.	284
48	Epyx	156
49	First Star Software	160
25	Floppy House Software	172
30	Hesware	175
10	Infocom, Inc.	230
13	Inkwell Systems	190
63	Intelligent Software	-
27	Integrated-Software Systems	174
26	Jason-Ranheim	163
41	Jason-Ranheim	173
53	John Henry Software	212
11	Learning Technologies Inc.	232
28,29	Lycos Computer	181
9	Marvco Electronics	226
6	Marten Davies	215
32	MegaSoft Limited	216
76,77	MegaSoft Limited	217
92	Microcomscribe	208
51	MicroLeague Sports Association	186
47	MicroProse Simulation Software	153
54	MicroProse Simulation Software	177
23	Microventions	161
89	Midwest Software	151
50	Mindscape	238
22	Navarone Industries, Inc.	199
7	Nth Digit Solutions	219
116	Ohio Computer Services	184
70,71	Okidata	197
45	PDS Sports	223
12	PerfectData Corp.	227
35	Peripheral Systems of America	168
62	Phase 4 Distributors, Inc.	237
14	Phoenix Arising	224
106	Professor Jones	236
79	Progressive Peripherals & Software	144
80	Progressive Peripherals & Software	145
64-69	Protecto Enterprises	193
92	Quantum Software	238
12	Quorum International, Unltd.	188
110	R.J. Brachman Assoc., Inc.	234
52	Random House Software	164
111	Roger Wagner	235
17	Sachs Enterprises	-
100	Schneider Systems	154
47	Sierra On-Line	171
8	Skyles Electric Works	146
80	Skyles Electric Works	146
98,99	Software Link	196
85	Solid State Software	148
48	Strategic Simulations Inc.	155
50	Strategic Simulations Inc.	239
57	SubLogic Corporation	167
86	T&D Subscription Software	149
81	The Comtel Group	209
107	Ultrabyte	179
13	Uni-Kool	189
86	Universal	150
93	Value-Soft	222
58	VMC Software	211
102	Wedgwood Rental	220
33	Welwyn Currah Ltd.	282
103	WhiteHouse Computer	221
89	Xetec, Inc.	152

The publisher cannot assume responsibility for errors in the above listing.

megabyte dual disk drive. The DOS is fully compatible with all of Commodore's standard DOS commands as described in the 1541 disk drive manual, as well as numerous other sources.

Open File capacity is significantly enhanced. Table 3 lists the available options.

**TABLE 3—SFD-1001
FILE COMBINATIONS**

0 relative and 5 sequential
or 1 relative and 3 sequential
or 2 relative and 2 sequential
or 3 relative and 0 sequential

By comparison, the 1541 only supports two sequential files or one relative and one sequential file at a time.

If you buy the SFD-1001 from Progressive Peripherals and Software you will also get a utility disk with a number of programs that have been specially modified for the extra capacities of the drive. Included on the disk are a version of Disk Doctor, a track and sector editor released into the public domain by Solidus International. The disk also contains a number of backup utilities for transferring data between a 1541 and an SFD-1001 or for just backing up SFD disks. These include several file copiers and a BAM-driven copier.

THE GOOD AND THE BAD OF IT

The best part of the SFD-1001 is its enormous capacity. It is ideally suited for database applications where the one megabyte relative file size can handle very comfortable data collections. The large capacity is also attractive to bulletin board users. The only concern we have here is heat buildup for long term operation. We were unable to test this out before this review, but we should know shortly as we intend to place the SFD into service on the *Ahoy!* Bulletin Board.

The large capacity of the SFD-1001 is also its primary limitation. Remember, this is still a single drive connected to a 64 kilobyte computer (the C-64). Backing up an entire disk will take some time, about 90 minutes in our estimation. There are just

no high speed copy utilities available for the SFD-1001. Even if a high speed copier were available, a full disk backup would be tedious. A minimum of 18 pairs of disk exchanges would be required to back up a single disk. Of course if you had two SFD-1001s, things would be a little better. A good copy utility could automatically transfer the files without your attention. Of course, this would still tie up the computer for well over an hour for each disk that you wish to copy.

We are assuming that C-64 users will be buying the SFD-1001 as a second disk, after a 1541. This makes sense unless you are willing to give up all access to C-64 commercial software which is available in 1541 format. Thus most users will be transferring their application software and data files to the SFD from a 1541. Both convenience and conservation of disk space make this a sensible idea. We found that Jim Butterfield's *COPY/ALL* did an excellent job of transferring files between a 1541 and the SFD-1001. Keep in mind as a rule copy protected software will not be transferrable to the SFD format, even if you use a copy program capable of making a backup on a 1541 disk drive. All application software will have to be put in unprotected program file format before it will be possible to transfer it.

CONCLUSIONS

The SFD-1001 is an excellent value as a high capacity online storage device—if your application and operating modes will support it. Prospective users should be aware of the long times involved in maintaining proper backups of their disk files when working when a one megabyte single disk on a 64 kilobyte system. We found the experience to be like a step back two years when the 1541 was first introduced. Even with the fastest IEEE interface, which we discuss below, the archival process will be tedious. If you are really serious about this type of data storage you may want to shop around for a Commodore 8250, a two-megabyte dual disk drive version of the SFD-1001.

IEEE-488 INTERFACES FOR THE C-64 AND OTHER COMMODORE COMPUTERS

The SFD-1001 reviewed above is just one of many IEEE peripherals, made by Commodore, which is becoming available at low cost at the present time. We expect IEEE peripherals to enjoy popularity for as long as inventories and the present pricing situation last. None of Commodore's current crop of computers will directly interface with an IEEE peripheral. An interface, much like a non-Commodore printer interface, is required. We report on three of these products. All were evaluated with the SFD-1001 disk drive and an MSD SD-2 dual disk drive. Table 4 (see page 86) lists all the interfaces and summarizes some of the results.

The CP/M boot times in Table 1 refer to the Commodore 64 CP/M 2.2 operating system and not the C-128 CP/M 3.0 version. It is without question the least expensive way to obtain hands-on experience with CP/M. The C-64 CP/M system enjoyed a brief popularity until Commodore changed the specifications of the VIC-II chip. The result was that most C-64s will not work with the CP/M cartridge which was designed for it. If you do have a working C-64 and CP/M cartridge combination, then you may benefit from an MSD-SD2 and E-Link IEEE interface combination. The former lets you define a dual drive CP/M without any loss of memory. The latter provides a slight speed improvement. Note that neither Quicksilver nor BusCard II will work with the C-64 CP/M cartridge. (Users of the C-64 CP/M cartridge may contact Morton Kvelson, P.O. Box 260, Homecrest Sta., Brooklyn, NY 11239 for more information on CP/M and the C-64.)

E-LINK

**Application: VIC 20, C-64, Plus/4,
C-16, C-128**

**Progressive Peripherals and Software
2186 South Holly, Suite 400
Denver, CO 80222**

Phone: 303-759-5713

Price: \$99.95

The E-Link is the simplest of the

IEEE interfaces we examined. This simplicity refers to its operation and not its construction. Internally it is at least as complex as any of these devices. It is a no-frills unit which plugs into the disk drive serial port just like a printer interface. It is the only IEEE interface which will work with the VIC 20, C-64, Plus/4, C-16, and C-128 computers. (The last in both C-64 and C-128 modes.) It is the only interface which works with the C-64 CP/M cartridge. This is because it fully emulates a serial port device when in use.

THE HARDWARE

The E-Link is housed in a plastic VIC 20 cartridge case. It is equipped with its own power supply, similar to a portable radio battery eliminator. This compact power supply provides 9 volts DC at up to 500 milliamperes to the onboard 5 volt regulator. Since the voltage regulator is inside the E-Link housing, it will get warm in use. The E-Link installation should allow for proper ventilation. The power supply, which plugs directly into a 120 volt wall outlet, is linked to the E-Link via a lightweight ten-foot wire. Since the power supply does not have an on/off switch, you should unplug it when not in use. This will greatly extend the life of the system.

The only other connections to the E-Link are a five-foot cable terminated in a disk drive serial bus connector and a PET style IEEE edge card connector (which is not gold plated). Herein lies a problem. Since the E-Link does not extend the disk drive serial bus, it will have to be the last peripheral on the serial bus chain. If this position is already occupied by a printer or printer interface, a conflict will most likely exist. These peripherals generally fail to extend the disk drive serial bus as well. To get around the problem we constructed a serial port "breakout" box complete with selector switch. Users of multiple serial port peripherals should also observe the five device limitation on this bus.

Internally, the E-Link is like any other intelligent Commodore peripheral. It has its own 65C02 micro-

GUARANTEED SOFTWARE



VIZASTAR for the C128

Vizastar, the integrated spreadsheet, database and graphics program that has the Commodore 64 world raving, is now available for the C128. It boasts 80 columns, and has over 40K of free memory in the spreadsheet. Those who already own Vizastar 64 will be pleased to know that your existing files can be read by Vizastar 128. Also, you can upgrade to the 128 version. Call us for details and pricing.

"The only other comparable product would be Lotus 1-2-3 for the IBM PC; nothing in the C64 world comes even close to the features of Vizastar."

AHOY July 85

"I found Vizastar would do anything Lotus 1-2-3 could, and then some. It's my Commodore choice to become the standard against which the others will be judged."

INFO 64 Magazine, Issue #7

"Vizastar is an exceptional package that rivals the features of programs such as Lotus 1-2-3 and offers C64 owners the kind of integrated software previously only available for higher-priced systems."

RUN Magazine, June 1985

"I scrutinized, tested and experimented with Vizastar extensively, but could find no weaknesses whatsoever. It is the most comprehensive, most flexible, most powerful and easiest to use integrated software package I've worked with."

Commodore Microcomputer, Sept/Oct 1985

"I use an IBM PC at work with Lotus 123. I feel Vizastar is just as good and in some ways better than 1-2-3."

Steven Roberson, NC. End User

"I have used Multiplan and Superbase; both are good pieces of software, but are inadequate when compared to Vizastar."

Jim Mathews, WA. End User

"So good, I bought a second C64 and Vizastar for my office. A wild bargain! You've saved me from having to buy IBM and Lotus."

Philip Ressler, MA. End User



VIZAWRITE CLASSIC for C128

This is the new word processor from Vizastar's author, Kevin Lacy and is the successor to Omniwriter, which he also wrote. All the features of Omniwriter are there, plus many significant enhancements, like auto pagination, on-line help, pull-down menus, full-function calculator and more. Up to 8 'newspaper-style' variable-width columns can help with newsletters.

Three different proportionally-spaced "near letter quality" fonts are also built-in for use with Commodore or Epson compatible printers. You can merge almost any other word processor file directly into Vizawrite, including Paper Clip and Omniwriter. Naturally, it is also compatible with Vizastar. At all times, what you see on the screen is exactly the way it will be printed out. Vizawrite can do mail-merges and has an integrated 30,000 word spelling checker that you can expand yourself.

PROGRAM SPECIFICATIONS

Both Vizawrite and Vizastar are written in 100% machine language and run in the 128's FAST mode, making it lightning fast. They require a C128 with 80 column color or monochrome monitor. Both come with a cartridge, a diskette, a backup, and a reference manual. Vizastar also includes a 50 page tutorial book. Both work with 1541 or 1571 disk drives.

RISK-FREE OFFER

Vizastar 128 is priced at \$119.97. Vizawrite's price is \$79.97, but as an introductory offer, it is now only \$69.97. Vizastar 64 XL8 is now available for \$119.97. We are so positive you will be satisfied with our programs that we offer a 15-day money-back guarantee. Try it Risk-Free. Call us today or send a check or money order. VISA/MC accepted.

Calif. residents add 6.5% Sales Tax. Add P&H: UPS-\$4; COD/Canada-\$7.

SOLID STATE SOFTWARE

1125 E. Hillsdale Blvd., Suite 104
Foster City, CA 94404-1609
(415) 341-5606

• Dealer Inquiries Welcome •

Trademarks: Lotus 1-2-3/Lotus Development.
Commodore 64/Commodore Electronics Ltd. Multiplan/Microsoft

FREE 10 DISKETTES OR 20 C-20 CASSETTES

A subscription to the 'Cassette of the Month' gets you a tape or disk full of 10 quality Commodore 64 programs delivered to you by first class mail every month. The documentation included will help you run great utilities like 'Word Processor,' and 'Budget Analyzer,' or enjoy great games like 'Frogjump' and 'Caterpillar Cave' FOR AS LITTLE AS 50 CENTS EACH!

★ **Limited offer** ★ Subscribe for a year on cassette and receive **20 Free C-20 cassettes** or subscribe for a year on disk and receive **10 Free 5 1/4 single sided double density diskettes!**



PRICES

	TAPE	DISK
1YR (12 ISSUES)	60 ⁰⁰	75 ⁰⁰
6MO (6 ISSUES)	35 ⁰⁰	45 ⁰⁰
Single Copies	7 ⁰⁰	9 ⁰⁰

- ★ We've been in business for over three years! acquiring
- ★ Over 4000 satisfied color computer owners
- ★ Commodore 64 required

Mich. Res. add 4%
Overseas ADD \$10 to subscription
and \$1.00 to single issues.

PERSONAL CHECKS WELCOME!

T & D Subscription Software
P.O. BOX 256-C
HOLLAND, MI 49423
(616) 396-7577



Reader Service No. 149

**CALL US FOR
SPECIAL PRICES
ON ALL
Commodore**

**COMPUTERS—C-64 & C-128
DRIVES—1541, 1571 & 1572
MONITORS—1702, 1901 & 1902
PRINTERS—1101 & 803**

DISKS

NASHUA SPECIAL
3 BOXES OF 10 FOR \$25.00

**BLUE
CHIP FOR COMMODORE 64**



**BLUE CHIP
DISK DRIVE
FOR
COMMODORE C64**

30% FASTER **\$159.00**

120/10 PRINTER **\$179.00**
120 CPS, 10" CARRIAGE

SG 10 **\$209.00**

UNIVERSAL

475 MAIN ST., FARMINGDALE, N.Y. 11735
TOLL FREE 800-468-4689
LOCAL CALLS (516) 753-0110



MASTERCARD, VISA, M.O. OR CHECK
NY ORDERS ADD SALES TAX

Prices are mail order only and do not
include shipping & handling.

Reader Service No. 150

TABLE 4 — IEEE INTERFACE PERFORMANCE

Test	1541	SFD-1001	MSD SD-2
Load 30K	77		
w/Quicksilver		17	35
w/BusCard II	(note 2)	24/33	37/59
w/E-Link		45	61
Save 30K	83		
w/Quicksilver		31	61
w/BusCard II	(note 2)	31/39	63/85
w/E-Link		43	84
Scratch 30K	16	7	14
Format Disk	78	150	17
CP/M Boot (see text)			
Serial Bus			35
E-Link			27

Notes:

1. All times are in seconds
2. Dual times shown for BusCard II are with/without BASIC 4.0.

processor running at one MHz (one million cycles per second). The operating system is stored in four kilobytes of ROM. Communications are handled by a 6522 VIA (versatile interface adapter) chip.

To hook up the E-Link to your IEEE-488 peripheral you will need a PET to IEEE cable. This accessory should be available from your Commodore dealer. We have encountered some difficulty in finding one at this time.

Operation of the E-Link is straightforward. It neither adds to nor subtracts from the Commodore BASIC or DOS. It causes all IEEE peripherals connected to it to behave as serial port peripherals. The usual conflicts with device numbers will apply. If your SFD-1001 is set to device number 8, then your 1541 on the serial bus will have to be something other than 8. Operation of the SFD-1001 disk drive with the E-Link resulted in a two-to-one speed improvement as compared to the 1541. This is very good for a serial bus peripheral with no modifications to the host computer.

QUICKSILVER

Application: C-64
Skyles Electric Works
231E South Whishman Road
Mountain View, CA 94041
Phone: 800-227-9998
Price: \$139.00

Quicksilver is an enhanced IEEE interface for the Commodore 64.

When installed in the expansion port of the C-64 it adds an IEEE-488 peripheral port while retaining the use of the expansion port. It is another Bryce Nesbitt creation (see the 1541 Flash in the July issue). Of the interfaces we examined, it provided the fastest disk operation with the SFD-1001 disk drive.

THE HARDWARE

Quicksilver is housed in a VIC 20 cartridge case (there do seem to be quite a few of these still floating around) with about 50% of the circuit board extending fore and aft. The forward part of the board is configured as a 50-pin edge card plug (not gold plated) which mates with the C-64 expansion port. To complete the installation the insides of the C-64 will have to be exposed so that a miniature test clip may be connected. The hookup point is done at a resistor (R-44) which terminates on bit 0 of the 6510's onboard I/O port. The installation instructions are supplemented by three clear photographs which depict the various incarnations of the C-64 circuit board. Anybody who can open up his C-64 should be able to install Quicksilver in about 10 minutes without any difficulty.

The C-64 internal connection is to the control line which is designated HIRAM in the C-64 operating system. This handles the access to memory in the \$E000 to \$FFFF address range.

This arrangement combined with a clever bit of hardware and software trickery allows Quicksilver to peacefully coexist with the C-64 operating system. Operation should be totally transparent to most software.

The back end of the circuit board is equipped with an extension to the cartridge port for use with other C-64 cartridges. There is also a handy little reset pushbutton for reinitializing the computer. A set of four miniature switches lets you configure the board for your system. The first switch turns Quicksilver on or off. The second switch sets device 8 to the IEEE bus. The third switch sets devices 9 and 10 to the IEEE bus. The last switch sets device 4, usually a printer, to the IEEE bus. All other device numbers remain at their original ports. This should provide enough flexibility for any system. To top it off you can duplicate some device numbers. A simple POKE switches data transfers between the IEEE-488 and serial bus. Thus you can conceivably LOAD from a 1541 as device B and SAVE to an SFD-1001 also as device 8.

Connection to the IEEE device is via a built-in length of ribbon cable terminated in a single-ended IEEE connector. If your system has only one IEEE device, you will not need any additional cables with Quicksilver. Additional IEEE devices will require an IEEE to IEEE cable for each one.

Internally, Quicksilver uses a minimum of silicon to accomplish its functions. Its custom operating system lives on an eight kilobyte ROM. Communications are handled by a 6520 peripheral interface device (PID), forerunner of the 6522 versatile interface adapter (VIA). A pair of low power logic chips provide the remaining hardware support.

USER SUPPORT

Quicksilver is more than an IEEE-488 interface. It adds several handy enhancements to the operating system. To begin with, a complete DOS wedge is immediately online. This allows for the usual non-destructive directory displays, easy disk error channel reads, simple disk command issuance, and

NOT COPY
PROTECTED!
BASICALLY BETTER!

FASTER? EASIER? MORE POWERFUL?

"If languages interest you, this one is well worth a look... It's inexpensive to try. You may find that it's just what you have been looking for."

- Jim Butterfield, *COMPUTE!*

"I can recommend a **better, faster**, and cheaper programming language. It's a flashy little European import called **COMAL**... the most user-friendly language around."

- Mark Brown, *INFO 64*

"...overall **COMAL** averages out to about three times faster than BASIC."

- Loren Wright, *MICRO*

"combines some of the best features of languages like Logo, Modula, Pascal, and Ada in an easy-to-use format"

- AHoy!

"**COMAL** was just what I was looking for."

- Colin Thompson, *RUN*

Where else do you get all this...

The complete **COMAL 0.14 System** for Commodore 64™ includes the **Tutorial Disk*** (teaches you the fundamentals of **COMAL**), plus the **Auto-Run DEMO Disk*** (demonstrates 26 **COMAL** programs including games, graphics, sprites and sounds), all for just **\$7.00**.

You can add the reference book, **COMAL from A to Z**, for just **\$4.00 more**.

\$7 or \$11 -- either way you're a winner!

COMAL STARTERS KIT

as rated by The Book of Commodore 64 Software 1985.

Overall Rating	A	A	Reliability
Ease of Use	A	A	Error Handling
Documentation	A	A	Value for Money

Published by Arrays, Inc., The Book Division

If you want only the best, get the **COMAL** Cartridge Pak. Includes: 64K **COMAL** Cartridge, 2 books, and 5 demo disks* Over \$140.00 value - **now only \$89.95** plus \$4.00 shipping.

For more information or to place an order call (608) 222-4432. Visa or Master Card accepted.

All orders prepaid - no C.O.D.

Send check or money order in U.S. dollars to:



COMAL USERS GROUP, U.S.A., LIMITED

6041 Monona Drive, #111, Madison, WI 53716
phone: (608) 222-4432

*Shipments may include 2 disks of programs on 1 double sided diskette. Commodore 64 is a trademark of Commodore Electronics.

single key LOADs and SAVEs.

Several keyboard enhancements are provided. For example, the left SHIFT key or SHIFT LOCK will pause a program listing. All keys will auto repeat. Quote mode may be easily cancelled. The remainder of a line or screen can be easily cleared.

Quicksilver includes a built-in machine language monitor. It can be entered at startup by holding down the Commodore key when the C-64 is turned on. This will also bypass an autoboot cartridge which may be installed at the time.

Perhaps the most unique Quicksilver enhancement is the NMI debugger. This can be set to print the entire processor status on the screen whenever an NMI (non-maskable interrupt) occurs or when the RESTORE key is pressed. This can be invaluable in tracking down the cause of a system crash or the operation of erroneous machine code.

The price of all these enhancements will be trivial for most disk users. All of the Kernal's tape routines have been removed. Of course, they

can be easily restored by simply turning Quicksilver off.

Quicksilver claims to be compatible with the 1541 Flash! We were unable to verify this as we lack a Flash! However, a combination of Quicksilver and Flash! should be the fastest way to get around a system with a 1541 disk drive and an SFD-1001.

BUSCARD II

Application: C-64

Batteries Included

**17875 Sky Park North
Irving, California 92714**

Phone: 416-881-9816

Price: \$199.95

The BusCard II is the deluxe IEEE-488 interface in this group. It has about as many ports as you can shake a disk at. In terms of overall features it is nearly on par with Quicksilver, depending on how you may count your features. In terms of speed it runs a close second. If your printing needs are modest, then BusCard II can handle your printer interface needs as well. It includes a built-in parallel printer interface port.

THE HARDWARE

As we mentioned above, BusCard II is positively bristling with ports. There are two on the back, one to the right, and one to the front. This last one is the usual 50-pin printed circuit edge card plug (gold plated) which mates with the C-64 expansion port.

The complete hookup requires that a miniature test clip be attached to resistor R-44 (just like Quicksilver). Unfortunately the photographs in the manual were so indistinct that they could have been left out for all the good they will do. Installation is simple nonetheless. R-44 is one of a group of three resistors situated on-line nearly due south of the disk drive serial port on the C-64. The resistor is clearly labeled and should be easy to spot. If you can open your C-64, BusCard II can be installed in about 10 minutes or less.

The port on the rightmost edge of BusCard II is an extension to the expansion port for use by an additional C-64 cartridge. The leftmost port at the rear is the parallel printer interface. If you are going to hook up a printer you will need the BusCard printer interface cable available from Batteries Included. This is a minimum interface in that it does not do any graphics emulation or BASIC listing translation. However, BusCard II can be set to translate PET ASCII to standard ASCII if desired. This is sufficient for most word processing applications.

The remaining port at the right rear is the PET style IEEE connector. You will need a PET to IEEE cable to complete the hookup. For some reason, Batteries Included does not offer to supply this cable.

A set of eight miniature switches is directly accessible at the top of the interface. These allow individual selection of devices 4 to 10 as either C-64 serial bus or IEEE-488. Device numbers 11 and up are permanently assigned to the IEEE bus. Device four actually has two switches dedicated to it. These work in conjunction with the supplementary printer port mentioned above. The four possibilities for device 4 are serial port, IEEE, parallel with ASCII translation, and parallel without

BACKUP PROTECTED SOFTWARE FAST with COPY II 64™

From the team who brought you **COPY II PLUS** (Apple), **COPY II PC** (IBM) and **COPY II MAC** (Macintosh) comes a revolutionary new copy program for the Commodore 64, **COPY II 64** ver. 2.0!

- Copies most* protected software — *automatically*.
- Copies even protected disks in just 2 minutes (single 1541 drive).
- Copies even protected disks in just 1 minute (dual 1541 drive).
- Maximum of four disk swaps on a single drive.
- Copies half and full tracks.

Call M-F 8-5:30 (W. Coast time) with your   : **503/244-5782**.
Or send a check (add \$3 s/h, \$8 overseas) to



\$39.95

**CENTRAL POINT
Software, Inc.**

9700 SW Capitol Hwy. #100
Portland, OR 97219

*We update Copy II 64 regularly to handle new protections; you as a registered owner may update at any time at a reduced price.

This product is provided for the purpose of enabling you to make archival copies only.

Reader Service No. 233

REVIEWS

ASCII translation.

Since the switches are continuously read, they may be used to operate duplicate device numbers. For example, device 8 could be assigned to a 1541 disk drive as well as to an SFD-1001. Or you may connect three printers as device 4: one to the serial port, one to the IEEE port, and the last to the BusCard II parallel port.

Internally, BusCard II has an impressive collection of etched silicon. The operating system is on eight kilobytes of ROM with an extra 256 bytes of ROM on the side. Interfacing is through a 6821 Peripheral Interface Adapter and a 6532 RIOT (RAM-I/O-Timer) chip. This last chip contains 128 bytes of RAM, two bi-directional ports, and a built-in timer (definitely a riot). Several low power logic support chips complete the picture.

This collection of hardware lets BusCard II run very transparently to the C-64 operating system. By sensing the status of the HIRAM line, BusCard II can actually switch itself in and out as required. This operation is similar to that performed by Quicksilver mentioned above.

USER SUPPORT

The BusCard II operating system adds all of the BASIC 4.0 disk commands to the C-64's BASIC 2.0. These commands are equivalent to a DOS wedge enhancement. The BASIC 4.0 commands may be easily turned on or off by a SYS call in immediate mode. Interestingly enough, when BASIC 4.0 was active the BusCard II disk operations were noticeably faster, as shown in Table 4.

BusCard II incorporates a machine language monitor in its operating system. This provides the usual MLM functions such as memory display, simple disassembly, and single line assembly. Memory from \$EC00 to \$EFFF is off limits to the MLM because of the BusCard II memory control scheme.

BusCard II is a nicely finished piece of hardware. Its IEEE disk drive operation with the SFD-1001 was quite impressive. Add a printer interface port to the package and you end up with a real bargain.

INFORMATION MANAGEMENT

...JUST GOT EASIER

FILE MASTER-ONLY \$49.50

- ★ WRITTEN FOR THE FIRST TIME USER AND PROFESSIONAL ALIKE
 - ★ RECORDS MAY BE 254 CHARACTERS IN LENGTH
 - ★ EACH RECORD MAY CONTAIN UP TO 28 FIELDS
 - ★ NEW FIELDS MAY BE ADDED TO EXISTING RECORDS
 - ★ AUTOMATIC RECORD UPDATING AFTER DEFINITION CHANGES
 - ★ ALLOWS MULTI-FIELD CRITERIA IN RECORD SEARCHES
 - ★ BATCH FUNCTIONS ALLOW MULTIPLE RECORD UPDATES
 - ★ INCLUDES A COMPLETE REPORT WRITER:
 - TYPE UP TO A FULL 66 LINE PAGE OF TEXT
 - INSERT FIELD INFORMATION ANYWHERE WITHIN TEXT
 - SAVE REPORT INFORMATION ON A DATA DISK FOR LATER USE
 - PREPARE MAILING LABELS, LETTERS, REPORTS, ETC.
 - ★ IDEAL FOR SCHOOL, HOME, AND SMALL BUSINESS USE
- FOR COMMODORE 64, 32K PET, APPLE II FAMILY

FREE TRIAL IN YOUR SCHOOL FOR 30 DAYS

Please Add \$2.00 Per Order For Postage and Handling

SEND FOR OUR FLYER OF OTHER USEFUL SOFTWARE
WRITTEN BY TEACHERS FOR TEACHERS



MIDWEST SOFTWARE
Box 214 Farmington, MI 48024


VISA / MASTERCARD

ORDER LINE 9:00 A.M. - 5:00 P.M. **1-800-422-0095**

Michigan, and orders after 5:00 P.M. - (313) 477-0897

Reader Service No. 151

Super Graphix



**You
Asked
For
It . . .
Here
It Is!!!**

GRAPHICS and FONTS plus an 8K BUFFER for the ultimate in performance and speed. The XETEC Super Graphix interface for Commodore Computers now offers a new high in technology with these features:

- 8K Buffer Standard
- 10 Printing Modes
- 3 Internal Screen Dumps
- Extensive Command Channel
- Reset Button to Halt Printing from Buffer
- Switch Settings on Label for Quick Reference
- Correspondence Quality Font Built-In
- Capable of Storing 2 Additional Fonts
- Correct Graphics/Text Aspect Ratio for all Major Printers
- 8 Active Switches with Changes Constantly Monitored
- Internal Fonts Support Super-script, Sub-script, Underlining, Bold-face and Choice of 9 Pitches

Suggested list \$99.95 • Includes Lifetime Warranty

XETEC, Inc. / 3010 Arnold Rd. / Salina, KS 67401 / 913-827-0685
Reader Service No. 152

MUST LIQUIDATE

COMMODORE COMPATIBLE BELL & HOWELL DOT MATRIX COMPUTER PRINTER AT BELOW DEALER COST!

FACTORY NEW! FIRST QUALITY!



Bell & Howell
Model P-100
Made in
U.S.A.

Size:
16" W x 10 1/2" D x 6" H
Weight: 15 lbs.

PUBLIC NOTICE

INTENSE COMPETITION
IN THE COMPUTER
INDUSTRY LEADS TO
UNPROFITABLE LINE
FOR BELL & HOWELL
C.O.M.B. authorized to
liquidate recent model
printers at BELOW dealer
cost!

- **Fast, 100 characters per second!**
(for faster model, see below.)
- **Heavy-duty for constant use on big jobs!**
- **Compatible with Commodore 64 & SX64!**

Save hundreds of dollars on a top name brand!

Here's a sensational value on a fast-operating, excellent quality, heavy-duty printer. It **INCLUDES** an interface for hookup to your Commodore 64 or Commodore SX64.

Compared to many competitive models, **THESE** printers are **FASTER!** Virtually trouble-free. Built to handle **BIG** office jobs. The P-100 has a memory which allows data storage **WHILE** the printer is running! And it can print in a variety of type styles, from large and bold to small and light!

Other special features include: Easy loading, long-life cartridge ribbon. Crisp printing. And, with your purchase, you get a **TOLL-FREE** phone number to call for useful tips or questions you might have.

CHARACTER SET: Full upper and lower case 96 character ASCII set with descenders and underlining. Software selectable single or double wide character fonts. **GRAPHICS:** High resolution dot addressable graphics.

PRINT FORMAT: 8" line length; 80 characters per line at 10 CPI; 136 characters per line at 17 CPI.

PAPER SLEW (ADVANCE): 10 lines per second, stepper motor controlled. User selectable pressure roller or tractor feed.

DATA INPUT: Parallel. Centronics type 7-bit ASCII. TTL level with STROBE. ACKNOWLEDGE returned to indicate data was received. **SERIAL:** RS232C. With BUSY handshake. 10 or 11 bits: 110, 150, 300, 1200 Baud. **INPUT POWER:** 115 volts.

PRINT RATE: 100 characters/second. Data Buffer: 1K (Optional expandable to 2K).

OPERATIONAL CONTROLS: Power on/off, set top of form, select/deselect, line/forms, feed.

MEDIA: Roll paper: 8 1/2" W x 5" dia. single ply or pressure sensitive multiple copy paper. .012" max. thickness. Fan fold paper: 1" to 9 1/2"

sprocket (including sprocket margins). .012" max. thickness.

CUT SHEET PAPER: max. width. 9 1/2".

TYPE OF PRINTING: Impact bidirectional, 7x9 dot matrix for data printing, 11 x 9 matrix for correspondence printing.

RIBBON: Continuous loop cartridge, 20 yards by 1/2" ribbon, 5 million character life.

90 Day Limited Factory Warranty on Printer Parts and Labor!

Mfr. List Price (with interface) \$644.95

**Includes
Commodore
Interface!**

Price Now Only:

\$238

Item H-771-63327-10 Ship, handling: \$10.00

HI-SPEED MODEL P-150 150 characters per second!

Same specifications as P-100 above, but with following special features: Tractor feed. 2K data buffer (optional: expandable to 4K and/or 68K). Paper advance of 20 lps. 14 1/4" maximum paper width. Impact logic seeking printing. 50 yd. loop cartridge ribbon: 10 million characters. Size: 23" W x 15 1/2" D x 7 1/2" H. Weight: 25 lbs. Interface included.

\$288

Item H-771-63327-11 Ship, handling: \$14.00

Price subject to change after 60 days.
Sales outside continental U.S. are subject to special conditions. Please call or write to inquire.

C.O.M.B. CO.® Item H-771
14605 28th Ave. N./Minneapolis, MN 55441-3397

Please send items indicated below. (Minnesota residents add 6% sales tax. Allow 3-4 weeks for delivery. Sorry, no C.O.D. orders.)

— P-100 Printer(s) with interface at \$238 each plus \$10.00 each for ship, handling: Item H-771-63327-10
— P-150 Printer(s) with interface at \$288 each plus \$14.00 each for ship, handling: Item H-771-63327-11

☐ My check or money order is enclosed. (No delays in processing orders paid by check, thanks to TeleCheck.)

Charge my: ☐ MasterCard™ ☐ VISA

Acct. No. _____ Exp. _____

PLEASE PRINT CLEARLY

Name _____

Address _____

City _____

State _____ ZIP _____

Phone _____

Sign here _____



Credit card members
can order by phone,
24 hours a day,
7 days a week!

Toll-Free: 1-800-328-0609



Your check is welcome!
No delays when you pay by check!

C.O.M.B. CO.®

Authorized Liquidator

14605 28TH AVENUE NORTH
MINNEAPOLIS, MINNESOTA 55441-3397

Reader Service No. 201

LINEOUT

For the C-64

By Buck Childress

You finally finished removing those unwanted lines from that soon-to-be masterpiece. It really wasn't too physically demanding. But, after typing in unwanted line numbers and hitting the RETURN key several dozen times, you're beginning to suspect an advanced case of rigor mortis has a grip on your fingers and (perish the thought) brain.

Your suspicion turns to conviction when you list the final version. While in that comatose state, you inadvertently dumped several lines you wanted to keep. Oh, oh...there goes the blood pressure. Gee, that monitor sure looks strange wearing a cowboy boot!

If you're tired of slipping in and out of the fourth dimension, *Lineout* may be just what the doctor ordered to calm the savage beast. *Lineout* will automatically eliminate any amount of lines in any increment you choose.

Just load and run *Lineout*. It will ask you for the beginning (B=) and ending (E=) line numbers. Then you're asked for the increment (I=). Let's say you want to eliminate lines 200 through 450 in a particular program and these lines are in increments of 10. Just answer the B= prompt with 200, the E= prompt with 450, and the I= prompt with 10. If you make a mistake, press the INST/DEL key and enter a new answer. Be sure to press RETURN after answering each prompt. It's as simple as that. Now SYS49152, press RETURN, and let the computer do the work while you concentrate on more important things.

Since *Lineout* resides in an area of memory that's free from the actions of BASIC, it will remain undisturbed while you load, save, and eliminate lines in all the programs you want. Just SYS49152 to get 'er rolling. To put on the brakes, press RUN/STOP.

I hope *Lineout* helps make your programming a bit easier. Besides, those boots look better on your feet! ☐

SEE PROGRAM LISTING ON PAGE 130

COMMODORE ROOTS

HIGH-RESOLUTION GRAPHICS: PART 2

BY MARK ANDREWS

Last month we began exploring the fundamentals of bit-mapped graphics: the kind of graphics that professional programmers use to write arcade-style games and other graphics-oriented programs. This month we'll see how to add joystick action to bit-mapped programs.

In a moment, we'll take a look at how joysticks can be programmed in assembly language. First, though, let's briefly review the high-resolution program called **BLACKBOARD** presented in last month's column. The version of the program presented last month was written in BASIC. The listing on page 122, titled **BLACKBOARD.S**, is an assembly language version of the same program. **BLACKBOARD.S** was written using a *Merlin 64* assembler. But with relatively minor modifications, it can be typed and run using any Commodore-compatible assembler-editor system (see your assembler's instruction manual for details).

There are two obvious differences between **BLACKBOARD.S** and its assembly language counterpart. One is that the assembly language version of the program is much longer. The other is that it runs much faster—as it should, since it's written in assembly language.

One of the most important segments of the assembly language version of the program is the subroutine called **BLKFIL** that starts at Line 50. This subroutine is used to clear a bit map that starts at Memory Address \$2000 and a color map that starts at Memory Address \$0400, and to fill the color map with values that will draw a pair of white lines on a black screen. The details of how this process works were explained last month.

The **BLKFIL** routine works extremely fast because it moves data one "page" at a time. In 6502/6510 assembly language, a "page" is a 256-byte block of data that begins at a memory address divisible by the hexadecimal number \$100—for example, the memory addresses \$0100 through \$01FF make up one page. In the **BLKFIL** program, the high-order byte of an address block to be filled is defined first, and then a complete page of data is moved. When all full pages have been filled with data, any remaining partial page is taken care of. This technique makes **BLKFIL** a very high speed routine.

In Lines 69 through 90 of the **BLACKBOARD.S** program, there is another noteworthy routine: a high-precision 16-bit multiplication program. This routine can mul-

tiple two unsigned 16-bit numbers and can handle a product up to 32 bits long. When the routine ends, the low half of the product is stored in a pair of variables labeled **MPR** and **MPRH**, and the high half of the product is stored in **PRODL** and **PRODH**. This subroutine is used twice in the **BLACKBOARD.S** program: once in Lines 134 to 148, and once in Lines 160 to 174. Neither of these routines requires the use of a 32-bit product, so neither routine makes use of the variables **PRODL** and **PRODH**. But if you ever do need a multiplication routine that can handle a 32-bit product, here is one that fills the bill.

The 16/32-bit multiplication routine is followed by a plotting routine that is much longer, but also runs much faster, than the plotting routine that accomplished the same task in last month's **BLACKBOARD.BAS** program.

One more point: When you type and run the **BLACKBOARD.S** program, you may notice that a couple of the equates in the program's symbol table don't appear in the main body of the program. Don't be too concerned about this: these equates, and their functions, will be examined later on in this column.

When you've typed and executed **BLACKBOARD.S**, you'll see that it works just like the **BLACKBOARD.BAS** program that appeared last month: it clears the bit map that starts at \$2000, sets background and dot colors (you can change them if you like), and then draws a pair of crosshairs on the screen. But be forewarned: all this takes place very fast. So don't blink, or you may miss the action. If you typed and ran last month's **BLACKBOARD.BAS** program, please run both programs and compare the speeds at which they run. Then you'll see very clearly why high-speed graphics programs simply cannot be written in BASIC, and are usually written in assembly language.

WRITING A JOYSTICK PROGRAM

Now we're ready to take a look at how Commodore joysticks can be programmed in assembly language. As you may know, the Commodore 64 has a pair of joystick ports that are often referred to in Commodore literature as Port A and Port B. The status of Port A can be determined by reading an 8-bit register that resides at Memory Address 56321 (or \$DC00 in hexadecimal notation).

Each of the two joysticks that can be plugged into the Commodore 64 has five on/off switches. Four of these

PEEK A BYTE™ 64 DISK MECHANIC



INVESTIGATE
PROTECTED
DISKS!

PEEK A BYTE 64 Now with the DISK MECHANIC is the most powerful disk editor and memory utility available for the Commodore 64 and 1541 disk drive.

- Read or write sectors hidden by DOS header errors
- Read or write up to track 40 - half tracks too!
- Fast format single or multiple tracks up to track 40
- Over 50 functions - includes all PEEK A BYTE features
- Complete manual for beginners and pros
- Disk copy program included at no extra charge!
- Continuing program update policy.

To order send check or money order, US funds. Foreign orders add \$4 for shipping and handling. Florida residents add 5% (or 6% sales tax. COD orders add \$2 plus postage and COD charges. Phone COD orders call: (305) 840-0249.

ALL THIS FOR
ONLY
\$35

PEEK A BYTE is a trademark of Quantum Software.

U.S. Post Paid

QUANTUM SOFTWARE

P.O. Box 12716, Dept. 2, Lake Park, Florida 33403

Reader Service No. 238

Program Like a Pro! In the C-128 Mode

New!!



C-128 Update!

1. **The Commodore 128 Mode** Learn about memory organization and operating system of the C-128 and storage on the 1571 drive.
2. **Algorithms:** Learn the formulas for computer programming tasks.
3. **Assembly Language** Updated for machine language programming in the C-128 mode as well as C-64 mode. Monitor instructions.

\$14.95 Each at your favorite book or computer store or order direct. Mail or call. Master Card/Visa orders call (619) 484-3884 or (619) 578-4588 or Modem orders (619) 486-4694 Fridays-Sundays.

Dealer Inquiries invited.

Mail to:



microcomscribe

8982 Stimson Ct., San Diego, CA 92129



Reader Service No. 208

switches correspond to the four primary directions in which a joystick can be moved: up, down, left, and right. If a joystick is moved diagonally, two of these switches will be activated simultaneously, and a diagonal movement of the joystick can be detected. Table 1 shows how the values of your Commodore's joystick switches can be read in BASIC and assembly language programs.

SWITCH VALUE	BINARY VALUE	MEANING
0	0000 0000	No action
1	0000 0001	Up
2	0000 0010	Down
3	0000 0011	None
4	0000 0100	Left
5	0000 0101	Left + up
6	0000 0110	Left + down
7	0000 0111	None
8	0000 1000	Right
9	0000 1001	Right + up
10	0000 1010	Right + down
11	0000 1011	None
12	0000 1100	None
13	0000 1101	None
14	0000 1110	None
15	0000 1111	None
16	0001 0000	Trigger button pressed
17	0001 0001	Trigger + up
18	0001 0010	Trigger + down
19	0001 0011	None
20	0001 0100	Trigger + left
21	0001 0101	Trigger + left + up
22	0001 0110	Trigger + left + down
23	0001 0111	None
24	0001 1000	Trigger + right
25	0001 1001	Trigger + right + up
26	0001 1010	Trigger + right + down
27	0001 1011	None

The second listing that accompanies this column, titled SKETCHER, combines the features of a high-resolution graphics program with those of a joystick-reading program. The SKETCHER routine is a computer version of those plastic, carbon-filled sketching screens that you may remember from your childhood.

If you've typed and executed the BLACKBOARD.S program, you won't have to type the SKETCHER program from scratch. Just change Line 2 of the BLACKBOARD.S program to read

2 * SKETCHER

and then replace Lines 259 through 296 of the BLACKBOARD.S program with Lines 259 through 424 as shown below.

When you've assembled the SKETCHER program, you can plug a joystick into your computer and see how the program works. By moving your joystick around, you can sketch a picture on your computer screen. Then, by pressing your joystick's trigger button, you can erase your drawing.

In addition to the SKETCHER's bit-mapping and joystick-reading routines, the program contains a few other

Continued on page 146

CREATED BY USERS FOR USERS

PROTECTION REVEALED

Take command of your software. End the spiral of buying copy-programs. *The Protection Revealed Handbook* unravels the puzzle of software protection. For authors and users — become a master of illusion. Learn how to protect or un-protect your software. Includes a large section on successful BASIC program security. Covers the latest evolution of copy protection techniques. Topics include:

Disk Errors	De-Compilers	Extra Sectors	Nibble Counting	Header Modification
Compilers	Density Changes	Gap Bytes	DOS Protection	Non-Standard Sectors
Half Tracks	Nibble Back-Up	Guard Band	Auto-Loaders	And much, much more

Reveals the mystical professional trade secrets of the Commodore 64 and 1541 Disk Drive. A disk containing 21 utility programs is included. This is the book for everyone!

Book & Disk

\$19.95

THE PROTECTOR

A menu-driven collection of programs which promises to mystify the curious. Basic file *Encryption* and *Decryption* are the heart of this system. Also includes autoboot maker, write and un-protect disks, fast disk eraser, ML to data statements, sector editor, relocates files to new location in memory, un-new scratched files, plus much more.

A dozen plus programs — the perfect companion for the book, *Protection Revealed*.

Disk

\$19.95

SUPER HELP

This is the programmer's friend — *three* aids for the price of one — a must for all users:

1. Poster size (21x25) screen and color memory map. Hang on the wall and never hunt for that *poke* location again.
2. One of the most complete C-64 memory maps available today. Compact and easy to read. Instructions included.
3. Set of 18 cheat cards. Includes: 1541 disk drive, DOS wedge, error messages, dasette, 1525, MPS-801, 1526, screen codes, Kernal ROM, sprites, color, sound, conversion charts, Pokes & Peeks, etc. Spiral bound.

All Three Items For:

\$15.95

BRAND X — THE DISK LIBRARIAN

Has your disk library grown? Can't find your favorite program when you need it? Are you tired of odd labels? If you answered "yes" to any of the above, you need *Brand X*. *Brand X* can catalog 40-plus disks in one file — this is over 4000 programs. Save the catalog file, add to, change, or delete when you want. Get rid of duplication and save disk space. Identifies 14 types of files. Disk commands include: format (in 10 seconds), validate, scratch, change disk ID, change disk name, plus directory. Prints custom disk labels (great for the generic user), lists used ID's and disk names, catalogs in one, two, or three columns. End disk confusion with *Brand X*, *The Disk Librarian*.

Disk

C-128 Compatible

\$19.95

PROGRAMMER'S KIT

Over 150 ready-to-run subroutines. Easy instructions on how to incorporate into your own programs. Why re-invent the wheel? Your time is valuable. Some of the types included are: TIS, protection, disk operation, printer operation, sorts, joy-ticks, input, graphics, complete alphabets, graphic screen prompts, sound, random choice. Program the easy way. Full documentation included.

C-128 Compatible \$18.95


PHONE BOOK/POSTAL CLERK

A must for small businesses, clubs, schools, or individuals.

2,500 + ENTRIES

Menu-driven, compatible with all printers. Auto save entries and changes. Sorts and prints phone book or address labels by name, city, state, ZIP code, or group. Eight user-definable mail lists in one program. Keep groups, friends, clubs, Christmas lists, etc. all separate.

C-128 Compatible \$24.95



ATTENTION GUN RELOADERS: BALLISTICS

Check trajectory for all popular rifle bullets by weight, caliber, or style. Includes tables for *Hornady* and *Speer* bullets, plus others. Allows for standard metro or high altitude and low temperatures. Prints out table of trajectory (choice of range increments), bullet drop, wind deflection, and more. If you reload your own shells, this program is a must!

C-128 Compatible

\$39.95

\$-SAVER SWITCH

Use the *\$-Saver Switch* to connect two computers to one printer, or one disk drive. Better yet, use only one drive and one printer for two computers. A flip of the switch changes the device from one use to the other. Save dollars where more than one computer needs to access the same device. Plugs in — no alterations or extras.

**V-20, C-64, C-16,
Plus 4, C-128**

\$29.95

Include check or money order — or charge your order to your VISA/MasterCard account.

Add \$2 shipping on orders under \$100 total. All orders over \$100 will receive FREE shipping.

Your order will be shipped within 48 hours.

VALUE-SOFT

9513 S.W. Barbur Boulevard, Dept. A-56
Portland, Oregon 97219 (503) 246-0924



SCUTTLEBUTT

Continued from page 14
Court, Bloomfield Hills, MI 48013.

GREYHOUND ANALYSIS

The *Greyhound Racing Analysis Package* (\$29.95) and the *Enhanced Greyhound Racing Analysis Package* (\$49.95) allow the handicapping of greyhound races using past performance information as taken from the greyhound racing program. Also included is a Bet Return Analysis program for calculating winning percentages. The Enhanced version analyzes 12 data items for a more detailed evaluation of each dog, including track length-distance, track length-last race, post position, odds, times, positions in the stretch, and finish positions. On disk or cassette for the VIC 20, C-64, or C-128.

Software Exchange, 2681 Peterboro Rd., P.O. Box 5382, W. Bloomfield, MI 48033 (phone: 313-626-7208).

COOKBOOKS ON DISK

Concept Development Associates has whipped up five new disks for use with the Micro Kitchen Companion for the C-64. Each of the five disks, which cover French, Italian, Chinese, Mexican, and American cooking, contains up to 180 recipes contributed by 105 of the top chefs in America. Each chef put together a complete full-course dinner from appetizer to dessert. Recommended wines are included for each course as well. Price is \$9.95 each.

For a complete catalog call 1-800-443-0100/ext. 403 or write CDA Customer Service, 7960 Old Georgetown Road, Bethesda, MD 20814 (phone: 301-951-0997).

CRT HOLDER

The Space Saver CRT Arm (\$89.95) clamps to the edge of your desk and holds your monitor on a 360° swivel base, eight inches above the desk surface. The platform, available in four custom sizes, can be

tilted up to 15° to provide the most glare-free viewing angle.

LinTek Computer Accessories, P.O. Box 8056, Grand Rapids, MI 49508 (phone: 616-241-4040).

COMPUTER CASES

A line of carrying cases for microcomputers and printers from Computer Coverup, made of padded Cordura nylon, contain velcro-sealed outer pockets for storage of disks and supplies, adjustable shoulder straps, and reinforced handles.


Computer Coverup, Inc., 1740 N. Marshfield, Chicago, IL 60622 (phone: 312-276-9007 or 1-800-282-2541).

Mention of a product or service in Scuttlebutt is not an endorsement by Ahoy! Our news items represent the facts as they are represented in the manufacturers' press releases, in most cases with an added grain of salt but in almost no case reflecting hands-on experience.

HAVING TROUBLE REMEMBERING ALL THE COMMANDS FOR YOUR PROGRAMS??

YOU NEED

LEROY'S CHEATSHEET®



KEYBOARD OVERLAYS FOR
COMMODORE 64™

LEROY'S CHEATSHEETS® are plastic laminated keyboard overlays designed for use with popular software, hardware, and languages for Commodore 64 computers.

These cut-out-yourself help sheets fit over the keyboard, putting hard to remember program commands right at your fingertips. The actual keystrokes are in **bold** type and any variables are shown in *italics*. Now you can use your software faster, more easily, and more effectively. With LEROY'S CHEATSHEETS® you'll never have to hunt for a program command again.

ONLY
\$3.95
EACH

- ✓ FITS OVER KEYBOARD
- ✓ PUTS PROGRAM COMMANDS RIGHT AT YOUR FINGERTIPS
- ✓ SAVES TIME — ENDS FRUSTRATION
- ✓ GET TO KNOW YOUR SOFTWARE BETTER
- ✓ LEARN NEW SOFTWARE FASTER, EASIER
- ✓ STURDY PLASTIC LAMINATE
- ✓ UNBEATABLE PRICE!!

ORDER NOW...OR SEE YOUR LOCAL DEALER

Circle Your Choices

- | | |
|---------------------|------------------------|
| Basic | Simons' Basic |
| Blanks (set of 3) | Sky Travel |
| Consultant | Speedscript |
| Disk 1541 | Superbase |
| Doodle | Vidtex |
| Easy Script | VIP Terminal |
| Flight Simulator II | Vizastar |
| Fleet System 2 | WordPro 3+ |
| For the Beginner | WordPro 64 |
| Manager | Write Now! 64 |
| Multiplan | Epson FX & RX Printers |
| OmniWriter | Gemini 10, 15x |
| Paper Clip | 1525, MPS 801, 803 |
| PractiCalc 64 | 1526, MPS 802 |
| PractiCalc II | Okidata 92, 93 |

Dozens More Available

QTY. _____ X \$ **3.95** = \$ _____
CIRCLE YOUR CHOICES SHIPPING \$ **1.00***
AHY 12 6% TAX (PA. ONLY) \$ _____
* U.S. & CANADA \$1.00 FOREIGN ORDERS \$3.00
CHECK, M.O., MC/VISA U.S. FUNDS NO C.O.D. TOTAL \$ _____

MC/VISA # _____
EXPIRATION DATE _____
NAME _____
ADDRESS _____
CITY _____
STATE _____ ZIP _____

CHEATSHEET PRODUCTS INC.
P.O. Box 111388 Pgh., PA 15238 VISA
(412) 781-1551

CAIDET'S COLUMN

A Tour of CompuServe's Commodore Information Network

By Cheryl Peterson

In last month's column, we touched on a public domain program that could be found in one of CompuServe's data libraries. This month, we're going to take a tour of the area where that program was found: the Commodore Information Network (CIN). Good reasons for finding our way there include the many Commodore users who visit (some of whom are bound to share our interests); system operators (SYSOPS), who are knowledgeable about Commodore computers and who are happy to help new users with any problems they encounter; conference visits by Commodore representatives and engineers that give everyone the chance to air their views; and the data libraries that contain a multitude of programs and help files. Run by Commodore employees and users, the CIN gets the latest news on product development and third party vendor support.

To get to the CIN, you need a 300 or 1200 baud modem, a software package for communication, a computer (any Commodore will do), and a CompuServe user number or start-up pac.

Once you've gotten past sign-on, there are several ways to get to CIN. At the ! prompt, you can enter G CBM, which will take you to a menu offering access to the areas in CIN. Option 5, the Special Interest Groups/Forums, is the place to find friends, help, and free programs, so we'll start there. I'll get into the other areas later.

If you want to avoid the main menu and go straight into the SIG (Special Interest Group) of your choice, you enter a different command. For The Commodore Forum, enter GO CBM963. To get to the CBM Programming SIG you enter GO

CBM310. And the CIN Creative Corner is accessed by typing GO CBM962.

The Commodore Forum is probably the best place to start. Here, a nightly CO (conference) at 10 pm EDT gives members a chance to interact directly with each other. For those who've never experienced a CO, it's a fantastic way to communicate with a group of people and hear what everyone has to say. To get to the CO you enter "CO" at the **Function:** prompt. After a short pause, you should see a notice welcoming you to Channel 30 and telling you how many other people are tuned in. For most CO's, everyone will be on Channel 30. Almost immediately you should see messages start to appear on your screen.

Now comes the tough part—how you can get in on the conversation. Type something on your keyboard and then hit return. Everyone else who is tuned in will see your message on their screens within a few seconds, so try to make it something friendly like "HI!". Unless you tried to be terribly verbose and entered a message that had more than 80 characters, you should see a bunch of folks cheerfully returning your greeting. If you exceeded the 80 character limit, you'd get an error message.

If you'd like to participate incognito, you type a /han. By the way, all CO commands must be prefaced with a "/", since this is how CIS tells the difference between messages to other users and commands to the system. The system will ask what your handle is. Type in something other than your name. If you happen to see someone using the handle "Cherp," there's a reasonable chance you've run into me. If you want to find out for sure,

type /ust. This user status command will generate a list as in illustration 1. If it's me, the listing for the person using the Cherp handle will probably have an MIA listed under the node column. (Of course, you could always ask. Everyone talks to everyone else and I'm just as talkative as the rest.)

Job	User ID	Nod	ChTik Handle
10	72775.1041	T04CVK	ACCESS
26	76703.2060	FYN	1Moderator
34	72366.2645	MIA	1Cherp
35	74306.2714	DCI	1LOG
40	72507.3051	LAK	1128 Maniac
43	72157.2361	CAP	1Mike
50	76703.2047	FYN	1Jeff @ CBM
62	72247.3454	BOT	1J. Williamson
65	76703.2047	FYN	1Bill Herd
75	72416.2511	LSM	1Mark
80	73615.1156	SEA	1Betty Knight.
85	70726.1222	PPA	1Jeff
86	74025.636	QBA	1Larry P
92	76703.2045	ATJ	30SYSOP/Dave Stewart

Illustration 1: /UST listing

Probably the nicest feature of the CO's is the direct interaction with people who have a similar interest. If you have a question about some aspect of the Commodore computers someone in the CO may be able to help. If no one knows exactly what you're after they can frequently point you in the direction of someone who does. When the group is completely stymied, they'll send you to the appropriate section of the message board.

The message board is the place you came through on the way to CO. The **Function:** prompt recognizes lots of other commands besides CO. Most of them have something to do with reading the messages on the "boards." (See illustration 2.) Each SIG has 11 sections assigned different topics to coincide with user interests. Section 10 of each is the system operator's (SYSOP's) private board.

A short word about SYSOPs. The

COMPUSERVE OFFERINGS

Adapted from the CompuServe Information Service Fact Sheet

CompuServe offers information on topics from high finance to high fashion, more than 100 interactive forums, games, bulletin boards, a shopping mall, travel agencies, an encyclopedia, a news clipping service, tax tips, reference materials, newspapers, weather reports, gossip columns, magazines, and much more.

COMMUNICATIONS AND BULLETIN BOARDS

EasyPlex Electronic Mail links online friends and business contacts with instantaneous communication. The CB Simulator, high technology's partner to CB radio, puts people of all backgrounds, ages and intellects in touch with one another. Forums covering topics ranging from firefighting to medicine provide a unique setting for contributors to exchange ideas and information online.

NEWS, WEATHER AND SPORTS

The complete AP news service, *USA Today*, *The Washington Post* and the *St. Louis Post Dispatch* are some of the newsgathering outlets that put daily and latebreaking information within reach of any computer user.

ELECTRONIC SHOPPING

The Electronic Mall is an online shopping center that enables users to shop at dozens of stores such as Bloomingdale's, Waldenbooks, and Record World without leaving home. Comp-U-Store is a discount home shopping service that includes brand name items such as TVs, kitchen appliances, sporting equipment, and more. In both services, users will find discount prices and special sales.

FINANCIAL TRANSACTION SERVICES

Several banking institutions have put their services online, enabling customers to review transactions, transfer funds, and pay bills electronically. There are discount brokerage services available through the nationally known firms of Quick & Reilly and Max Ule, Inc.

TRAVEL

Some of the travel services available on CompuServe make travel easier, quicker, and less expensive. On Travelshopper booking flights, comparing airfares, and arranging for ticket delivery is just a keystroke away. The A-Z Worldwide Hotel Guide provides its reservation information and lodging descriptions of more than 25,000 hotels worldwide.

ENTERTAINMENT AND GAMES

Trivia buffs can enjoy the Multiple Choice, video game experts can battle each other, and computer and word wizards can match wits with Word Scrabble and Whiz Quiz. A number of board and card games can keep users entertained.

HOME, HEALTH AND FAMILY

Financial, medical, legal, tax, and other areas of home management and family concern are addressed by a wide range of CompuServe offerings. Databases are continually updated to provide the most current information.

MONEY MATTERS AND MARKETS

In the time it takes for investors to sift through the pages of financial publications, CompuServe users have access to a wealth of financial information. The database includes specific data on stocks, bonds, mutual funds, options, major market and industry indices, commodities markets, and publicly-owned companies. Utility programs perform portfolio valuation, screen historical data by selected criteria, create charts, report market highlights, calculate portfolio returns and provide historical quotations. A number of forecasting databases give users access to the same sources tapped by Wall Street analysts.

EDUCATION AND REFERENCE

Through reference texts such as Grolier's Academic American Encyclopedia, education-related databases, and forums, students can sift through information that would otherwise require a trip to the library. Aspiring college students can take sample tests to prepare for the SAT and College Boards and get information on colleges, grants, and financial aid, and application and recruiting policies.

Function:?

Functions:

B	— bulletins	CO	— conference
D	— delete	DL	— data libraries
E	— exit	G x	— go to page x
I	— instructions		
L	— leave a message		
M	— previous menu		
MI	— membership information		
NEW	— new/changes		
OFF	— log off	OP	— set options
QS	— quick scan	R	— read messages
R x	— run SIG x	RT	— read thread
S	— scan headers		
SD	— scan & display		
SEN	— send a message		
SN	— sub-topic names		
SS	— set sub-topic		
T	— go DISPLA	U	— user log
UST	— current users		
V	— interests	X	— database
? x	— explanations of function x		

Illustration 2: Function: options

CompuServe SIG's are similar to privately operated Electronic Bulletin Board systems running on personal computers in many cities. With some big differences: regular users are from all over the country, many people can be on the board at once, and there are usually a group of SYSOPs who don't "own" the board. SYSOPs do, however, regulate how the board is run. For the most part, they are friendly and helpful—only too happy to make new users feel at home. This can mean answering any questions you have to just sending you off to leave a message in the public message forum section most appropriate for your query.

There are a few actions that will get them riled fast. Most object to obscene language, condescending messages, and unflattering comments about any of the users. They also don't like to see copyrighted software uploaded into the data libraries. They have the power to "squench" any users who are in CO. They can ban any user from accessing the board and if they really get offended could have a user thrown off CompuServe altogether.

Anyway, back to the boards. The central SIG feature, the message base, is set up along the same lines as many local bulletin board systems. Messages can be left to any or all other members and anyone checking

into the SIG can read all the messages that haven't been saved as private files. To read the messages, you type R at the **Function:** prompt. The system will then tell you the message numbers that are active and request a starting message number. After you type in a number, the message you've chosen will start scrolling by on the screen. At the end of it, a prompt allows you to reply or to quit reading messages. The prompt (**UA RE T**) represents the alternatives Unrelated Answer, Reply, and Terminate. Entering just a carriage return will call up the next message. By repeating the process, you can read all the messages on the board. For now, you should probably just concentrate on reading some of the messages.

Of course, once you've been around CIS for a while you pick up a few tricks. If you type RTN at the function prompt (Read Thread New), the messages will appear in a more sensible order. Instead of scrolling by in the order they were entered, all the messages related to a given topic (thread) will be displayed oldest to newest. The N stands for New, so only those messages added since the last time you read through the board would be shown. Once you've signed in as a member of a SIG, look for membership instructions under MI at the **Function:** prompt—the board will remember the last message you've read each time you leave the area.

The QS (quick scan) command will display the topics of threads currently active and their starting message numbers, making it easy to read only threads whose subject appeals to you. SS (Set Section) restricts your activities to only the section number you designate. This allows you to limit the amount of time you spend reading messages in topic areas that don't interest you. For example, you might only be curious about the new 128 and want to read only the messages in the C-128 Info Center (section 9) in the Programming SIG. An SS9 is all you need to lock out the other sections. An RTN at that point would display messages only from section 9. An SN command will dis-

play the names of all the sections.

Now that you know how to see what everyone else is saying, let's run over to those data libraries (DLs) and see what they have for us. Get back to the **Function:** prompt and type **XI**. This will give you a short description of **DL1**. The DL numbers are set up to correspond with the section names. Since some programs or help files apply to more than one topic, there is occasional duplication of files. After the description, you return to the **Function:** prompt. To get into a DL, you type **DL** and the section number you want.

Since there are three SIGs, there are also three separate DLs each with 11 sections. The fastest way to see what is included in each DL is to type **DIR** at the **DL#:** prompt. The **#** sign in the prompt represents the DL number you are in. This command gives a listing of the files, their size, and CIS number of the person who uploaded them. (See Illustration 3.) This information isn't terribly useful, since the filenames don't always make it obvious what the file is. If you're good at guessing games, you might like to try to figure it out.

There is a better (although more expensive) alternative. Type **BRO** **DL#**.**DIR** at the **DL#:** to search for the file **DL#**.**DIR**. When the system finds it, it gives a short description of the file. See illustration 3 for a

[76703.2054]
DL2.DIR 03-Aug-85 61310 98

Keywords: DL2 CATEGORY DESCRIPTION
DATA LIBRARY 2

This is the current description of all files here in DL2 — High Level Utility. It has been formatted in 80 columns for printing and later reference. Current as of August 3rd 1985.

Illustration 3:
Description of a data library directory file.

sample description. The prompt (**R D T**) represents Read, Download or Terminate. For this file it's best to open the buffer of your terminal package and just read the file. Since it's a text file, it doesn't need to be downloaded as a program. In fact, you might want to open the channel to your printer and just print it out there.

After you've read the file, you can save it to disk on your computer for later use. Or format it for a nice pretty printout. I will warn you, these files are long. Most take about 15 minutes to read. A **↑ P** at any point will stop the listing and get you back to a prompt you'll recognize. The listings start with the latest files and work backwards in time, so you get the most recent files first.

The files on CIS fall into two basic categories: text files and programs. Text files usually have extenders like

DOC, **TXT**, or **SEQ**. Programs usually end with **IMG** or **BIN**. The former can be read and buffered; the latter need to be downloaded. Downloading can be ridiculously easy, moderately easy, or impossibly difficult, depending on what software your Commodore is running.

If you use the **Vidtex** program sold by **CompuServe** (or another **CIS "B"** protocol compatible program), downloading is simple. Use the **"GO DEFAULT"** command to tell **CompuServe** you're using their protocol. You'll have to negotiate two menus to set the **DEFAULT** to **"Vidtex compatible."** Once that's done, all you have to do is go to the data library of your choice, **BRO** (browse) through until you find a file you want, and choose the **D** at the (**R D T**) prompt. When the screen prompts you for the name to save the file under, type in a legal file name. It's a good idea to give a name that means something to you. Hit the **RETURN** key and wait for the system to do its thing. **CIS** does an automated transfer, meaning that it controls the whole process including writing the file to disk for you. When it's done, you'll see the file description repeat and the prompt (**R D T**).

If you don't use **DEFAULT** to let **CompuServe** know that you are using its protocol, it will give you a four-option menu before starting the

Put your Computer slave to work now!

SECTION ONE
Instructions for finding the business best suited to you.

SECTION TWO
The Menu—Condensed outlines for each business venture.

SECTION THREE
Full details of each business venture...

SECTION FOUR
Step-by-step instructions on how to organize each business venture.

SECTION FIVE
How to advertise, promote and sell your services.

SECTION SIX
How much capital is needed for each business venture, and how you can raise it quickly.

SECTION SEVEN
Sources and Resources—Thousands of names, titles product sources, etc.

ABSOLUTE 90 DAY MONEY BACK GUARANTEE

If you're not able to make money with your home computer and the information contained in our book "COMPUTER ENTREPRENEUR" within 90 days, we'll refund the purchase price in full.

SOME OF THE 100 BUSINESSES THAT WILL MAKE YOU MONEY NOW!!!

Be an Economic Forecaster
Start a Computer Tax Service
Become a Computer Consultant
Unique Computer Reminder Service
Operate a Computerized Collection Letter Service
Start a Local Market Survey Service
Sell Computerized Legal Forms
Provide Computerized Loan Packages
Run a Payroll Preparation Service
Publish a Computer Newsletter

Enter the Sports Forecasting Business
Start a Secretarial Service
Run a Typesetting Service
Sell Local Mailing Lists at \$1 Per Name
Start a Bookkeeping Service
Run a Custom Electronic Mail System
Start an Information Research Service
Operate a Legal Research Service
Sell Inventory Controls for Small Businesses
Start an Accounts Receivables and Statement-Mailing Service

FREE!!! SPECIAL REPORT "HOTTEST COMPUTER BUSINESS FOR 1985" is yours to keep when you order our book "COMPUTER ENTREPRENEUR".

A 900+ PAGES
8 1/2" x 11" SIZE
100 DETAILED MONEY MAKING BUSINESS PLANS

CALL TOLL FREE FOR CREDIT CARD ORDERS 1-800-528-3665

WOULD A SECOND INCOME OF \$1000 A MONTH... \$2000 a month... \$5000 a month come in handy?

If so, choose the amount that suits you and it's yours in exchange for a few hours of your spare time and use of your personal computer.

"THE COMPUTER ENTREPRENEUR"—Is the hot new book you may have read about. Over seven years in research and development—this book has 100 fully detailed business plans for you to choose from. They range from a traditional local bookkeeping service for small businesses to a far-out program for handicapping the horses that makes a substantial income—and 98 others in between.

"THE COMPUTER ENTREPRENEUR"—Is not another one of those "101 Ways" books with a paragraph or two of information about each business. Each business plan is fully detailed—how to start-up, how to operate, how to sell the service, how to keep the books, number of working hours required, capital needed, best location, city or county, etc. It even gives you a simple method of determining the best kind of business for you.

AND YOU DON'T HAVE TO BE A COMPUTER WHIZ!—In order to start or operate these ventures. No programming or fancy special materials needed. All of these programs run from "off the shelf" programs you probably already have.

A 65 year old man in Washington State makes \$500 a day with a TRS-80 model 1 and our book, "COMPUTER ENTREPRENEUR", using report #163.

A man and his wife in Arizona are making \$4000 a month, with only a couple of hours a day, using the methods in our business report #102.

There are hundreds just like these making a living or extra income using the methods in our book.

Name _____
Address _____
City _____ State _____ Zip _____
Please send me 1 book @ \$29.95 + postage & handling (\$2.50), total \$32.45
(California residents add 6% Sales Tax)
☐ Air Mail \$6.00 per book ☐ CASH, CHECK OR MONEY ORDER ENCLOSED
☐ Charge Card # _____
Expiration Date _____ Signature _____
MAIL PAYMENT & MAKE CHECKS PAYABLE TO:
Computer Information Limited
1330 Orange Ave., Ste. 320
P.O. Box 181948
Coronado, CA 92118 (619) 266-9141

A3A2

BILLBOARD MAKER

by Solutions Unlimited

\$44.95

**** New Graphics Product ** Create Mural Size Pictures ****

FEATURES:

Smooth out circles and curves of your picture, Flip and Invert your picture, 6 Fonts for text overlays, Choice of frames, Offset feature for framing, Retain color or strip color option, Print dump (standard or shaded). All files saved: You to add greater detail to you picture than ever before. Special print/splice routine creates linked enlarged picture to ease assembly. Supports 1525, Epson, Okidata, Gemini printers & compatibles. All machine Language Works with pictures created with Doodle, Koala, Flexidraw, Print Shop, Animation Station, Supersketch, Computer Eyes and other similar file pictures.

DOODLE Visits PRINT SHOP

\$25.95

Create PRINT SHOP GRAPHICS from DOODLE PICTURES.
Convert pictures* from DOODLE TO PRINT SHOP (SCREEN MAGIC) AND BACK AGAIN.
Converts FLEXIDRAW and COMPUTER EYES to a DOODLE picture also.
Menu Driven, Machine Language.

COVOX	\$77.00	VIZASTAR (C-128)	CALL
COMPUTER EYES	\$105.00	VIZASTAR (C-64/8K)	\$89.95
COMPUTER EYES CAMERA	CALL	FLEXIDRAW	\$119.95

N.L.Q. FOR YOUR EPSON

DISKS

RX80/100 \$49.95 FX80/100 \$65.00

ACCESS ALL TYPEFACES PLUS NLQ USING FF/LF BUTTONS
SOFTWARE ACCESS, DOES NOT VOID WARRANTY
INSTALLATION REQUIRED

BULK w/sleeves & write protect \$.99ea
qty 20
\$.90ea
qty 50

WORD PRO (C-128) \$79.95

1541/1571, DOUBLE COLUMN AND, ALTERNATE PAGE OUTPUT
PRINTER FILES, AND MUCH MORE.

XIDEX SS/DD \$14.95
DD/DD \$18.95

SUPERBASE (C-128) CALL
SUPERBASE (C-64) \$65.00

NASHUA SS/DD \$12.95
DD/DD \$16.95

DOODLE \$31.95
PRINT SHOP \$34.95
GRAPHIC LIB 1 \$19.95
GRAPHIC LIB 2 \$19.95

EARLY BIRD SPECIAL
ORDERS OVER \$125.00
10 FREE DISKS
&
GET BILLBOARD MAKER
FOR \$38.95

C-128 VIDEO CABLE

HIGH QUALITY SHIELDED CABLE, DISPLAY 80 COLUMNS IN BLACK/WHITE
CONNECTS C-128 TO VIDEO, ON 1702 MONITOR OR COMPOSITE MONITORS.

\$11.95

NOTE: THIS SPECIAL VALID ON ALL ORDERS
POSTMARKED OR PHONED IN M/T 12/5/85.
ORDER MUST TOTAL \$125.00 PLUS SHIPPING.
IF ORDER INCLUDES BILLBOARD MAKER,
ORDER MAY TOTAL \$119.00 PLUS SHIPPING.
NO EXCEPTIONS.

To Order: CALL or WRITE

SOFTWARE LINK 914/683-2512

P.O. Box 391 White Plains, N.Y. 10602



NO EXTRA CHARGE



TERMS: Send check or money order for total purchase price, plus \$2.75 for shipping via UPS \$4.00 for shipping non UPS. Personal checks (Allow 10 days to clear)
NY RESIDENTS ADD APPLICABLE TAXES

SOFTWARE LINK
283 Mamaroneck Ave.
White Plains, NY
914/683-2512
(retail outlet)

MAKER BILLBOARD MAKER BILLBOARD MAKER BILLBOARD MAKER

MAKER BILLBOARD MAKER BILLBOARD MAKER MAKER BILLBOARD MAKER BILLBOARD MAKER MAKER BILLBOARD MAKER BILLBOARD MAKER

Thanks for waiting ... BILLBOARD MAKER, the Ultimate
Graphic Utility, IS FINALLY HERE!!!

**IMAGINE TAKING YOUR USUAL
8½ inch by 6½ inch output
AND ENLARGING IT TO
4 FEET BY 3 FEET !!!!**

*** * * SIMPLY INCREDIBLE * * ***

Billboard Maker brings you the capability of enlarging your computer graphic masterpieces into attractive poster and "BILLBOARD" size reproductions.

"If you've ever wanted to use your own graphic pictures and never could, BILLBOARD MAKER opens a whole new world for you!!! You'll be able to take your original computer art and create effects you never thought could be done. BILLBOARD MAKER is a MUST addition for graphic applications never before available.

- DUMP shaded standard and ENLARGED graphic pictures to your printer QUICKLY and EASILY
 - Overlay specially designed TEXT fonts and ICONS on your enlargements - A TRUE SIGN MAKER
 - Allows re-drawing of details to enlarged sections resulting in incredible resolutions!!!
 - Easy to use utility to bring your pictures into your OWN PROGRAMS!!!
 - CONVERT picture file formats to other product formats
 - SMOOTH those ragged lines with the amazing "OPTIMIZER"
 - FLIP pictures for iron-on applications
 - STRIP color from your picture
 - REVERSE picture to negative - CROP and FRAME pictures
 - AND MANY MORE GREAT FEATURES
- PROFESSIONAL RESULTS - EASY and FUN to USE

BILLBOARD MAKER works as a stand alone product as well as with picture files generated by the following products:

ANIMATION STATION	COMPUTER EYES	FLEXIDRAW	PRINT SHOP
BLAZING PADDLES	DOODLE	KOALA	SUPERSKETCH

EQUIPMENT REQUIRED: Commodore 64, TV or Monitor, 1541 Disk Drive, Printer (required for print dumps)

BILLBOARD MAKER © 1985 SOLUTIONS UNLIMITED INC.
**DISTRIBUTOR/DEALER INQUIRES CALL
RELEVANT SOFTWARE MARKETING
914/683-5158**

ANIMATION STATION © SUNCOM, COMPUTER EYES © DIGITAL VISION, FLEXIDRAW © INKWELL, PRINT SHOP © BRODER-BUND SOFTWARE, BLAZING PADDLES © BAUDVILLE, DOODLE © OMNI, KOALA © KOALA TECHNOLOGIES CORP, SUPER-SKETCH © PERSONAL PERIPHERALS, COMMODORE 64 © COMMODORE BUSINESS MACHINES

Reader Service No. 196

MAKER BILLBOARD MAKER BILLBOARD MAKER
MAKER BILLBOARD MAKER BILLBOARD MAKER
MAKER BILLBOARD MAKER BILLBOARD MAKER

MAKER BILLBOARD MAKER BILLBOARD MAKER
MAKER BILLBOARD MAKER BILLBOARD MAKER
MAKER BILLBOARD MAKER BILLBOARD MAKER

MAKER BILLBOARD MAKER BILLBOARD MAKER
MAKER BILLBOARD MAKER BILLBOARD MAKER
MAKER BILLBOARD MAKER BILLBOARD MAKER

download. Using the CIS "B" protocol functions the same as described above. The other popularly used protocol is Christensen's XMODEM protocol. Many commercially marketed programs and most public domain terminal software use this protocol. Depending on the software package you are running, there will be some commands you use to start file transfer. You'll have to check your documentation to see how your software works.

One advantage of XMODEM is that it divides the file into parts and sends each part with a special code called a checksum. The receiving software does a calculation on each part and checks the result against the checksum. If the two numbers don't match, the part (block) is resent and the receiving computer throws out the block with the error in it.

The X-On/X-Off choice is the protocol of last resort, since it doesn't do any error checking. The sending computer (CIS) just sends the data out. If it receives a signal from the

Commodore CBM-2000

The Commodore Forum

- 0 General/Help!
- 1 The Commodore 64
- 2 The Commodore 128
- 3 The Amiga from CBM
- 4 Other CBM Computers
- 5 Software
- 6 Programming
- 7 CBM Magazines
- 8 CBM User Groups
- 9 News from CBM

Illustration 4: Section listing from Commodore technical support area.

other computer to stop (X-Off), it pauses until it receives a resume command (X-On). Although this works, if there is any line noise or bits are dropped, the corrupted file would run erratically.

Update: shortly before this column went to press, Commodore turned the three sections of its information network over to the Toronto Pet Users Group. The commands used to get into the network haven't changed; however, Commodore employees will

no longer be running the SIGs there.

Commodore has started a smaller technical support area that can be reached by using "GO CBM-2000". The system operators from the old network will be running the new technical support area. This area's section names are contained in illustration 4.

Starting this month, I'll be available on the new expanded Viewtron service. We are in the process of setting up a special area on Viewtron just for Commodore users. Since I have been asked to be a SYSOP for the system, I'll have the latest word on what could turn out to be CompuServe's biggest competition. My user number there is 58357CCP? I'm going to be handling the beginner's section there. Feel free to visit and leave me any questions you may have. I'll do my best to help you out. I'm always interested in your opinions on both my columns and computing, so let me know how you feel. Any suggestions on subjects for future columns would be appreciated. □

SYMBOL MASTER™

MULTI-PASS SYMBOLIC DISASSEMBLER FOR COMMODORE 64* & 128*

(Includes C-128 native 8502 mode)
disassembles any
6502/6510/8502 machine code
program into beautiful source

- Learn to program like the experts!
- Adapt existing programs to your needs!
- Automatic LABEL generation.
- Outputs source code files to disk fully compatible with your MAE,* PAL,* CBM,* Develop-64,* LADS* or Merlin* assembler, ready for re-assembly and editing!
- Outputs formatted listing to screen and printer.
- Automatically uses NAMES of Kernal jump table routines and all operating system variables.
- Disassembles programs regardless of load address. Easily handles autorun "Boot" programs.
- Generates list of equates for external addresses.
- Generates complete cross-referenced symbol table.
- Recognizes instructions hidden under BIT instructions.
- 100% machine code for speed. Not copy protected.

ORDER NOW! \$49.95 postpaid USA. Disk only.

*MAE is a trademark of Eastern House. PAL is a trademark of Pro-Line. Commodore 64 & 128 are trademarks and CBM is a registered trademark of Commodore. Develop-64 is a trademark of French Silk. LADS is a trademark of CompuTel Publications. Merlin is a trademark of Roger Wagner Publishing.



UNLEASH THE POWER OF YOUR COMMODORE 64 WITH THE ULTIMATE INTERFACE

- Control and monitor your home—appliances, lights and security system
- Intelligently control almost any device
- Connect to Analog-to-Digital Converters
- Control Robots
- Perform automated testing
- Acquire data for laboratory and other instrumentation applications
- Many other uses

Don't make the mistake of buying a limited capability interface. Investigate our universally applicable Dual 6522 Versatile Interface Adapter (VIA) Board, which plugs into the expansion connector and provides:

- Four 8-bit fully bidirectional I/O ports & eight handshake lines
- Four 16 bit timer/counters
- Full IRQ interrupt capability
- Four convenient 16-pin DIP socket interface connections
- Expandability up to four boards & sixteen ports.

ORDER NOW! Price \$169, postpaid USA. Extensive documentation included. Each additional board \$149.

All orders shipped from stock within 24 hours via UPS. VISA/MasterCard welcomed. There will be a delay of 15 working days on orders paid by personal check.

SCHNEDLER SYSTEMS

1501 N. Ivanhoe, Dept. A-12, Arlington, VA 22205. Information/Telephone Orders (703) 237-4796

COMMODORE 64™ SOURCE CODE!

"What's Really Inside the Commodore 64"

- Most complete available reconstructed assembly language source code for the C-64's Basic and Kernal ROMs, all 16K.
- You will fully understand calls to undocumented ROM routines, and be able to effectively use them in your own programs.
- Uses LABELS. Not a mere one-line disassembly. All branch targets and subroutine entry points are shown.
- TABLES are fully sorted out and derived.
- Completely commented, no gaps whatsoever. You will see and understand the purpose of every routine and every line of code!
- Complete listing of equates to external label references.
- Invaluable fully cross-referenced symbol table. Order C-64 Source. \$29.95 postpaid USA.

PROFESSIONAL UTILITIES:

We personally use and highly recommend these two:

- PTD6510 Symbolic Debugger for C-64. An extremely powerful tool with capabilities far beyond a machine-language monitor. \$49.95 postpaid USA.
- MAE64. Fully professional macro editor/assembler. \$39.95 postpaid USA.

COMMODARIES

PROGRAMMING CHALLENGES

By Dale Rupert

Each month, we'll present several challenges designed to stimulate your synapses and toggle the bits in your cerebral random access memory. We invite you to send your solutions to:

Commodares, c/o Ahoy!
P.O. Box 723
Bethel, CT 06801

We will print and discuss the cleverest, simplest, shortest, most interesting and/or most unusual solutions. Be sure to identify the *name* and *number* of the problems you are solving. Also show sample runs if possible, where appropriate. Be sure to tell what makes your solutions unique or interesting, if they are.

Programs on diskette are welcome, but they must be accompanied by listings. You must enclose a stamped, self-addressed envelope if you want any of your materials returned. Solutions received by the middle of the month shown on the magazine cover are most likely to be discussed, but you may send solutions and comments any time. Your original programming problems, suggestions, and ideas are equally welcome. The best ones will become *Commodares*!

PROBLEM #24-1: PRINTING PERMUTATIONS

This problem was suggested by Bill O'Rourke (Crystal River, FL). Simply stated, the user specifies a quantity, and the computer prints out every possible arrangement of that many numbers. For example, if the user specifies 3, the computer prints out the six possible permutations of three numbers (not necessarily in this order): 123 132 213 231 312 321. Nearly trivial, you say?!

PROBLEM #24-2: PYRAMIDAL PRINTOUT

Here's one from Nolan Whitaker (Jeffersonville, KY). The user enters any word that begins and ends with the same letter. The computer makes a pyramid out of the word. If the word is "DARED", the output is

```
      D
     A  A
    R    R
   E      E
  D  A  R  E  D
```

PROBLEM #24-3: FRACTIONAL FUN

Jim Speers (Niles, MI) suggested the reverse of *Problem #20-3: Decimal Endings* which is discussed this month. Given a repeating decimal such as 0.12345345... write a program to calculate its fractional equivalent. The repeating decimal must begin with not more than two non-repeating digits, and the number of repeating digits must be six or less. (The answer to the example is 12333/99900 or 4111/33300 in lowest terms.)

PROBLEM #24-4: SECTOR STATUS

The user specifies a diskette track and sector number. The computer responds "unused" or "used" to indicate whether that sector is available or not. BASIC only. Briefest is best. Explain your solution.

There were many responses to *Problem #20-1: Screen Scramble II*! !! elbmarcS neercS : 1-02# melborP ot senopser ynam erew erehT

The most common mistake of the "one-liners" was to POKE the upper left corner of the screen into the lower right corner of the screen without first saving the lower right corner. Those solutions looked like this:

```
10 FOR S=1024 TO 2023 : POKE 2023-C,PEEK(S) : C=C+1 : NEXT
```

A correct solution looks like this:

```
10 FOR S=1024 TO 1523 : M=2023-C : T=PEEK(S)
20 POKE S,PEEK(M) : POKE M,T : C=C+1 : NEXT S
```

Can you figure out what would happen if the 1523 in line 10 were replaced with 2023? The 1523 is the middle and 2023 is the end of the C-64 screen memory. VIC users must substitute values for the VIC's screen memory.

Readers used various places (besides the single variable T above) to store the data temporarily before rewriting it in reverse order to the screen. Some readers used arrays, others POKEd to free memory, and Paul Haynes (Flour Bluff, TX) used a sequential disk file. The disk file method is not the fastest way to reverse the screen, but it has the advantage of saving the screen image on

disk for future reference. Paul's solution is listed below.

```
5 REM SCREEN SCRAMBLE II BY PAUL HAYNES
10 OPEN 5,8,5,"SCREEN,S,W" : FOR X=1024
TO 2023 : PRINT#5,PEEK(X) : NEXT : CLOSE
5
20 OPEN 5,8,5,"SCREEN,S,R" : FOR X=2023
TO 1024 STEP-1 : INPUT#5,A : POKE X,A :
NEXT : CLOSE 5
```

You must save the color memory in addition to the screen memory in order to reproduce the original image. The color memory byte is at (X + 54272) for the C-64. You should be able to modify Paul's program to save and restore the color memory as well.

Ryan Yoder (Ft. Wayne, IN), James Speers (Niles, MI), and Randal Swenson (Mesa, AZ) sent machine language solutions. Randal's is for the unexpanded VIC 20. Ryan's solution for the C-64 uses 83 bytes and executes in 0.067 second! Ryan's program is contained in BASIC DATA statements, and Randal's is an assembler source code listing. James' C-64 solution is in BASIC DATA statements, and it also includes a commented assembler source listing. If you want to see their solutions, send a stamped, self-addressed envelope to *Commodores*. Clearly state the listing you are requesting.

James Dunavant (Gainesville, FL) used a combination of BASIC and an internal ROM 'move' routine. The ROM

routine transfers the screen memory up to 49152, and POKE statements move it back to the screen in reverse order. James says that line 110 is slow, but line 100 works in a flash. Line 105 makes things visible on the screen.

```
1 REM PROBLEM #20-1: SCREEN SCRAMBLE II
2 REM SOLUTION BY JAMES DUNAVANT
3 REM
100 POKE781,4:POKE782,232:POKE91,7:POKE9
0,0:POKE89,195:POKE88,0:SYS41964
105 POKE53281,1:PRINT CHR$(147):POKE5328
1,0
110 FOR I=50151TO49152STEP-1:POKE1024+C,P
EEK(I):C=C+1:NEXT
120 GOTO 120
```

James Speers (Niles, MI) came up with a very interesting solution. His program moves the screen memory to another memory location in reverse order. He then uses the screen memory page flipping technique to switch between screens. Press any key and the screen is instantly restored in line 110. You may rapidly flip screens by pressing any key. Pressing the "*" key once or twice will restore the screen to normal and exit the program. This is certainly a "flashy" little program!

```
1 REM PROBLEM #20-1: SCREEN SCRAMBLE II
2 REM SOLUTION BY JAMES SPEERS
3 REM
10 FOR I=0TO999:POKE13287-I,PEEK(1024+I):
POKE55296+I,1:NEXTI
20 POKE53272,PEEK(53272)AND150R192
100 GETZ$:IFZ$=""THEN100
110 POKE53272,PEEK(53272)AND150R16
200 GETZ$:IFZ$=""THEN200
210 IFZ$<>"*" THEN 20
```

Among the other readers with solutions to this problem are Paul Mather (Warminster, ONT), W.T. Mallison (Rocky Mount, NC), Michael Mills (Corbin, KY), Nolan Whitaker (Jeffersonville, KY), Dennis Furman, Steve Smith (Elkville, IL), Mark Maples, Mark Tillotson (Tulsa, OK), Jim Maloney (Pittsburgh, PA), Jim O'Brien (Warminster, PA), Matt Drown (Concord, NH), Allan Flippin (San Jose, CA), and Wallace Leeker (Lemay, MO). Two Warminsters!

Problem #20-2: Numeral Converter was a bit more involved than some of the other challenges, consequently the solutions are somewhat lengthy. The two programs printed below were chosen for differing reasons. Michael Marron's solution is straightforward and easy to follow. Michael said that the program could easily be extended to billions, etc. You might give that a try.

```
1 REM PROBLEM #20-2: NUMERAL CONVERTER
2 REM SOLUTION BY MICHAEL MARRON
3 REM
50 DIM D$(30),D(30)
60 FOR I=1TO27:READ D$(I),D(I):NEXT I
```

RENT
BUY



IBM
Apple - Atari
Software

EXCITEMENT

Hint Book
75 Adventures
\$19.95

Diskey (D).....	\$ 10.88
Seafox (D).....	\$ 8.98
Superbase (D).....	\$ 36.95
Drelbs (D).....	\$ 7.98
Protector II (D).....	\$ 7.98
Sentinel (D).....	\$ 7.98
Zeppelin (D).....	\$ 7.98
Adventure Master (D).....	\$ 18.95
Letter Wizard/Spell (D).....	\$ 28.95

+ MUCH MORE

All titles new and have manufacturers warranty. Limited quantities.
Add \$3.00 shipping and handling

Call toll-free outside Texas: 1-800-433-2938
— Inside Texas call: 817-292-7396

WEDGWOOD RENTAL
 5316 Woodway Drive
 Fort Worth, Texas 76133





WHITE HOUSE COMPUTER

In PA: 1-717-322-7700
1-800-351-3442

P.O. BOX 4025, HOURS: Monday thru Friday 9:00 am till 6:00 pm
WILLIAMSPORT, PA 17701
VISA and MC
Accepted 4%

DISK DRIVES

C-64	
1541	185.95
1571	249.95
1572	375.95
MSD Single	229.00
MSD Dual	459.00
Indus GT	199.00
Cardco SCD-1	199.00

INTERFACES

Tymac	
Connection/2K	62.95
Cardco + G	59.95
Cardco B	37.95
OR-D	
GPC w/2K	55.95
Grappler CD	89.95

PRINTER PAPER

Lazor 1000 shts.	15.95
Lazor 2500 shts.	29.95

DISKETTES ★

SKC	
SS/SD	10.50
SS/DD	13.50
DS/DD	15.50

MAWELL

MD-1	15.95
MD-2	21.95

ELEPHANT

SS/SD	13.50
SS/DD	15.50
DS/DD	19.50

INNOVATIVE

CONCEPTS

Flip-N-File	
10	3.50
15	8.50
25	18.50
w/lock	
50	17.50
50	23.50
ROM Holder	17.50

KOALA

Pad Disk	39.95
Pad ROM	45.95

COMPUTERS

C-64 149.95

C-128 ... 275.95

MODEMS

C-1600	44.95
C-1650	54.95
C-1660	54.95
C-1670	185.95
300/1200 Band	

Cardco

MOD-1

C-64

MPP-1064 ...

Tele

Learning

59.95	Mitey Mo ...	59.95
65.95	Westridge ...	69.95
49.95	Compuserve	
	Starter Kit ...	21.95

★ PRINTERS ★

C-64

MPS 801	179.95
802	208.95
803	175.95
MCS 801	314.95
DPS 1101	314.95

CITIZEN

MSP-10	325
MSP-15	479
MSP-20	469
MSP-25	629

EPSON

RX80	219
LX80	249
FX80	369
JX80	529
RX100	369
FX100	550

C. ITOH

8510 A	285
8510 BC1	329
8510 BC2	389
8510 BP1	339
8510 SP	389
8510 SR	429
8510 SCP	459
8510 SCR	477
1550 BCD	485
1550 P	445
A10-20P	465
F10-40P/S	875
F10-55 P/S	1059
F10 Tractor	169
F10 Sheet Feeder	349

MANNSEMAN TALLY

Spirit 80	249
MT 160L	495
MT 180L	595

STAR MICRONICS

SG10	210
SG15	379
SD10	345
SD15	450
SR10	485
SR15	585
Powertype	309

CARDCO

LQ 1

★ LQ 3 209

PANASONIC

1090	187
1091	231
1092	389
1093	585
3151	455

LEGEND

880	209
1080	229
1380	269
1385	305

OKIDATA

l82	219.95
84	640.95
92	349.95
93	560.95
Imagewriter	425.95

SOFTWARE ★

BATTERIES INCLUDED

Paper Clipw/SPELL Pk.	69.95
Paper Clip	59.00
Home Pack	32.95
Bus Card II	124.95
B180 Board	99.95

BRODERBUND

Print Shop	29.95
Graphics Library	18.95
B.S. Writer	32.95

EPYX

FAST LOAD

PRINTER RIBBONS

DUST COVERS

MONITORS

AMDEK

300G	119
300A	129
310A	145
Color 300	235
Color 500	345
Color 600	399
Color 700	469
Color 710	539

TEKNIKA

MJ-10	175
MJ-22	249

XTRON

Comcolor I

ZENITH

122	74.00
123	74.00

BMC

Amber	82.95
Green	79.95

COMMODORE

C-1702	199.95
C-1802	204.95
C-1902 RGB	259.95
C-1901 Monochrome	129.95

Dealers
Inquiries
Invited ★



VIDEO CASSETTE ★★

RECORDER \$275.95

Symphonic VHS/Remote

- 105 Channel Cable Ready
- 14 Day / 1 Program Timer
- 12 Pre-set Channels
- Auto Rewind

Plus much, much more!

CHECK

OUR PRICES!

WE CARRY A FULL LINE OF:

Batteries Inc., Broderbund, Contineal, Hess, Infocom, Innovative Concepts, Koala, LJK, Microbits, Micropose, Microtek, O.S.S., Professional S.W. Scarborough, S.S.I., Synapse, Time Works, Wico.

POLICY: No deposit on COD orders. FREE freight on all prepaid cash orders over \$300 in the continental USA. APO and FPO add \$5 per hundred. For priority Mail add \$8 per hundred. PA Residents add 6% sales tax. Defective products must have Prior RA number. Schools net 15.

Reader Service No. 221


```

70 INPUT"ENTER NUMBER IN WORDS";N$:L=LEN
(N$):WB=1
80 FOR I=WB TO L
90 L$=MID$(N$,I,1):IF L$=" " THEN 120
100 W$=W$+L$
110 NEXT I
120 IF W$="HUNDRED" THEN N=N*100:GOTO180
130 IF W$="THOUSAND" THEN N1=N*1000:N=:
GOTO 180
140 IF W$="MILLION" THEN N2=N*1000000:N=
:GOTO 180
150 FOR J=1 TO 27
160 IF W$=D$(J) THEN N=N+D(J):GOTO 180
170 NEXT J
180 IF I=L+1 THEN PRINT N2+N1+N : END
190 W$="" : WB=I+1 : GOTO 80
200 DATA ONE,1,TWO,2,THREE,3,FOUR,4,FIVE
,5,SIX,6,SEVEN,7,EIGHT,8,NINE,9,TEN,10
210 DATA ELEVEN,11,TWELVE,12,THIRTEEN,13
,FOURTEEN,14,FIFTEEN,15,SIXTEEN,16
220 DATA SEVENTEEN,17,EIGHTEEN,18,NINETE
EN,19,TWENTY,20,THIRTY,30,FORTY,40
230 DATA FIFTY,50,SIXTY,60,SEVENTY,70,EI
GHTY,80,NINETY,90

```

The most mysterious solution to this problem was submitted by Dennis Furman (Edwards, CA). Dennis said that his program accepts a number such as 2400 as ei-

ther "twenty four hundred" or "two thousand four hundred." Can you figure out the meaning of the values in the DATA statements?

```

1 REM
2 REM PROBLEM #20-3 : NUMERAL CONVERTER
3 REM SOLUTION BY DENNIS FURMAN
4 REM
10 DIMU(32),D(32)
20 FORI=0TO31:READU(I):D(I)=I:NEXT
30 T=:TT=:
40 GETN$:IFN$=""THEN40
50 PRINTN$;:A=ASC(N$)
60 IFA=32ORA=13THEN80
70 C=C+(B+1)*(A-64):B=B+1:GOTO40
80 FORJ=0TO8:IFC<>U(J)THEN100
90 T=T+D(J+1):GOTO220
100 NEXTJ
110 FORK=9TO18:IFC<>U(K)THEN130
120 T=T+D(K-9)+10:GOTO220
130 NEXTK
140 FORL=19TO26:IFC<>U(L)THEN160
150 T=T+D(L-17)*10:GOTO220
160 NEXTL
170 FORM=27TO31:IFC<>U(M)THEN210
180 T=INT(T*10^(M-25))
190 IFM<>27THENTT=TT+T:T=:
200 GOTO220
210 NEXTM:PRINT"ERROR":T=:TT=:
220 B=:C=:
230 IFA<>13THEN40
240 IFTT=0THENPRINTT:GOTO30
250 PRINT TT+T:GOTO30
260 DATA 58,111,135,171,110,109,185,176,
94,72,241,269,412,448,275,342,506,353
270 DATA 371,387,385,295,247,314,580,326
,344,256,396,1,1,348

```

Other excellent programs were received from Allan Flippin (San Jose, CA), C. C. Stalder (Waynesville, NC), James Borden (Carlisle, PA)—a COMAL solution, Ronald Jordan (Florence, OR), and David Hood (Wind-sor, NJ).

Problem #20-3: Decimal Endings brought some very fine solutions. Thomas E. Gantner (Dayton, OH) sent his solution as well as a reprint from the *College Mathematics Journal* (November 1984) in which he published an article on "The Computation of Repeating Decimals." The algorithm is based upon the work of the great mathematician C. F. Gauss. Dr. Gantner describes the solution as follows:

Given a fraction a/b in lowest terms, let M be the number of times that 2 is a factor of b , let N be the number of times that 5 is a factor of b , and let P be the product of the remaining factors of b . Let MAX denote the larger of the two numbers M and N ; then there are MAX nonrepeating digits in the decimal expansion of a/b to the right

Experience... THE JOY OF TEX

**\$12.95
LIFETIME
MEMBERSHIP**



Connect with
the leading
UNCENSORED
national
computer
communications
network.

A dults can
experience
"live" interactive
chatting,
electronic mail and
many other full-
service videotex
features.

For a FREE
brochure call
(212) 972-4719 or
write:

**CVC ONLINE,
dept. SL2
801 Second Ave.,
N.Y., N.Y. 10017**

Reader Service No. 214

of the decimal point, and the decimal expansion terminates whenever $P = 1$. When $P > 1$, the period is of length L , where L is the smallest integer having the property that $10 \nmid L - 1$ is a multiple of P .

```

10 REM PROBLEM #20-3: DECIMAL ENDINGS
20 REM SOLUTION BY TOM GANTNER (DAYTON, OH)
25 REM
30 T=10:C=0
40 FOR I=1 TO 100
50 M=0:N=0:L=1:P=I:TER=0:NUM=1
60 P%=P/2:IF 2*P% < P THEN80
70 P=P%:M=M+1:GOTO60
80 P%=P/5:IF 5*P% < P THEN100
90 P=P%:N=N+1:GOTO80
100 MAX=M:IF M < N THEN MAX=N
110 REM MAX = NO. OF NONPERIODIC DIGITS
120 IF P=1 THEN TER=1:GOSUB190:GOTO180
130 X=T
140 Y%=X/P:X=X-P*Y%
150 IF X=1 THEN GOSUB190:GOTO180
160 X=T*X:L=L+1:GOTO140
170 REM L = LENGTH OF PERIOD
180 NEXT I:END
190 REM DIGIT PRINTING ROUTINE
200 IF I=1 THEN PRINT "1/1 = 1 IS AN IN
TEGER":GOTO310
210 PRINT "1/";MID$(STR$(I),2);" = 0.";
220 FOR J=1 TO MAX+L
230 NUM=T*NUM:D%=NUM/I:NUM=NUM-I*D%
240 IF J=1+MAX AND TER=1 THEN300
250 IF J=1+MAX THEN PRINT "";
260 PRINT MID$(STR$(D%),2,1);
270 NEXT J
280 PRINT ""
290 PRINT "PERIOD =";L;"AFTER";MAX;"DIGI
TS":GOTO310
300 PRINT:PRINT "TERMINATES AFTER";MAX;"
DIGITS"
310 C=C+1:IF C < 5 THEN PRINT:RETURN
320 GET A$:IF A$="" THEN GOTO320
330 C=C-5:PRINT:RETURN

```

You may modify line 40 to obtain other ranges of numbers. For example, use `FOR I=821 TO 821` to see the 820-digit period of the number 821. Also change the 5 in lines 310 and 330 from 5 to 1. You may also modify the program starting at line 200 to send the output to your printer instead of the screen if desired.

The shortest solution to this problem was submitted by Robin King (Queens, NY). Robin's program factors out the 2's and 5's as described in the algorithm above. WN is then relatively prime to 10, and therefore its period of repetition is the same as for PN . To determine the period, WN is divided into 999...9 (as many 9's as necessary until the remainder is 0). The number of 9's used is the period of repetition of $1/WN$ and $1/PN$. Some

study should convince you that both solutions are using the same algorithm.

```

1 REM PROBLEM #20-3 : DECIMAL ENDINGS
2 REM SOLUTION BY ROBIN KING
3 REM
10 PN%=PN%+1 : WN%=PN% : PR%=1 : D%=9 :
IF PN%>100 THEN END
20 IF WN%=2*INT(WN%/2) THEN WN%=WN%/2 :
GOTO 20
30 IF WN%=5*INT(WN%/5) THEN WN%=WN%/5 :
GOTO 30
40 R%=D%-WN%*INT(D%/WN%):IF R%=0 GOTO60
50 PR%=PR%+1 : D%=10*R%+9 : GOTO 40
60 IF WN%=1 THEN PRINT PN%,"TERMINATING"
: GOTO 10
70 PRINT PN%,"PERIOD OF REPETITION ="PR%
: GOTO 10

```

Congratulations also to Allan Flippin (San Jose, CA), James Speers (Niles, MI), and Steven Gustafson (New Albany, IN) for their solutions and work on this problem.

No one submitted a solution to *Problem #20-4: Hyphen Help*. Several readers stated that they had worked on the problem but that it is a very complicated task. James Speers stated that he is having no difficulty with the BASIC language, but the ENGLISH language is driving him up the wall! We may still welcome and discuss any attempts or comments you may have regarding this problem. Once again, the user inputs a word, and the computer displays all reasonable ways of hyphenating it. It doesn't really sound that difficult, does it? See you next month. □

PROGRAMS WANTED

Don't be fooled by the fact that *Ahoy!* comes your way each month packed with the best games and utilities available in any Commodore magazine. We just don't have the mile-high inventory that you might imagine. But we're determined to continue bringing you the type of high quality programs you've come to expect from *Ahoy!* To that end, we've raised our rate of pay for accepted programs, and we've added staff to speed our response to your submissions. There's never been a better time to submit a program to *Ahoy!*

Send your program on disk or cassette (preferably disk), accompanied by an introductory article, a printout, and a self-addressed envelope of sufficient size with sufficient return postage affixed. (Submissions not accompanied by such an envelope will not be returned.)

Address submissions to *Ahoy!* Program Submissions Dept., Ion International Inc., 45 West 34th Street—Suite 407, New York, NY 10001.

FLOTSAM

I enjoyed Orson Scott Card's *Rockets, Boats, & Pigs* in *Pokes* article in the September '85 issue. He writes clear explanations about how to use the tons of features of the C-64. You ought to give this genius a promotion and make him president of Commodore land.

Thanks for the utility called *Ahoy! Dock* so that all of us can catalogue our Commodore magazines. It will take us about 10 years to do it, but *Ahoy! Dock* sure beats the *Fast Filer* published by *COMPUTE!* magazine in their July '85 issue. They must have all been drunk when they published their simple-minded program requiring you to add thousands of data statements to their BASIC program just to index the Commodore universe! After I spent two days typing in the program and after seeing what it did and didn't do, I re-formatted the disk that I had used. Luckily I came across *Ahoy!* magazine's index. Keep up the good Commodore utilities for the 64!

—Robert Desko
Endicott, NY

In your September '85 issue of *Ahoy!*, Edward Champa writes in *Flotsam* about the compatibility of Epyx *Fast Load* with *Multiplan*. He was told by Epyx that the problem is with relative files. I do not believe this is true.

I use it with other programs that use relative files without any problem. I believe the problem is with *Multiplan*. It seems that when you overwrite a file, it erases the old file first, but when it tries to write the revision, it will say "Cannot write file" and you are left with no place to go. This happened to me. Fortunately, I had a backup disk and nothing was lost.

The solution is that after you load *Multiplan*, you must turn off your disk drive and then turn it on again. Evidently *Fast Load* does something in your disk drive and by turning it off and on, you put things back to normal.

This is a solution I found by experimentation. I find that the manufacturers of software and hardware peripherals tend to blame your problems on some other part of your system, never *their* product! —R.H. Schuette
Blaine, MN

I own a Commodore 64 and have it interfaced with the Olivetti PR2300 printer. This printer requires dry ink jet ampules and not a ribbon. I have had trouble finding these ampules. I've read that over 20,000 of these printers have been sold (it can be interfaced to the Apple, IBM PC, Atari, TRS80, VIC 20, Commodore 64, and almost any other home computer).

I have found a reliable source for obtaining the ampules, and realized that many of your readers probably purchased the same printer and would be interested. The name of the company is:

Micro Data Products
P.O. Box 532276
Grand Prairie, TX 75053

I purchased a box of four ampules for \$8.95 plus \$1.00 for postage/handling, and understand that there is an additional discount for larger quantity purchases.

—E. Mahan
Duncanville, TX

I received your letter yesterday containing the *Errata* info on *Fastnew* (Sept. '85). I'm very pleased and impressed with your quick response to my letter. I completed the changes as described, and am happy to report that the *Fastnew V0316* program works great—no head bang! Thanks again for the speedy response.

I read David Allikas' *View From The Bridge* (Oct. '85) and am delighted with his positive attitude. I, for one, am sick of everyone else's pessimistic editorials and outlook. It's obvious that *Ahoy!* has been working hard to provide present Commodore owners with quality programs, while increasing content too! I've noticed a three-fold increase in content over September '84.

I am grateful that *Ahoy!* is continuing to support present Commodore users and applaud your desire to improve your service to Commodore owners. It shows, and is appreciated. Keep it up!

—Roman Gumula
North Stonington, CT



PROFESSIONAL HANDICAPPING SYSTEMS



• PRESENTED BY PROFESSOR JONES •

GLD. Thoroughbred "Gold" Edition™
A "Full" featured thoroughbred analysis designed for the professional and the serious novice. **\$159.95 complete**

EGLD. Enhanced "Gold" Edition™
"Gold" Edition with complete Master Bettor™ system integrated onto the same disk. This powerful program will transfer all horses and scores to the bet analysis with a "single keystroke" (Master Bettor™ included) **\$199.95 complete**

GLTD. Limited "Gold"™
Enables Professional Handicappers to assign specific values to the racing variables "they" feel are important. Create program weight based on a particular track and fine tune it for maximum win percentage. This program is designed for "ease of use". The user needs no programming experience. (contains Integrated Bettor™) **\$299.95 complete**

GD. Gold Dog Analysis™
The "ONLY" professional greyhound analysis available that evaluates ALL variables. **\$149.95 w/integrated Bettor \$199.95 Limited Version \$299.95**

MHH. Master Harness Handicapper™
Professional software designed to provide a thorough analysis of all trotter and pacer races in North America and Canada. **\$159.95 complete \$199.95 w/integrated Bettor Limited \$299.95**

Professor Pix Football™
Complete STATISTICAL ANALYSIS on Data Base allowing "Designated" previous games to be evaluated. **Statistical Series \$99.95 w/Win-Loss Power Ratings \$149.95**

NBA. Basketball™ **NBA \$99.95 w/college \$129.95 w/power ratings \$149.95**

LOT. Lottery Analysis™
Statistical comparison program designed to detect subtle patterns in winning numbers and digits. **Lotto (3-4 digit) \$79.95 w/Lotto (Max. 99 Digit) \$99.95**

PC-3 Portable Computer (4k) with choice of Thoroughbred, Greyhound or Trotter™ **\$249.95** (includes portable computer and program.)

M-100 Portable (24k) w/choice of Thoroughbred, Greyhound, or Trotter, **\$649.95** (includes portable computer and program.)

**IBM™
APPLE™
TRS-80™
CPM™
COMMODORE™**

Prof. Jones
1940 W. State St.
Boise, ID 83702



48 HR. FREE SHIPPING

 **CALL
208-342-6939**

TERMS: FREE SHIPPING ALL SOFTWARE. Add \$6.00 hardware / \$6.00 C.O.D. / UPS Blue \$6.00 / Out of Country \$9.00 / ID Residents 4% / 3 weeks personal checks / Cash price only, add 2% Visa. MC / Prices subject to change.

BROCHURE AVAILABLE

Reader Service No. 236

GAMELOADER

For the C-64

By Tim Brown

In my household there are a nine-year-old and a five-year-old who are learning to use my computer. They enjoy playing the games and running some of the programs, but with a few we run into a little problem. It's hard for my kids (and sometimes myself) to remember which programs load at BASIC and which load above BASIC. *Gameloader* was written so we won't have that problem anymore.

Normally a machine language program starts at 49152 or some other address above BASIC, and must be executed with a "SYS" command. This requires remembering to load the program in non-relocatable format, i.e.: LOAD"program",8,1. After doing this, you must remember the proper address to "SYS" or it won't execute properly. Trying to get a five- and nine-year-old to remember all these numbers is not easy. *Gameloader* does all the remembering for you.

Gameloader may be used with any program that loads in non-relocatable format (i.e.: Load"programname",8,1) with a known start address, such as public domain ML software. Use of *Gameloader* with software of this nature requires that you know the execution address of the program. One exception is a program that is auto-booting. In this case the execution address need not be known, as the program will execute itself as it loads.

To get *Gameloader* to work for you, just type it in, save it, and run it. You will then only have to answer the prompts for it to construct the loader. The first prompt you will be asked for will be the original program name. Enter this information; then you will be asked the address to "SYS". After entering this information, *Gameloader* will change the name of the original program to the first letter of the original program plus an "x", construct the loader, and save the loader under the original program name. The loader that is created will now load and "SYS" the proper address of the original program. Your program now becomes "(first letterX)". From now on, you can load that program and then just run it.

Now let's examine the program line by line.

Line 5 sets screen and cursor color. These may be changed to suit the user.

Line 10 prints a title to screen.

Line 20 uses INPUT to ask for the name of the program to be converted.

Line 30 asks for the address to SYS. If there is no address given, simply press RETURN.

Line 40 copies the original program name for *Gameloader* and stores the new name in NX\$.

Line 50 will ask that you insert the disk into your drive that has the program you want to convert on it.

Lines 60-80 accept a Y/N answer.

Lines 110-117 change the original program name to NX\$'s content.

Lines 120-160 are the new loader construction routine, which is printed to the screen and saved automatically.

Lines 9000-9090 is a sound "beep" routine which will sound only when "N" is used.

Now load "original program name",8. When the "ready" prompt appears, simply type "run" and the original program will load and execute without operator intervention.

This simple utility will come in handy in time savings, compared to time spent looking through all the manuals for proper addresses. It is also easily modified. You can add statements to turn on printers before "SYSing" up, and you can add a few lines to set screen colors. On some games you can add codes to set sprite size and make the game even more interesting.

You may notice that this program is similar to an auto run type boot program, but with the auto run boot, you must still remember to load in a non-relocatable format, i.e., Load"Programname",8,1. The user must still remember to type ,8,1 after the program name or the program will not operate. With *Gameloader* all you have to do is Load"Programname",8 then run it, the same as all BASIC programs. □

SEE PROGRAM LISTING ON PAGE 129



ULTRABYTE DISK NIBBLER VERSION 2.0

TOP - RATED COPIER DRAMATICALLY IMPROVED

INFO - 64 Magazine, June 1985, compared Commodore 64 copy programs and awarded the Nibbler its highest rating. Now the Nibbler has been improved to copy dozens of the latest programs that previously could not be copied, all in less than three minutes.

FOR SINGLE 1541 & DUAL MSD DRIVE

- Simple. Even a beginner makes perfect copies
- Fast. Copies protected disks in three minutes
- Sophisticated. Senses the disk being copied and automatically adjusts for dozens of protection schemes. Copies 99+ % of software
- Modular design to allow easy updates
- Even copies itself. For this reason, no refunds will be given

\$ 39.95 plus \$4.00 shipping & handling.

Mastercard, Visa, Check or M.O., Calif. add 6.5% (\$2.60) sales tax.
Foreign orders or COD add \$2.00. Payment must be in U.S. funds.
Previous customers may order V 2.0 for \$20.00 plus \$4.00 shipping

NIBBLER V 2.0 EVEN COPIES ITSELF

To order, write or call 24 hr. order line
For information, write. Phone for orders only

ULTRABYTE (818) 796-0576

P.O. Box 789 La Canada, CA 91011 USA

DEALERS & DISTRIBUTORS WANTED

CLOAK

File Encryptor for the C-64 and VIC 20

By **Melvin Baker**


While the concepts of data encryption can themselves be fascinating, especially to a computer enthusiast, they can be quite useful in this world of electronic hackery. Perhaps you have some confidential business reports to send over the phone lines. Or maybe you've got embarrassing love letters to your sweetheart on disk. Then again, you could just be paranoid. Whatever your reason, if you have data files that you would like to maintain the privacy of, you need an encryption program.

The purpose of an encryption program is to protect your valuable data from being viewed by unauthorized persons. The encryption process makes the data appear to be a meaningless collection of random numbers. So if unwanted gets a copy of your data it is of no value to them, since it is unintelligible. But an individual who knows the encryption key can decrypt the data and restore it back to its original usefulness. *Cloak* is just such a program.

Cloak is a very easy program to use. Practically all you have to do is think of a good encryption key and answer a few simple questions. The program does the rest. *Cloak* can be run on the VIC 20 with or without memory expansion, and with changes made to only two lines as follows:

```
100 MP=828:KEY=882:BY=254:TL=13713:CS=0
186 DATA 131,054,088,135,169
```

(The *Bug Repellent* line codes following each line of the program listing on page 130 are for the C-64 only.)



"Hi there, handsome!"

The encryption process is straightforward. *Cloak* will ask for the source file name. That is the name of the disk file that you would like to protect. *Cloak* will then ask you to declare which file type that data file is. You can use *Cloak* to encrypt any sequential file. Even a BASIC program can be encrypted. Then *Cloak* asks you for the name that you would like the new encrypted file to be saved under, and which file type.

That's all there is to the encryption process. Decryption is just as easy. Simply run *Cloak* again, only this time use for the source file the name of the encrypted file. And be sure to use the exact same key that you used for the encryption. Character for character, it must be identical. When the RUN/STOP key is hit or when it is finished running, *Cloak* will automatically reset the computer. This is normal. On the C-64 you can expect *Cloak* to take approximately 13 seconds for each block processed. In other words it should take *Cloak* about 130 seconds to process a ten block file. On the VIC it's about 13 seconds per block as well.

The heart of *Cloak* is a short machine language routine that does all the actual dirty work. BASIC simply handles all the disk I/O. Since the ML routine uses the tape I/O buffer, cassette operation is not possible. Cassette would not be practical anyway, since the program both reads and writes on two different files consecutively.

The all-important item is the encryption key. It can be any group of characters that you can type into a string variable via the BASIC INPUT command. Although graphics characters are allowed in the key, you may wish to stick to simple text. It is much easier to remember a line from your favorite poem than meaningless graphics symbols.

The length of the key is somewhat important. As a general rule of thumb, the longer the key, the more secure your data will be. The maximum limit on the length of the key is 136 characters. However, in practice you are limited to the size that the BASIC INPUT buffer will allow. If you are willing to give up the INPUT command on line 112, then KY\$ could be assigned a string value and by adding characters a key with a length of up to 136 characters could be built.

The encryption process used by *Cloak* is reasonably secure. The security provided should be suitable for home use as well as small businesses or clubs. □

SEE PROGRAM LISTING ON PAGE 130

TIPS AH-OY!

Compiled by Michael Davila

Shawn K. Smith received \$40 for his *Saved Again* routine in the November installment of *Tips Ahoy!* Don Lewis banked an equal sum for *In-Code Load*, while Mark Baker's six-line *Write Protect Tab Checker* netted him \$30 (or \$5 per line!). That's just a sampling—your contribution could earn you even more. But even if you make a lousy twenty bucks, you're in disks for the year! Why not send your best original tip or suggestion, pertaining to programming or any aspect of Commodore home computing, to *Tips Ahoy!*, c/o Ion International Inc., 45 West 34th Street—Suite 407, New York, NY 10001.

NO KNOCKS AND PINGS

Cleaning your 1541's heads can be hazardous to your alignment if you spin the cleaning disk with error-producing loops such as

```
OPEN1,8,15:FORX=0TO5:PRINT#1,"V":NEXT:CLOSE1
```

In the October '85 *Ahoy!*, John DeRosa solved the problem with a utility to vary the head position, keep track of the times a cleaning disk is used, and spin the motor harmlessly by changing a bit in the 1541's memory. The following brief code, borrowed and modified from John's program, will do the job without all the bookkeeping.

```
10 PRINT"[CLR/RVS ON]DRIVE HEAD CLEANER[
22 SPACES]"
20 PRINT"**INSERT CLEANING DISK**[DWN]"
30 INPUT"SPIN DRIVE MOTOR HOW MANY SECONDS";S:S=S*60
40 OPEN1,8,15:PRINT#1,"M-R"CHR$(0)CHR$(28)
50 GET#1,X$:X=ASC(X$+CHR$(0))
60 BI=X OR 4
70 PRINT#1,"M-W"CHR$(0)CHR$(28)CHR$(01)CHR$(BI):CLOSE1:REM START DRIVE MOTOR
80 J=TI
90 IF TI-J<STHEN90
100 BI=X
110 OPEN1,8,15:PRINT#1,"M-W"CHR$(0)CHR$(28)CHR$(01)CHR$(BI):REM STOP MOTOR
120 CLOSE1:END
```

—Bert Halverson
Joplin, MO

SYS REMINDER

Trying to remember all those SYS numbers that belong to your machine language programs can be quite tedious. If a program name is ALIEN, and its SYS number

is 49152, try saving the program like this:

```
SAVE"ALIEN[SS]49152",8,1
```

When you go to list the directory, you will see "ALIEN" 49152, a little reminder of the SYS number. To load the program back into the machine type LOAD"ALIEN",8,1. This method can also be used to shorten program names, for example:

```
SAVE"1[SS]ALIEN",8,1
```

Later on just LOAD"1",8,1.

—Michael Smith
Port Hawkesbury, Canada

I/O BLUES CHANNEL

When writing a program that requires opening and closing files, such as sequential and relative files, I find it useful to put a short routine at the end of my program which cannot be accessed by the program, and will check the error channel when you need it to (since when an I/O error has occurred, it will only say "SYNTAX ERROR" and not describe what is the problem). I just type RUN 20000 (20000 being the routine starting line) and presto, you can find out what is wrong.

```
20000 OPEN 15,8,15
20010 INPUT#15,A$,B$,C$,D$
20020 PRINT A$,B$,C$,D$
20030 CLOSE15
```

I would be lost without this useful routine! —Barry Allyn
Arlington, WA

RELIN A LINE

Reline is a handy little utility for the C-64 that renumbers your BASIC program lines in any increment you choose, between one and 255. Just run it and answer the prompt. Then, after loading the program you want to change, type SYS50000 and press RETURN. Instantly the lines in your program will be renumbered. Since *Reline* resides in a separate area of RAM, BASIC will not disturb it. Neither will loading and saving programs. You can SYS it as often as you like.

Reline is also handy when you're writing a program and you've had to add new lines between old. Just SYS50000, and presto, everything's renumbered. You can change the increment at any time by POKEing location two with the desired amount (i.e.: POKE2,10).

Notice that the lines in *Reline* are incremented by 10. To demonstrate how nifty and easy it is to use, answer the initial prompt with 25, then SYS50000. List *Reline* and you'll see that all the lines are now in increments of 25. POKE2,100, then SYS50000. Another listing reveals the lines now increase by 100.

Although there are some full-fledged renumbering programs (see *Renumbering Utility* by Anthony Wood, July '84) that will change any GOTO, GOSUB, and IF/THEN statements accordingly, in the interest of brevity (nine lines long = no arduous typing) I elected to omit this option. If the program you want renumbered has any of the above commands, be sure to make note, so you can change them later.

```
10 PRINT"[CLR]":FORJ=50000TO50056:READA:
POKEJ,A:X=X+A:NEXTJ
20 IFX<>7825THENPRINT"ERROR IN DATA...":
END
30 PRINT"DATA OK...":INPUT"[DOWN]DESIRED
INCREMENT (1-255)":I:POKE2,I
40 PRINT:PRINT"[DOWN]SYS50000 TO RENUMBE
R...":END
50 DATA165,2,133,253,141,3,8,169,0,133,2
54,141
60 DATA4,8,174,1,8,173,2,8,134,251,133,2
52
```

```
70 DATA165,253,24,101,2,133,253,197,2,17
6,2,230
80 DATA254,160,2,145,251,200,165,254,145
,251,160,0
90 DATA177,251,170,200,177,251,208,220,9
6
```

—Buck Childress
Salem, OR

FILE METAMORPHOSIS

Have you ever tried loading a program file into a word processor? As you all know, the results are 'weird' to say the least. Here is a simple method of converting your program (PRG) to a sequential(SEQ) file.

Load the program you wish to convert. Enter the following directly (use a different name from the original):

```
OPEN 5,8,5,"<PRG NAME>,S,W":CMD 5:LIST
```

When the program is done (you will see the cursor), enter:

```
PRINT#5:CLOSE5
```

Remember to type out the word PRINT and not to use the '?'. If you look at the directory you will see a new SEQ file on the disk. You will now be able to load or

SERIAL BOX

... is an intelligent
64K Serial Port
Print buffer...

that works with
ALL Commodore
printers & ALL
serial printer
interfaces!

SPECIAL INTRODUCTORY
OFFER

SERIAL BOX

\$49⁹⁵ + Shipping
Until Jan. 15, 1986
Then \$74⁹⁵ + Ship.

THIS IS YOUR
CHANCE
TO PURCHASE THE

SERIAL BOX

AT THIS AMAZING
LOW PRICE!

*C-64, C-128 & VIC-20
are registered trademarks
of Commodore Business
Machines, Ltd.

**FOR THE COMMODORE
C-64 C-128 VIC-20**

SERIAL BOX

64K SERIAL PORT BUFFER



SPECIAL OFFER!
SERIAL BOX
\$49⁹⁵ PLUS SHIPPING
Offer good until
January 15, 1986
\$74⁹⁵ + Shipping
THEN—
See side panel for details

SERIAL BOX

DEALER INQUIRIES INVITED

The
SERIAL BOX
... Lets you compute while your
printer prints.

Imagine downloading a bit-
mapped screen such as Flexi-
draw or Koala-painter in
27 seconds!

You can dump 15 pages of text
or a 35-page BASIC listing in 2½
minutes.

Oh yes...

SERIAL BOX
can even skip over perforations.

CALL: 1-800-228-7264 FOR ORDERS AND INFORMATION
IN PENNSYLVANIA CALL (215) 622-5495 OR WRITE:

R. J. Brachman Associates, Inc.

P.O. BOX 1077 • HAVERTOWN, PA 19083
Please add \$3.00 for shipping and handling (USA and Canada)
VISA, MC, Check or Money Orders accepted. C.O.D. add \$2.50.
PA residents add 6% (PLEASE ALLOW 4 TO 6 WEEKS FOR DELIVERY)

*Flexi-draw is a registered trademark of Inkwell Systems.
Koala Painter is a registered trademark of Koala Technologies Corp.

merge this file on a word processor with the full assurance that it will be readable.

—George E. Lang
Pittsburgh, PA

VIEW BETTER BAM

The readability of the VIEW BAM program on the 1541 TEST/DEMO disk can be greatly improved by changing the symbols used to designate the sectors. The following POKES quickly substitute my choices. Load VIEW BAM, then POKE 3398,42:POKE 3414,46 and resave the program. This changes the full sector symbol (program line 640) to a reverse asterisk, and the empty sector symbol (program line 650) to a period.

I thought that this little routine might be useful. It accepts a character in either of two ways, as text or ASCII code. It is not necessary to specify how the character is being entered.

```
10 INPUT"TEXT CHARACTER OR ASCII";A$
20 A=ASC(A$):IF VAL("1"+A$)<>1 THEN A=VAL(A$)
30 PRINT A,CHR$(A)
40 GOTO 10
```

—Donald E. Fulton
Stoneham, MA

STOP-LIST

This short utility redefines the SHIFT keys so that when pressed they will temporarily stop the listing of a program until you let go. The SHIFT LOCK key is also redefined, making the process of proofreading directly from the screen more pleasant of a task. To use, load and run *Stop-List*; the program will then execute and erase itself. Next load in the program you wish to view and LIST.

```
10 REM ** STOP-LIST BY DAVID ROSCOE **
20 L=232:H=PEEK(56)-1:Q=PEEK(775):IF Q<167 THEN 80
30 POKE55,L:POKE51,L:POKE56,H:POKE52,H:POKE774,L:POKE775,H
40 FOR X=L+H*256 TO X+21:READD:POKE X,D:NEXT
50 POKE X,Q
60 DATA 72,152,72,32,159,255,169,1,44,141,2,208,246
70 DATA 169,0,133,198,104,168,104,76,26
80 NEW
```

—David Roscoe
Passaic, NJ

UNSEEN SPEED

The Commodore 64 is a good computer, but sometimes BASIC runs far too slow. The problem lies with the screen service routine. If you are doing a long series of calculations and find that the program takes too long,

MERLIN 64™

THE BEST MACRO ASSEMBLER FOR THE COMMODORE 64
Easy to use for the beginner or professional, Merlin 64 is an extremely powerful macro assembler.
Just a few of its features include:



- Fast assembly times
- Word processor like editor
- Conditional assemblies, Optional assembly to disk
- Includes Sourceror, an easy to use disassembler that creates Merlin 64 source files from binary data
- Macro library of common operations
- Cross Ref. utility program
- 80 column display compatibility

"This is the best assembler I've seen for the Commodore 64..."
Wm. Sanders / Assembly Language for Kids

"...an outstanding value...I can't imagine how it could be better."

\$49.95*

C Peterson / AHOY! Magazine

*Plus \$3.00 Shipping, CA Res. add 6% Sales Tax.

Ask your local dealer for details, or just write or call:

Roger Wagner™
PUBLISHING, INC.

P.O. Box 582 • Santee, CA 92071 • Telephone: 619/562-3221

Reader Service No. 235

BridgePro®

BridgePro is the first program I've seen that provides a challenge for the average-to-excellent bridge player... The documentation is excellent and allows a new bridge player to learn the basics.

—Harvey Bernstein, Antic Magazine, Feb. 1985

After having tried three other bridge programs, I find that BridgePro is indeed a pro game... It is designed for both the beginner and the advanced player... I didn't find anything that could be improved upon.

—Helen Garret, Apple-Dayton Journal, March 1985

If you like to play bridge and don't have three other players ever-eager to play, this software is a must. For bridge freaks it's good enough to justify buying a computer... Whether you are a "master" or a beginner, this is great software.

—Christian Basler, NY
Commodore Users Group
Review, Sept. 1984



BridgePro is designed to let you learn, improve, or just enjoy the card game of bridge. The program provides complete bidding, play and scoring for 1 or 2 players. Features include random hands, bidding help, demonstration mode, hand replay/quit, best hand, auto finish, duplicate mode, and fast machine language speed.

\$35
DISK

CA Residents add \$2.28 Sales Tax
Add \$2 for COD/UPS 2nd Day Air
VISA/MasterCard Welcomed

Money Back Guarantee
24-Hour Toll Free Orders
1-800-443-0100 ext. 158

Commodore 64 • Atari
Apple II • IBM PC/PC jr

Computer Management Corp.
2424 Exbourne Ct
Walnut Creek, CA 94596
Dealer Inquiries Invited

Reader Service No. 182

AHOY! 111

**It Talks!
It Recognizes!
It Writes Music!**
and more . . .



THE AMAZING VOICE MASTER®

Speech and Music Processor

Your computer can talk in your own voice. Not a synthesizer but a true digitizer that **records** your natural voice quality—and in any language or accent. Words and phrases can be expanded without limit from disk.

And it will understand what you say. A real word recognizer for groups of 32 words or phrases with unlimited expansion from disk memory. **Now you can have a two way conversation with your computer!**

Easy for the beginning programmer with new BASIC commands. Machine language programs and memory locations for the more experienced software author.

Exciting Music Bonus lets you hum or whistle to write and perform. Notes literally scroll by **as you hum!** Your composition can be edited, saved, and printed out. You don't have to know one note from another in order to write and compose!

Based upon new technologies invented by COVOX. One low price buys you the **complete system**—even a voice controlled black-jack game! In addition, you will receive a subscription to COVOX NEWS, a periodic newsletter about speech technology, applications, new products, up-dates, and user contributions. **You will never find a better value for your computer.**

ONLY \$89.95 includes all hardware and software.

For telephone demonstration or additional information, call (503) 342-1271. FREE audio demo tape and brochure available.

Available from your dealer or by mail. When ordering by mail add \$4.00 shipping and handling (\$10.00 for foreign, \$6.00 Canada).

The Voice Master is available for the C64, C128, all Apple II's, and Atari 800, 800XL and 130XE. Specify model when ordering.



For Faster Service on Credit Card Orders only:

ORDER TOLL FREE 1-800-523-9230



COVOX INC.

(503) 342-1271

675-D Conger Street, Eugene, OR 97402
Telex 706017 (AV ALARM UD)

why not turn off the screen display until the calculations are finished! To do this simply execute the following line from your program and the screen will go blank.

```
100 POKE 53265,PEEK(53265) AND 239
```

You will find that the program will finish at least 15% faster than normal. When the calculations are finished simply execute the following line and your screen will return to normal.

```
100 POKE 53265,PEEK(53265) OR 16
```

—Saul D. Betesh
Kingston, Ontario

SPEEDY HI-RES SCREEN CLEAR

Umpteen machine language utilities have been proposed to clear a hi-res screen, because POKEing the screen clear from BASIC is so agonizingly slow—about 30 seconds.

Here is a trick that will clear most of free memory, enough for several screens, from BASIC in 2 seconds using one easily remembered line.

```
FOR X=1 TO 255:Z$=Z$+CHR$(X):NEXT
```

Use this line before pulling down the top of BASIC. In generating one 255-byte string, this loop leaves behind in dynamic string space 254 dead strings. The total number of bytes written into is an amazing 32K, so memory from 8K to 40K is cleared in only 2 seconds.

—Donald Fulton
Stoneham, MA

FASTER BASIC?

Probably the fastest way to speed BASIC is among the least known, i.e. GET# with multiple arguments. The simple file reading program below, which reads a file with GET# 2,A\$ was timed. Then line 30 was replaced with GET# A\$,B\$,C\$,D\$,E\$,F\$,G\$,H\$,I\$,J\$,K\$,L\$,M\$,N\$,O\$,P\$,Q\$,R\$,S\$,T\$,U\$,V\$,W\$. The results are given below.

	7 Sector File	55 Sector File
Single GET#	17 Sec.	144 Sec.
Mult. GET#	6 Sec.	49 Sec.

While it takes a few seconds to type such a long line, a X3 speed improvement is well worth it!

It's faster probably because each time GET# is encountered, the input must be switched from the keyboard to a specified logical channel.

—Donald Fulton
Stoneham, MA

```
10 MM=TI
20 OPEN 2,8,2,"PROGRAM,P,R"
30 GET#2,A$
40 IF ST=0 THEN 30
50 PRINT"TIME="(TI-MM)/60
60 CLOSE2
```


DIRECTORY MANIPULATOR

For the C-64

By Bob Ossentjuk

The *Directory Manipulator (DM)* is an all-BASIC utility program for the C-64 and 1541 disk drive. *DM* provides eight directory manipulation options which are accessed by the function keys. The options available are:

- f1—Relist directory
- f2—Alphabetize directory
- f3—Insert BLANK entry
- f4—Delete BLANK entries
- f5—Insert ----- entry (dashed line entry)
- f6—Insert 'REMARK' entry
- f7—Swap directory entries
- f8—Delete directory entries

When *DM* is executed it will read and display the directory of the inserted diskette. The directory display will accommodate up to 40 entries at a time. If there are in excess of 40 entries on the diskette, you will be prompted to 'HIT ANY KEY' to display the next 40 entries.

Once the display is completed, you will be prompted with 'DIRECTORY OK'. A 'YES' response will cause you to exit the *DM* program. If no directory changes have been made, the directory will not be rewritten. If changes have been made, the directory will be rewritten. In either case the diskette will be VALIDATED upon exit. If you answered 'NO' to the 'DIRECTORY OK' prompt, you will be prompted to 'SELECT DIRECTORY MANIPULATION COMMAND'.

Selection of any of the above described function keys or 'H' may be made at the 'SELECT DIRECTORY MANIPULATION COMMAND' prompt.

Selecting 'H' will display the HELP menu, which provides a brief description of each of the FUNCTION KEY commands. If 'H' has been executed and no changes have been made to the directory, you may exit *DM* without rewriting the directory.

An f1 ('RE-LIST DIRECTORY') selection redisplay the directory. If f1 has been executed and no changes have been made to the directory, you may exit *DM* without rewriting the directory.

Use of commands f2 through f8 (described below) will

cause the directory to be rewritten upon exit from *DM*:

Executing f2 ('ALPHABETIZE DIRECTORY') will sort the directory into alphabetical order. A SHELL SORT routine was used to perform this function (see line 900).

Selection of f3 ('INSERT BLANK ENTRY') causes a blank entry to be inserted into the directory at the location specified at the appropriate prompt. The blank entry will be replaced by the file/program entry of the next file/program saved to the diskette. This provides a method by which the order of directory entries can be controlled.

The f4 ('DELETE BLANK ENTRIES') command removes all blank entries from the directory.

Execution of the f5 ('INSERT ----- ENTRY') option causes a dashed line entry filename to be placed into the directory at the specified location. The dashed line can be used to delineate groups of files, comments, and/or remarks.

Selecting f6 ('INSERT REMARK ENTRY') causes the selected REMARK to be entered into the directory, as a filename, at the appropriate location. The f6 command provides a method to add comments to a diskette directory.

Choosing f7 ('SWAP DIRECTORY ENTRIES') allows any two selected entries to swap positions in the directory.

The f8 ('DELETE DIRECTORY ENTRY') command will delete the selected filename from the directory. Once the command is executed, there is no recovery of the deleted file possible.

The *Directory Manipulator* is designed to allow the user to freely reorganize and comment diskette directories. However, when you first enter the program it should be tested with a diskette that you can afford to destroy. The *DM* does write a new directory, and if the program is not properly debugged it could destroy your diskette directory.

DM is very modular and is heavily commented. The modularity facilitates easy program modification. For example, if you would like to leave out the HELP menu, simply remove line 610 and lines 1310-1390. The comments are provided to allow for easier understanding of the program. The REM statements may be left out when the program is entered if you wish to reduce entry time. □

SEE PROGRAM LISTING ON PAGE 127

Continued from page 63

programs! Operation with the DOS Wedge program loaded is sporadic, and at times the computer may hang up and have to be powered down.

The COMMTX program reads the keyboard with the GET statement until a key is pressed. It then sends the typed character to file number 2 and displays it on the screen. The COMMRX program simply sits, waiting for a character to arrive from file #2. Upon receiving a character with the GET#2 statement, it prints the character and goes back to wait for the next one.




Figure 1—Connecting Two Commodore Computers in Three-Line Mode

About the only thing left to discuss is the OPEN statement that starts both of these programs. The statement

```
10 OPEN 2,2,0,CHR$(8)+CHR$(0)
```

creates a communication channel with a logical file number 2. The file number is arbitrary and may range from 1 to 255. Numbers above 127 are not recommended unless you need to send a linefeed after each carriage return. The second "2" is the device code. In this case, we are opening a port to an RS-232 device. The secondary address of 0 is used for RS-232 communications.

The two character bytes following the secondary address provide details about the serial link being opened. The first character specifies the word length, the number of stop bits, and the baud rate. The second character specifies parity, duplex mode, and handshake format. These terms are not really very difficult to understand. We will discuss them in detail.

Each character transmitted on the RS-232 link is sent in serial format. There is only one wire, and it can carry only one bit of information at a time. The ASCII value for the letter "A" is 65. In hexadecimal that is 41, and in binary the letter "A" is represented as 0100 0001. All of the standard ASCII characters have decimal values less than 128. This means that each can be represented in only seven bits of data. The eighth bit in the byte will always be zero.

Consequently, in order to speed up serial communications, it is possible to define a serial word consisting of only seven bits instead of the normal eight used within the computer. If you were sending serial messages using

an even more limited character set, it might be possible to get by with only a six or even a five bit code. Five bits are enough to encode the whole alphabet and have a few extras ($2^5 = 32$).

We are allowed to specify the number of bits in each character to be transmitted or received. The programs in this article specify an eight-bit word length. The argument of the first CHR\$ function in the OPEN statement is the sum of three numbers representing the baud rate, the number of stop bits, and the word length. The sum is written to the control register of the serial channel. The values for specific word lengths are as follows:

Word Length	Control Register Value
8 bits	0
7 bits	32
6 bits	64
5 bits	96

The RS-232 serial transmission is asynchronous. This means that there is no clock signal between the transmitter and the receiver. In order for the two devices to communicate, each one must know how fast the stream of serial bits is sent. If the transmitter sent the code 00110011, the receiver must know the "bit-width" or the amount of time that each bit uses. If the receiver read the bits half as fast as they were sent, the receiver might conclude that the data was simply 0101. If the data is read at twice the rate that it should be, this word might be interpreted as two bytes: 00001111 00001111. The established rate of transmission and reception is called the baud rate. Both ends of the line must know the baud rate in order to communicate.




Figure 2—Connecting a Commodore Computer to an IBM-PC (RS-232)

The most common baud rates are 110, 300, 1200, 2400, 4800, 9600, and 19200 baud, but others are used as well. With our serial link, the baud rate simply means "the number of bits per second." (Purists who care about such things are quick to point out that "baud rate" for other forms of serial transmission is not as simple as "bits per second," but we will avoid such esoteria.)

The chosen baud rate value is included in the value written to the control register. Some of the values are listed in the following table:

Baud Rate	Control Register Value
110	3
300	6
600	7
1200	8
2400	10

The complete list of possible baud rates is in Figure 6-1 of the *Commodore 64 Programmer's Reference Guide*. The binary values shown in the figure must be converted to decimal as the above examples show.

Normally the line between the transmitter and the receiver sits at a logic low state. When a character is sent, it is preceded by a single logic high bit, called the "start bit." This wakes up the receiver which prepares to read in the following data bits. After the last data bit is read (as defined by the word length), at least one more bit, called the "stop bit," is received. The stop bit provides a pause before the next set of bits is received. Sometimes it is desirable to increase the gap between characters, in which case two stop bits may be specified. The values sent to the Control Register to define the number of stop bits are listed:

# of Stop Bits	Control Register Value
1	0
2	128

To communicate at 1200 baud (8) with eight data bits (0) and one stop bit (0), the value sent to the Control Registers of the transmitter and receiver must be $8 + 0 + 0$. That explains the `CHR$(8)` in the `OPEN` statement. Three hundred baud with two stop bits and seven data bits would be $6 + 128 + 32$, so the `OPEN` statements would use `CHR$(166)`.

If you have trouble getting reliable communications at 1200 baud, try 300 or even 110 baud. Most problems occur when the receiver buffer fills up, because BASIC cannot empty it and process the data quickly enough. Reducing the baud rate and putting delay loops in the transmitter software are two ways of solving the problem. There should be no problem with `COMMRX` and `COMMTX` at 1200 baud as shown, since they are operating essentially at keyboard speeds.

The second `CHR$(0)` function in the `OPEN` statement is optional. The `CHR$(0)` indicates that we are using a 3-wire interface in full duplex mode with parity disabled. These are the default values, and the program would work the same if we omitted the `CHR$(0)`.

The IBM-PC counterparts to `COMMTX` and `COMMRX` are `IBMTX` and `IBMRX`:

```

1 ' IBMTX - TRANSMIT TO COMMODORE
2 ' PROGRAM FOR THE IBM-PC
3 ' --- IBMTX ---
4 '
10 OPEN"COM1:1200,N,8,1,RS,CS,DS,CD" AS
#1

```

```

20 T$=INKEY$ : IF T$="" THEN 20
30 PRINT #1,T$; : PRINT T$;
40 GOTO 20

```

```

1 ' IBMRX - RECEIVE FROM COMMODORE
2 ' PROGRAM FOR THE IBM-PC
3 ' --- IBMRX ---
4 '
10 OPEN"COM1:1200,N,8,1,RS,CS,DS,CD" AS
#1
20 R$=INPUT$(1,1)
30 PRINT R$;
40 GOTO 20

```

The `OPEN` statement in the IBM programs specifies `COM1`: as the serial port with 1200 baud, parity disabled, eight bits per character, and one stop bit, the same protocol used with the Commodore programs. The logical file number is #1. The `RS`, `CS`, `DS`, and `CD` characters are used to disable some of the other RS-232 signals in the IBM and to establish a three-wire link. The `INPUT$(1,1)` statement is similar to the Commodore's `GET` statement, except that the program waits until one character has been received from file #1. The `INKEY$` statement is like the Commodore's `GET` statement for scanning the keyboard buffer.

Make your C-64 or VIC versatile with:

Custom Character Sets: CHARED for the C-64

Features:

- ☐ Menu Driven with full screen display
- ☐ Save and Load Character Sets
- ☐ Use with Multi-color Mode
- ☐ Built-in Utilities for reverse, copy and boldface characters
- ☐ Use with BASIC or ML
- ☐ Create Fonts or Game Graphics
- ☐ Keyboard or Joystick Input
- ☐ Cut and Paste Feature
- ☐ Specify CHARED

Sports:

Mr. GOLF
for C-64

Features:

- ☐ Course design and game programs
- ☐ Trees, Sandtraps, user designed Greens
- ☐ Built-in Adjustable Pin Placement
- ☐ Hi-Res ML Graphics for speed
- ☐ 18 hole course included
- ☐ Unlimited number of Courses
- ☐ Slice and Hook around Obstacles
- ☐ Specify Mr. GOLF (joystick required)

Word Processing: TexED for the C-64 and VIC-20

Features:

- ☐ Document editing: Create, modify, save tape and disk sequential data files
- ☐ Line Image Editor using simple commands
- ☐ Full Screen Editor
- ☐ Print command with indentation and margin control
- ☐ Complete User's Guide included
- ☐ Specify: TexED for C-64, TexED20 for VIC-20 with 16K expansion

Graphics:

PLOTVIC8 Hi-Res Graphics Kit
for the VIC-20

Features:

- ☐ Menu Driven with Full Screen Display
- ☐ Keyboard or Lightpen Input
- ☐ Basic Geometry (point, line, ellipse) element-color selection, 3-D
- ☐ Screen to printer or plotter (Hi-Res)
- ☐ Functions stand alone for use with personal programming (BASIC)
- ☐ User's Guide-illustrated graphics tutorial and technical explanations
- ☐ Specify PLOTVIC8 (requires 8K+)

APCAD

P.O. Box 2673
Ann Arbor, MI 48106 USA

Mail completed form to APCAD P.O. Box 2673 Ann Arbor, MI 48106 USA. Send check for \$ 19.95 (U.S.) for tape, \$22.95 disk, or \$34.95 for two (\$39.95 disk). S & H included.

Name: _____ Specify: _____ CHARED
Address: _____ Mr. GOLF
City/State/Zip: _____ TexED
Credit Cards also accepted: _____ TexED20
☐ VISA ☐ MC ☐ AMEX _____ PLOTVIC8
Acct. No. _____ Expir. Date: _____ Signature: _____

Reader Service No. 183

Remember to use the TX program in one computer and the RX program in the other. Type RUN on the receiver before typing RUN on the transmitter. That way data from the transmitter does not go into the "bit bucket" because the receiver was not ready for it.

BIDIRECTIONAL AT LAST

The COMMHS (see page 127) and IBMHS (see below) programs show how to set up bidirectional communications between two computers with software handshaking.

```

1 ' IBMHS - HANDSHAKING BETWEEN IBM AND
C-64
2 '      PROGRAM FOR THE IBM
3 '      --- IBMHS ---
4 '
10 OPEN"COM1:1200,N,8,1,RS,CS,DS,CD" AS
#1
20 T$="THIS IS IBM CALLING COMMODORE"
30 WHILE NOT EOF(1) : J$=INPUT$(1,1) : W
END 'CLEAR BUFFER
40 N=N+1 : PRINT #1,N;T$
50 GOSUB 80 'WAIT FOR HANDSHAKE
70 GOTO 40 'SEND NEXT MESSAGE
80 R$=INPUT$(1,1) : PRINT R$; : IF R$<>C
HR$(13) THEN 80
90 RETURN

```

Line 30 in both COMMHS and IBMHS clears the receiver buffer. The IBM program in line 40 increments counter N and sends the count as well as the message T\$ to the Commodore. Then it loops in line 80, displaying the return message from the Commodore. Once the IBM sees the carriage return (CHR\$(13)), it continues from line 40.

The Commodore program builds a message string M\$ character by character until it receives a carriage return CR\$ from the IBM. The PRINT# statement, just like the PRINT statement, generates a carriage return if a comma or a semicolon is not present at the end of the line. Once the Commodore has read the carriage return, it branches to line 80 where the value of N that it just received is stripped from M\$, and a new message T\$ is created and sent to the IBM.

These programs are meant to show how the two computers can pass information back and forth and how the messages may be synchronized by means of software handshaking. One computer waits in a receive loop until it recognizes that the message is complete, then it becomes the transmitter while the other computer operates in the receive loop.

You should have no difficulty modifying the IBMHS program to run on a second Commodore computer. Change the OPEN and INPUT\$ statements as well as line 30 as previously discussed. You might also modify the IBMHS program to do something with the data received from the Commodore rather than simply wait for the carriage return.

GRAND FINALE

After studying and modifying the earlier programs, you should be able to understand the sequence of the COMMHILO (see page 127) and IBMHILO (shown here) programs.

```

1 'IBMHILO - HI-LO GAME WITH THE C-64
2 '      PROGRAM FOR THE IBM-PC
3 '      --- IBMHILO ---
4 '
5 CLS 'CLEAR SCREEN
10 OPEN"COM1:1200,N,8,1,RS,CS,DS,CD" AS
#1
20 MX=1048576 : MN=0 'MAX AND MIN VALUES
30 N=(MX+MN)/2 'INITIAL GUESS
40 T$="PICK A NUMBER FROM"+STR$(MN)+" TO
"+STR$(MX)
50 GOSUB 1000 'START THE GAME
60 GOSUB 2000 'GET RESPONSE
70 IF R$<>"ALL RIGHT" THEN 40
75 ' ===== MAIN OPERATING LOOP =====
80 T$="IS IT"+STR$(N)+"?"
90 GOSUB 1000 'MAKE A GUESS
100 GOSUB 2000 'GET RESPONSE
110 IF LEFT$(R$,13)="THAT'S RIGHT!" THEN
150
120 IF RIGHT$(R$,8)="TOO HIGH" THEN MX=N

```



COMMODORE-64

SOFTWARE-OF-THE-MONTH CLUB®

(division of O.C.S., Inc.)

We guarantee you'll never again buy useless software for your personal computer.

CLUB MEMBERSHIP OFFERS BIG SAVINGS

NO OBLIGATIONS

When you enroll you will

- Keep only the software that you can use. Examine for a full 10 days; if it's not what you want, return it for a full refund.
- Receive discounts up to 30% on your software choices.

- Be eligible for our Bonus Point Plan—additional discounts applied toward purchases.
- Receive our informative monthly newsletter full of helpful tips for getting the most from your Commodore-64.
- Receive notice of Special Sales where you'll save as much as 50% off list.

The Software-of-the-Month Club is Unique.

No minimum purchases are required—no automatic shipments to you.

Enroll now and receive absolutely free Public Domain Software.

Please check ☐ Cassette ☐ Disk

GREAT IDEA! I can't lose. Enroll me now in the Software-of-the-Month Club. I understand there is no obligation. Enclosed is my \$10 membership fee.

☐ Check ☐ Money Order ☐ Bank Card

Name _____

Address _____

City/State/Zip _____

Visa/MC# _____ Expiration date _____

Signature _____

Cut out and mail today to

SOFTWARE-OF-THE-MONTH CLUB
Ohio Computer Services, Inc.
P.O. Box 128723
Cincinnati, Ohio 45212

3


```

130 IF RIGHT$(R$,7)="TOO LOW" THEN MN=N
140 N=(MN+MX)/2 : GOTO 80
145 ' ===== END OF GAME =====
150 T$="THANK YOU." : GOSUB 1000
160 GOSUB 2000
170 CLOSE : END
1000 PRINT #1,T$      'SEND MESSAGE
1010 RETURN
2000 INPUT #1,R$      'GET RESPONSE
2010 PRINT R$
2020 RETURN

```

If you are using two Commodore computers, you must modify IBMHILO slightly. Line 5 should be replaced by PRINT CHR\$(147) to clear the screen. Line 10 should match the OPEN statement in COMMHILO. The transmit and receive subroutines at lines 1000 and 2000 should be replaced by the corresponding subroutines in COMMHILO.

Type RUN on the Commodore, then type RUN on the IBM. Sometimes the Commodore misses the first character sent by the IBM. Lines 40 and 50 in COMMHILO check to see that the proper message is received from the IBM before beginning. If not, the Commodore requests the IBM to repeat the message by sending "WHAT?" to the IBM. If the IBM does not receive "ALL RIGHT" to confirm that the Commodore is ready, it repeats the initial message.

The Commodore has picked a value N which it displays on its own screen, but it does not tell the IBM the value. The IBM makes its initial guess in lines 80 and 90 and awaits the response in line 100. The Commodore strips the numeric part of the IBM's guess in line 90 of COMMHILO and tests it against the correct value. It creates the proper message to return to the IBM in lines 110, 120, or 130. If the guess is not correct, the Commodore returns to line 80 where the number of guesses NG is incremented.

The IBM continues calculating new guesses in line 140 until it receives the response "THAT'S RIGHT!" followed by the correct number repeated and the number of guesses required. At that point the IBM politely ends the game. The Commodore returns the courtesy, and both computers close their files and stop. Line 160 in COMMHILO simply waits until the Commodore's transmit buffer is empty before closing the file. Without it, the IBM may not receive its final message. You may replace the END statements with delay loops followed by RUN if you want the game to be played repeatedly.

These programs give examples of some of the ways two computers can communicate. It is important that the messages are typed correctly. If the IBM is waiting for "ALL RIGHT" then "OK" or "ALRIGHT" simply won't do. It is possible to modify the programs to allow more flexibility in the messages. For example lines 120 and 130 of IBMHILO look only at the last characters of the message, ignoring any others. Line 130 of COMMHILO shows how to combine string and numeric constants and variables into a string that can be transmitted.

This is a very exciting project. There is something magical about sitting back and watching the two computers talk to one another. I have connected a speech synthesizer to the IBM for the *Hi-Lo* game. The IBM takes each message as it is transmitted or received and sends it to the speech synthesizer. The Commodore's messages are spoken in one voice and the IBM's messages are spoken in a different voice. So far I have not heard any arguments between them, but I wonder what might happen if one of the computers were to be slightly less than fair?

There are countless possibilities with this simple communications link between two computers. Games are only a beginning. Sharing ASCII files is certainly feasible. Now if we can get one computer to program the other one... Hmmmm. Let me know what you come up with.

Addendum: I have found that some 1488's do not operate with the five volts from the Commodore. If the IBM does not receive data properly from the Commodore you should use a second 9-volt battery instead of the five volts going to the 1488 in figure 2. Remove the five volt line from pin 14 of the 1488. The positive side of the second battery should go to pin 14 of the 1488. The negative side of the second battery should be connected to the positive side of the first battery (as well as to ground the pin 7 of the 1488 and 1489).

I was also able to eliminate the 1488 and the negative power supply by using a second gate of the 1489 instead. Try taking pin M of the Commodore connector to pin 4 of the 1489, and take pin 6 of the 1489 to pin 3 of the IBM connector. According to specifications, there is no guarantee that this will work, but it did for me. The 1489 operates properly with the Commodore's five-volt supply, reducing the circuitry to one integrated circuit, two connectors, and wire. □

SEE PROGRAM LISTINGS ON PAGE 126

Next month in the Rupert Report, we'll continue exploring the mysteries of the RS-232 interface. Sharing programs and transferring sequential files between computers is a breeze with the software and procedures we'll develop! Plus, using the dynamic keyboard buffer to let the computer edit its own programs.



"I lost my job today. They replaced me with a machine."

ERRATA

DISK ERROR CHECKER (Nov. '85)

Line 450 was omitted from the program, causing Error 18 to be reported. The missing line reads

```
450 GET#15,A$:A=ASC(A$+CHR$(0)):IFA>99THEN440
```

GATORS N SNAKES (Aug. '85)

Jim Sanders, author of the program, was able to correct the bug in the machine language portion which we reported on in October. Correct line 1720 to read

```
1720 DATA 200,200,200,200,192,16,208,239,173,1,208,201
```

Our apologies for any inconvenience these errors may have caused. Remember that corrections to programs and articles published in *Ahoy!* are posted on the *Ahoy! Bulletin Board* (718-383-8909—modem, required) as soon as they are spotted.

AHOY!'S BBS

If your computer is equipped with a modem, you can call *Ahoy!'s Bulletin Board System* (718-383-8909) any hour of the day, any day of the week to exchange electronic mail with other Commodore users and download files like the following:

- editorial calendars for future issues
- excerpts from upcoming news sections
- program and article corrections
- classified advertising

Set your modem for 300 baud, full duplex, no parity, one stop bit, 8-bit word length, and dial away!

718-383-8909

SANTA'S BUSY DAY

For the C-64

By George Trepal

Poor Santa is having a bad day. Instead of making presents, his elves left their work in the halls and went to a football game. Santa has to fly (you knew he could, didn't you?) through the building and collect the boxes.

The building is huge, covering more than 10 screens, and resembles a maze. The screen does a four-way scroll with Santa always remaining in the middle. Plug your joystick into port #2. A new building is made for each game, so there is no hope of memorizing the floor plan. To pick up a box Santa has to fly directly over it so that his center is the same as the box's center.

You'd expect anyone who could fly to have other abilities. Santa is able to pass a little way through walls, but if his center gets into a wall then OUCH!

Santa can't spend all day floating around the halls. The time used is shown as a green bar at the bottom of the screen. Running into a wall discourages the old man and he'll decide to spend less time with each crash.

The building contains over 200 boxes and two magic hearts. Each box is worth 10 points. If Santa collects a magic heart the timer is reset.

When you run the game you'll be asked if you want an easy or regular game. The easy game isn't really. The regular game is outrageously difficult. The difference is that in the easy game Santa stops when you tell him to and doesn't bounce if he hits a wall. Get him off walls quickly, since he can hit the same wall many times.

The game ends either when Santa's time is up or he collects 200 packages. To play again press any key.

The initial loading period is pretty long. The BASIC program has to be turned into machine language routines. Once the machine language is in place there will be no more delays.

To change from an easy to a regular game or vice versa press the RUN/STOP and RESTORE keys simultaneously. On some computers giving the RESTORE key short taps rather than pressing works best. The screen will clear. If you want a regular game type POKE 828,0 and if you want an easy game type POKE 828,1. Press RETURN, type SYS 49160, press RETURN again, and you'll be back in business.

Warning! This program uses most of the computer's memory. Your original BASIC program will be wiped out when you run it. Therefore be sure to save this program after you type it in without running it first!

If you know how to use a monitor you can save the machine language routines directly. The sprite data is stored between 896 and 960. The rest of the program lives between 49152 and 50491. In order to start the game SYS to 49160.

The BASIC loader program uses hexadecimal numbers that have to be converted to decimal numbers to be POKEd in place where they will become hexadecimal numbers again. Whew! The usual way to do such things is to read decimal numbers separated by commas out of data statements. My system uses no commas, has a standardized two digit number, and is 45% shorter than decimalized data would be. It's the shortness that counts when you're typing. □

SEE PROGRAM LISTING ON PAGE 144

PROGRAM LISTINGS

Attention new *Ahoy!* readers! You must read the following information very carefully prior to typing in programs listed in *Ahoy!* Certain Commodore characters, commands, and strings of characters and commands will appear in a special format. Follow the instructions and listing guide on this page.

On the following pages you'll find several programs that you can enter on your Commodore computer. But before doing so, read this entire page carefully.

To insure clear reproductions, *Ahoy!*'s program listings are generated on a daisy wheel printer, incapable of printing the commands and graphic characters used in Commodore programs. These are therefore represented by various codes enclosed in brackets []. For example: the SHIFT CLR/HOME command is represented onscreen by a heart . The code we use in our listings is [CLEAR]. The chart below lists all such codes which you'll encounter in our listings, except for one other special case.

The other special case is the COMMODORE and SHIFT characters. On the front of most keys are two symbols. The symbol on the left is obtained by pressing that key while holding down the COMMODORE key; the symbol on the right, by pressing that key while holding down the SHIFT key. COMMODORE and SHIFT characters are represented in our listings by a lower-case "s" or "c" followed by the symbol of the key you must hit. COMMODORE J, for example, is represented by [c J],

and SHIFT J by [s J].

Additionally, any character that occurs more than two times in a row will be displayed by a coded listing. For example, [3 "[LEFT]"] would be 3 CuRSor left commands in a row, [5 "[s EP]"] would be 5 SHIFTEd English Pounds, and so on. Multiple blank spaces will be noted in similar fashion: e.g., 22 spaces as [22 " "].

Sometimes you'll find a program line that's too long for the computer to accept (C-64 lines are a maximum of 80 characters, or 2 screen lines long; VIC 20 lines, a maximum of 88 characters, or 4 screen lines). To enter these lines, refer to the *BASIC Command Abbreviations Appendix* in your User Manual.

On the next page you'll find our *Bug Repellent* programs for the VIC 20 and C-64. The version appropriate for your machine will help you proofread our programs after you type them. (Please note: the *Bug Repellent* line codes that follow each program line, in the whited-out area, should *not* be typed in. See the instructions preceding each program.)

Also on the following page you will find *Flankspeed*, our ML entry program, and instructions on its use. □

Call *Ahoy!* at 212-239-0855 with any problems.

When You See	It Means	You Type	You Will See	When You See	It Means	You Type	You Will See
[CLEAR]	Screen Clear	SHIFT CLR/HOME		[BLACK]	Black	CNTRL 1	
[HOME]	Home	CLR/HOME		[WHITE]	White	CNTRL 2	
[UP]	Cursor Up	SHIFT ↑ CRSR ↓		[RED]	Red	CNTRL 3	
[DOWN]	Cursor Down	↑ CRSR ↓		[CYAN]	Cyan	CNTRL 4	
[LEFT]	Cursor Left	SHIFT ← CRSR →		[PURPLE]	Purple	CNTRL 5	
[RIGHT]	Cursor Right	← CRSR →		[GREEN]	Green	CNTRL 6	
[SS]	Shifted Space	SHIFT Space		[BLUE]	Blue	CNTRL 7	
[INSERT]	Insert	SHIFT INST/DEL		[YELLOW]	Yellow	CNTRL 8	
[DEL]	Delete	INST/DEL		[F1]	Function 1	F1	
[RVSON]	Reverse On	CNTRL 9		[F2]	Function 2	SHIFT F1	
[RVSOFF]	Reverse Off	CNTRL 0		[F3]	Function 3	F3	
[UPARROW]	Up Arrow	↑		[F4]	Function 4	SHIFT F3	
[BACKARROW]	Back Arrow	←		[F5]	Function 5	F5	
[PI]	PI	π		[F6]	Function 6	SHIFT F5	
[EP]	English Pound	£		[F7]	Function 7	F7	
				[F8]	Function 8	SHIFT F7	

IMPORTANT!

Letters on white background are **Bug Repellent** line codes. **Do not enter them!** This and the preceding explain these codes and provide other essential information on entering **Ahoy!** programs. Read these pages **before** entering programs.

BUG REPELLENT

This program will let you debug any *Ahoy!* program. Follow instructions for VIC 20 (cassette or disk) or C-64.

VIC 20 VERSION

By Michael Kleinert and David Barron

For cassette: type in and save the *Bug Repellent* program, then type RUN 63000[RETURN]SYS 828[RETURN]. If you typed the program properly, it will generate a set of two-letter line codes that will match those listed to the right of the respective program lines.

Once you've got a working *Bug Repellent*, type in the program you wish to check. Save it and type the RUN and SYS commands listed above once again, then compare the line codes generated to those listed in the magazine. If you spot a discrepancy, a typing error exists in that line. Important: you must use exactly the same spacing as the program in the magazine. Due to memory limitations on the VIC, the *Bug Repellent* will register an error if your spacing varies from what's printed.

You may type SYS 828 as many times as you wish, but if you use the cassette for anything, type RUN 63000 to restore the *Repellent*.

When your program has been disinfected you may delete all lines from 63000 on. (Be sure the program you type doesn't include lines above 63000!)

For disk: enter *Bug Repellent*, save it, and type RUN:NEW [RETURN]. Type in the program you wish to check, then SYS 828.

To pause the line codes listing, press SHIFT.

To send the list to the printer type OPEN 4:CMD 4:SYS 828[RETURN]. When the cursor comes back, type PRINT#4:CLOSE 4[RETURN].

```

.63000 FORX=828T01023:READY:POKEX,Y:NEXT:END AC
.63001 DATA169,0,133,63,133,64,165,43,133,251 JL
.63002 DATA165,44,133,252,160,0,132,254,32,228 DF
.63003 DATA3,234,177,251,208,3,76,208,3,230 OE
.63004 DATA251,208,2,230,252,169,244,160,3,32 OH
.63005 DATA30,203,160,0,177,251,170,230,251,20 KO
8
.63006 DATA2,230,252,177,251,32,205,221,169,58 JJ
.63007 DATA32,210,255,169,0,133,253,230,254,32 OK
.63008 DATA228,3,234,165,253,160,0,170,177,251 LG
.63009 DATA201,32,240,6,138,113,251,69,254,170 BP
.63010 DATA138,133,253,177,251,208,226,165,253 DD
,41
.63011 DATA240,74,74,74,74,24,105,65,32,210 EK
.63012 DATA255,165,253,41,15,24,105,65,32,210 FO
.63013 DATA255,169,13,32,210,255,173,141,2,41 PK
.63014 DATA1,208,249,230,63,208,2,230,64,230 CB
.63015 DATA251,208,2,230,252,76,74,3,169,236 KH
.63016 DATA160,3,32,30,203,166,63,165,64,32 DP
.63017 DATA205,221,169,13,32,210,255,96,230,25 1
1
.63018 DATA208,2,230,252,96,0,76,73,78,69 OI
.63019 DATA83,58,32,0,76,73,78,69,32,35 FG
.63020 DATA32,0,0,0,0,0 LE

```

C-64 VERSION

By Michael Kleinert and David Barron

Type in, SAVE, and RUN the *Bug Repellent*. Type NEW, then type in or LOAD the *Ahoy!* program you wish to check. When that's done, SAVE your program (don't RUN it!) and type SYS 49152 [RETURN].

To pause the listing depress and hold the SHIFT key.

Compare the codes your machine generates to the codes listed to the right of the respective program lines. If you spot a difference, an error exists in that line. Jot down the number of lines where

contradictions occur. LIST each line, spot the errors, and correct them.

```

.5000 FORX=49152T049488:READY:POKEX,Y:NEXT:END GJ
.5001 DATA32,161,192,165,43,133,251,165,44,133 DL
.5002 DATA252,160,0,132,254,32,37,193,234,177 DE
.5003 DATA251,208,3,76,138,192,230,251,208,2 OF
.5004 DATA230,252,76,43,192,76,73,78,69,32 KN
.5005 DATA35,32,0,169,35,160,192,32,30,171 CA
.5006 DATA160,0,177,251,170,230,251,208,2,230 CE
.5007 DATA252,177,251,32,205,189,169,58,32,210 JE
.5008 DATA255,169,0,133,253,230,254,32,37,193 CL
.5009 DATA234,165,253,160,0,76,13,193,133,253 NB
.5010 DATA177,251,208,237,165,253,41,240,74,74 MB
.5011 DATA74,74,24,105,65,32,210,255,165,253 EP
.5012 DATA41,15,24,105,65,32,210,255,169,13 GH
.5013 DATA32,220,192,230,63,208,2,230,64,230 AN
.5014 DATA251,208,2,230,252,76,11,192,169,153 NG
.5015 DATA160,192,32,30,171,166,63,165,64,76 BF
.5016 DATA231,192,96,76,73,78,69,83,58,32 EP
.5017 DATA0,169,247,160,192,32,30,171,169,3 PJ
.5018 DATA133,254,32,228,255,201,83,240,6,201 FK
.5019 DATA80,208,245,230,254,32,210,255,169,4 FL
.5020 DATA166,254,160,255,32,186,255,169,0,133 CL
.5021 DATA63,133,64,133,2,32,189,255,32,192 GC
.5022 DATA255,166,254,32,201,255,76,73,193,96 NN
.5023 DATA32,210,255,173,141,2,41,1,208,249 NH
.5024 DATA96,32,205,189,169,13,32,210,255,32 IM
.5025 DATA204,255,169,4,76,195,255,147,83,67 KC
.5026 DATA82,69,69,78,32,79,82,32,80,82 DC
.5027 DATA73,78,84,69,82,32,63,32,0,76 ML
.5028 DATA44,193,234,177,251,201,32,240,6,138 GN
.5029 DATA113,251,69,254,170,138,76,88,192,0 JK
.5030 DATA0,0,0,230,251,208,2,230,252,96 NA
.5031 DATA170,177,251,201,34,208,6,165,2,73 DM
.5032 DATA255,133,2,165,2,208,218,177,251,201 JA
.5033 DATA32,208,212,198,254,76,29,193,0,169 FM
.5034 DATA13,76,210,255,0,0,0 PA

```

FLANKSPEED FOR THE C-64

By Gordon F. Wheat

Flankspeed will allow you to enter machine language *Ahoy!* programs without any mistakes. Once you have typed the program in, save it for future use. While entering an ML program with *Flankspeed* there is no need to enter spaces or hit the carriage return. This is all done automatically. If you make an error in a line a bell will ring and you will be asked to enter it again. To LOAD in a program Saved with *Flankspeed* use LOAD "name",1.1 for tape, or LOAD "name",8.1 for disk. The function keys may be used after the starting and ending addresses have been entered.

F1 - SAVES what you have entered so far.

F3 - LOADs in a program worked on previously.

F5 - To continue on a line you stopped on after LOADing in the previously saved work.

F7 - Scans through the program to locate a particular line, or to find out where you stopped the last time you entered the program. F7 temporarily freezes the output as well.

.5 POKE53280,12:POKE53281,11

.6 PRINT"[CLEAR][c 8][RVSON][15" "]FLANKSPEED[15" "]"

.10 PRINT"[RVSON][5" "]MISTAKEPROOF ML ENTRY P ROGRAM[6" "]"

.15 PRINT"[RVSON][9" "]CREATED BY G. F. WHEAT[9" "]"

.20 PRINT"[RVSON][3" "]COPR. 1984, ION INTERNA

TIONAL INC.[3"]"	DH	•1060 PRINT"?ERROR IN SAVE":GOTO1100	EI
•30 FORA=54272TO54296:POKEA,0:NEXT	IM	•1070 PRINT"?ERROR IN LOAD":GOTO1100	GL
•40 POKE54272,4:POKE54273,48:POKE54277,0:POKE5	•1080	PRINT:PRINT:PRINT"END OF ML AREA":PRINT	PG
4278,249:POKE54296,15	NH	•1100 POKE54276,17:POKE54276,16:RETURN	BH
D GJ •70 FORA=680TO699:READB:POKEA,B:NEXT	KO	•1200 OPEN15,8,15:INPUT#15,A,A\$:CLOSE15:PRINTA	IM
DL •75 DATA169,251,166,253,164,254,32,216,255,96	HJ	\$:RETURN	PC
DE •76 DATA169,0,166,251,164,252,32,213,255,96	JB	•2000 REM GET FOUR DIGIT HEX	GM
OF •80 B\$="STARTING ADDRESS IN HEX":GOSUB2010:AD=	HC	•2010 PRINT:PRINTB\$;:INPUT#15	II
KN B:SR=B	FO	•2020 IFLEN(T\$)<>4THENGOSUB1020:GOTO2010	AD
CA •85 GOSUB2520:IFB=0THEN80	KE	•2040 FORA=1TO4:A\$=MID\$(T\$,A,1):GOSUB2060:IFT(	GF
CE •86 POKE251,T(4)+T(3)*16:POKE252,T(2)+T(1)*16	IF	A)=16THENGOSUB1020:GOTO2010	EH
JE •90 B\$="ENDING ADDRESS IN HEX":GOSUB2010:EN=B	FP	•2050 NEXT B=(T(1)*4096)+(T(2)*256)+(T(3)*16)+	KP
CL •95 GOSUB2510:IFB=0THEN80	MN	T(4):RETURN	NP
NE •96 POKE254,T(2)+T(1)*16:B=T(4)+1+T(3)*16	GE	•2060 IFA\$>"@ANDAS<"G"THENT(A)=ASC(A\$)-55:RET	LI
ME •97 IFB>255THENB=B-255:POKE254,PEEK(254)+1	HN	URN	MI
EP •98 POKE253,B:PRINT	IL	•2070 IFA\$>"/ANDAS<:"THENT(A)=ASC(A\$)-48:RET	MG
GH •100 REM GET HEX LINE	FG	URN	MI
AN •110 GOSUB3010:PRINT": [c P][LEFT]";:FORA=0TO8	MD	•2080 T(A)=16:RETURN	IM
NG •120 FORB=0TO1:GOTO210	ME	•2500 REM ADDRESS CHECK	EB
BF •125 NEXTB	LH	•2510 IFAD>ENTHEN1030	HG
EP •130 A\$(A)=T(1)+T(0)*16:IFAD+A-1=ENTHEN310	IK	•2515 IFB<SRORB>ENTHEN1040	CE
PJ •135 PRINT" [c P][LEFT]";	PD	•2520 IFB<256OR(B>40960ANDB<49152)ORB>53247THE	PN
FK •140 NEXTA:T=AD-(INT(AD/256)*256):PRINT" "	LK	N1050	MJ
FL •150 FORA=0TO7:T=T+A\$(A):IFT>255THENT=T-255	IA	•2530 RETURN	IM
CL •160 NEXT	FK	•3000 REM ADDRESS TO HEX	EB
GC •170 IFA\$(8)<>TTHENGOSUB1010:GOTO110	•3010	AC=AD:A=4096:GOSUB3070	CE
NN •180 FORA=0TO7:POKEAD+A,A\$(A):NEXT:AD=AD+8:GOT	MN	•3020 A=256:GOSUB3070	PN
NH 0110	AB	•3030 A=16:GOSUB3070	IM
IM •200 REM GET HEX INPUT	HO	•3040 A=1:GOSUB3070	IM
KC •210 GETA\$:IFA\$=""THEN210	GC	•3060 RETURN	CJ
DC •211 IFA\$=CHR\$(20)THEN270	MD	•3070 T=INT(AC/A):IFT>9THENA\$=CHR\$(T+55):GOTO3	JP
ML •212 IFA\$=CHR\$(133)THEN4000	KF	090	AC
GN •213 IFA\$=CHR\$(134)THEN4100	GE	•3080 A\$=CHR\$(T+48)	AI
JK •214 IFA\$=CHR\$(135)THENPRINT" ":GOTO4500	BJ	•3090 PRINTA\$;:AC=AC-A*T:RETURN	LH
NA •215 IFA\$=CHR\$(136)THENPRINT" ":GOTO4700	•4000	A\$="**SAVE**":GOSUB4200	EO
DM •220 IFA\$>"@ANDAS<"G"THENT(B)=ASC(A\$)-55:GOTO	GM	•4050 OPEN1,T,1,A\$:SYS680:CLOSE1	FJ
JA 250	LE	•4060 IFST=0THENEND	FF
FM •230 IFA\$>"/ANDAS<:"THENT(B)=ASC(A\$)-48:GOTO	LL	•4070 GOSUB1060:IFT=8THENGOSUB1200	AB
PA 250	OA	•4080 GOTO4000	MF
•240 GOSUB1100:GOTO210	CG	•4100 A\$="**LOAD**":GOSUB4200	JH
•250 PRINTA\$"[c P][LEFT]";	OP	•4150 OPEN1,T,0,A\$:SYS690:CLOSE1	CM
•260 GOTO125	OB	•4160 IFST=64THEN110	FO
•270 IFA>0THEN280	CJ	•4170 GOSUB1070:IFT=8THENGOSUB1200	FG
•272 A=-1:IFB=1THEN290	HG	•4180 GOTO4100	OM
•274 GOTO140	BE	•4200 PRINT" ":PRINTTAB(14)A\$	GF
•280 IFB=0THENPRINTCHR\$(20);CHR\$(20);:A=A-1	KH	•4210 PRINT:A\$="":INPUT"FILENAME";A\$	DF
•285 A=A-1	AD	•4215 IFA\$=""THEN4210	IG
•290 PRINTCHR\$(20);:GOTO140	GJ	•4220 PRINT:PRINT"TAPE OR DISK?":PRINT	FN
•300 REM LAST LINE	PL	•4230 GETB\$:T=1:IFB\$="D"THENT=8:A\$="@0:"+A\$:RE	IM
•310 PRINT" ":T=AD-(INT(AD/256)*256)	IA	TURN	DK
•320 FORB=0TOA-1:T=T+A\$(B):IFT>255THENT=T-255	KF	•4240 IFB\$<>"T"THEN4230	MA
•330 NEXT	HN	•4250 RETURN	OI
•340 IFA\$(A)<>TTHENGOSUB1010:GOTO110	ON	•4500 B\$="CONTINUE FROM ADDRESS":GOSUB2010:AD=	FH
•350 FORB=0TOA-1:POKEAD+B,A\$(B):NEXT	FL	B	NK
•360 PRINT:PRINT"YOU ARE FINISHED!":GOTO4000	DH	•4510 GOSUB2515:IFB=0THEN4500	DI
•1000 REM BELL AND ERROR MESSAGES	JA	•4520 PRINT:GOTO110	BK
•1010 PRINT:PRINT"LINE ENTERED INCORRECTLY":PR	HD	•4700 B\$="BEGIN SCAN AT ADDRESS":GOSUB2010:AD=	EC
INT:GOTO1100	AG	B	GN
•1020 PRINT:PRINT"INPUT A 4 DIGIT HEX VALUE!":	KN	•4705 GOSUB2515:IFB=0THEN4700	MN
GOTO1100	•4706	PRINT:GOTO4740	JD
•1030 PRINT:PRINT"ENDING IS LESS THAN STARTING	•4710	FORB=0TO7:AC=PEEK(AD+B):GOSUB3030:IFAD+B	
!":B=0:GOTO1100	=ENTHENAD=SR:GOSUB1080:GOTO110		
•1040 PRINT:PRINT"ADDRESS NOT WITHIN SPECIFIED	•4715	PRINT" ";:NEXTB	
RANGE!":B=0:GOTO1100	•4720	PRINT:AD=AD+8	
•1050 PRINT:PRINT"NOT ZERO PAGE OR ROM!":B=0:G	•4730	GETB\$:IFB\$=CHR\$(136)THEN110	
OTO1100	•4740	GOSUB3010:PRINT": ";:GOTO4710	

BLACKBOARD.S FROM PAGE 91

```

1 *
2 * BLACKBOARD
3 *
4      ORG      $8000
5 *
6 COLOR      EQU      $10
7 BASE       EQU      $2000
8 SCROLLY    EQU      $D011
9 VMCSB      EQU      $D018
10 COLMAP     EQU      $0400
11 *
12 HMAX       EQU      320
13 VMAX       EQU      200
14 HMID       EQU      160
15 VMID       EQU      100
16 *
17 SCRLEN     EQU      8000
18 MAPLEN     EQU      1000
19 *
20 TEMP      EQU      $FB
21 TEMPB      EQU      TEMP+2
22 *
23 TABPTR     EQU      TEMP
24 TABSIZ     EQU      $9000
25 *
26 HPSN       EQU      TABSIZ+2
27 VPSN       EQU      HPSN+2
28 CHAR       EQU      VPSN+1
29 ROW        EQU      CHAR+1
30 LINE       EQU      ROW+1
31 BYTE       EQU      LINE+1
32 BITT       EQU      BYTE+2
33 *
34 MPRL       EQU      BITT+1
35 MPRH       EQU      MPRL+1
36 MPDL       EQU      MPRH+1
37 MPDH       EQU      MPDL+1
38 PRODL      EQU      MPDH+1
39 PRODH      EQU      PRODL+1
40 *
41 FILVAL     EQU      PRODH+1
42 JSV        EQU      FILVAL+1
43 *
44 CIAPRA     EQU      $DC00
45 *
46      JMP      START
47 *
48 * BLOCK FILL ROUTINE
49 *

```

```

50 BLKFIL     LDA      FILVAL
51            LDX      TABSIZ+1
52            BEQ      PARTPG
53            LDY      #0
54 FULLPG     STA      (TABPTR),Y
55            INY
56            BNE      FULLPG
57            INC      TABPTR+1
58            DEX
59            BNE      FULLPG
60 PARTPG     LDX      TABSIZ
61            BEQ      FINI
62            LDY      #0
63 PARTLP     STA      (TABPTR),Y
64            INY
65            DEX
66            BNE      PARTLP
67 FINI       RTS
68 *
69 * 16-BIT MULTIPLICATION ROUTINE
70 *
71 MULT16     LDA      #0
72            STA      PRODL
73            STA      PRODH
74            LDX      #17
75            CLC
76 MULT       ROR      PRODH
77            ROR      PRODL
78            ROR      MPRH
79            ROR      MPRL
80            BCC      CTDOWN
81            CLC
82            LDA      MPDL
83            ADC      PRODL
84            STA      PRODL
85            LDA      MPDH
86            ADC      PRODH
87            STA      PRODH
88 CTDOWN     DEX
89            BNE      MULT
90            RTS
91 *
92 * PLOT ROUTINE
93 *
94 * ROW=VPSN/8 (8-BIT DIVIDE)
95 *
96 PLOT       LDA      VPSN
97            LSR      A
98            LSR      A
99            LSR      A
100           STA      ROW
101 *
102 * CHAR=HPSN/8 (16-BIT DIVIDE)
103 *
104           LDA      HPSN

```



```

105      STA  TEMP A
106      LDA  HPSN+1
107      STA  TEMP A+1
108      LDX  #3
109 DLOOP  LSR  TEMP A+1
110      ROR  TEMP A
111      DEX
112      BNE  DLOOP
113      LDA  TEMP A
114      STA  CHAR
115 *
116 * LINE=VPSN AND 7
117 *
118      LDA  VPSN
119      AND  #7
120      STA  LINE
121 *
122 * BITT=7-(HPSN AND 7)
123 *
124      LDA  HPSN
125      AND  #7
126      STA  BITT
127      SEC
128      LDA  #7
129      SBC  BITT
130      STA  BITT
131 *
132 * BYTE=BASE+ROW*HMAX+8*CHAR+LINE
133 *
134 * FIRST MULTIPLY ROW * HMAX
135 *
136      LDA  ROW
137      STA  MPRL
138      LDA  #0
139      STA  MPRH
140      LDA  #<HMAX
141      STA  MPDL
142      LDA  #>HMAX
143      STA  MPDH
144      JSR  MULT16
145      LDA  MPRL
146      STA  TEMP A
147      LDA  MPRL+1
148      STA  TEMP A+1
149 *
150 * ADD PRODUCT TO BASE
151 *
152      CLC
153      LDA  #<BASE
154      ADC  TEMP A
155      STA  TEMP A
156      LDA  #>BASE
157      ADC  TEMP A+1
158      STA  TEMP A+1
159 *
160 * MULTIPLY 8 * CHAR
161 *
162      LDA  #8

```

```

163      STA  MPRL
164      LDA  #0
165      STA  MPRH
166      LDA  CHAR
167      STA  MPDL
168      LDA  #0
169      STA  MPDH
170      JSR  MULT16
171      LDA  MPRL
172      STA  TEMP B
173      LDA  MPRH
174      STA  TEMP B+1
175 *
176 * ADD LINE
177 *
178      CLC
179      LDA  TEMP B
180      ADC  LINE
181      STA  TEMP B
182      LDA  TEMP B+1
183      ADC  #0
184      STA  TEMP B+1
185 *
186 * TEMP A + TEMP B = BYTE
187 *
188      CLC
189      LDA  TEMP A
190      ADC  TEMP B
191      STA  TEMP B
192      LDA  TEMP A+1
193      ADC  TEMP B+1
194      STA  TEMP B+1
195 *
196 * POKE BYTE, PEEK(BYTE) OR 2^BIT
197 *
198      LDX  BITT
199      INX
200      LDA  #0
201      SEC
202 SQUARE  ROL
203      DEX
204      BNE  SQUARE
205      LDY  #0
206      ORA  (TEMP B),Y
207      STA  (TEMP B),Y
208      RTS
209 *
210 * MAIN ROUTINE STARTS HERE
211 *
212 * FIRST DEFINE BIT MAP AND ENABLE
213 * HIGH-RESOLUTION GRAPHICS
214 *
215 START   LDA  #$18
216          STA  VMCSB
217 *
218          LDA  SCROLLY
219          ORA  #32
220          STA  SCROLLY

```



```

221 *
222 * SELECT GRAPHICS BANK 1
223 *
224 LDA $DD02
225 ORA #$03
226 STA $DD02
227 *
228 LDA $DD00
229 ORA #$03
230 STA $DD00
231 *
232 * CLEAR BIT MAP
233 *
234 LDA #0
235 STA FILVAL
236 LDA #<BASE
237 STA TABPTR
238 LDA #>BASE
239 STA TABPTR+1
240 LDA #<SCRLN
241 STA TABSIZ
242 LDA #>SCRLN
243 STA TABSIZ+1
244 JSR BLKFIL
245 *
246 * SET BKG AND LINE COLORS
247 *
248 LDA #COLOR
249 STA FILVAL
250 LDA #<COLMAP
251 STA TABPTR
252 LDA #>COLMAP
253 STA TABPTR+1
254 LDA #<MAPLEN
255 STA TABSIZ
256 LDA #>MAPLEN
257 STA TABSIZ+1
258 JSR BLKFIL
259 *
260 * DRAW HORIZONTAL LINE
261 *
262 LDA #VMID
263 STA VPSN
264 LDA #0
265 STA HPSN
266 STA HPSN+1
267 AGIN JSR PLOT
268 INC HPSN
269 BNE NEXT
270 INC HPSN+1
271 NEXT LDA HPSN+1
272 CMP #>HMAX
273 BCC AGIN
274 LDA HPSN
275 CMP #<HMAX
276 BCC AGIN

```

```

277 *
278 * DRAW VERTICAL LINE
279 *
280 LDA #0
281 STA VPSN
282 POINT LDA #<HMID
283 STA HPSN
284 LDA #>HMID
285 STA HPSN+1
286 JSR PLOT
287 INC HPSN
288 BNE SKIP
289 INC HPSN+1
290 SKIP JSR PLOT
291 LDX VPSN
292 INX
293 STX VPSN
294 CPX #VMAX
295 BCC POINT
296 INF JMP INF

```

JEWEL QUEST FROM PAGE 17

```

•10 REM ***JEWEL QUEST*** BY BOB BLACKMER FN
•20 PRINTCHR$(147) FG
•30 POKE52,48:POKE56,48:CLR HJ
•40 DEF FNRX(X)=INT(X/256) PL
•50 DEF FNTX(Z)=X-SX*256 EA
•60 GOSUB680:GOSUB590:GOSUB1590 AJ
•70 POKE56334,PEEK(56334)AND254:POKE1,PEEK(1)AND251 BE
•80 FORI=0TO63:FORJ=0TO7 JB
•90 POKE14336+I*8+J,PEEK(53248+I*8+J):NEX TJ,I AB
•100 POKE1,PEEK(1)OR4:POKE56334,PEEK(56334)OR1 IE
•110 PRINT"[YELLOW][3"[DOWN]]][3"[RIGHT]] BY THE WAY, GOOD LUCK!" HF
•120 POKE53272,(PEEK(53272)AND240)+14:POKE53270,PEEK(53270)OR16 HD
•130 CK=0:FORCH=59TO62:FORBY=0TO7:READN:CK=CK+N OG
•140 POKE14336+(8*CH)+BY,N:NEXTBY,CH:IFCK<>3205THENPRINT"ERROR-LINES 1160-1190":END MP
•150 GOSUB710 CE
•160 POKE53281,0:POKE53280,0:POKE53282,2:POKE53283,5:PRINT"[c 3]":PRINT"[CLEAR][HOME]" OC
•170 FORL=1TO4:PRINT:NEXT:PRINT"[5 " "]<[8 " "]>[10 " "]<[8 " "]>" DD
•180 FORL=1TO5:PRINT:NEXT:PRINT"[10 " "]<[18 " "]>" GE
•190 FORL=1TO5:PRINT:NEXT:PRINT"[5 " "]<[8

```


"="]>[10" "]<[8"="]>"	EM	550 FORL=200TO20STEP-10:SYSF:POKES+1,L:N	
200 FORL=1TO4:PRINT:NEXT:PRINT"[18" "]<="	HI	EXTL:POKES+4,33	PH
=>[DOWN]"		560 PRINT"[HOME][7"[DOWN]"][4"[RIGHT]"][	
210 PRINT"<[3"="]>[GREEN] ENERGY 99[c 3]		RED]C O N G R A T U L A T I O N S ! !":F	
<[8"="]>[GREEN] LEVEL[3" "][c 3]<[4"="][	AD	ORL=150TO170:POKES+1,L	AA
HOME]" :POKE2023,62	CA	570 SYSF:NEXT:NEXTK:POKES+4,0:PRINT"[DOW	
220 Y1=170:X=176:POKEV+2,JX(1):POKEV+3,J	MI	N][7"[RIGHT]"][GREEN]PRESS ANY KEY TO PL	LP
Y(1):POKE2041,198:P=193:J=1:LV=1	EG	AY AGAIN"	PC
230 C=54272:F=49241:POKE700,0:POKE701,39		580 POKE198,0:WAIT198,1:GOTO160	
:POKE702,57:POKE703,58:POKE704,0		590 V=53248:S=54272:CK=0:FORL=12288TO123	JN
240 POKE2016,LV+48:POKE2016+C,5:POKEV+1,		50:READA:CK=CK+A:POKEL,A:NEXT	
Y1:POKEV+21,2:POKE1997,57:POKE1998,57		600 FORL=12352TO12414:READA:CK=CK+A:POKE	HC
250 PRINT"[HOME][GREEN]"TAB(7)"PRESS FIR	AN	L,A:NEXT	
E BUTTON TO START":POKEV+21,3	DJ	610 FORL=12544TO12606:READA:CK=CK+A:POKE	GC
260 FR=PEEK(56320)AND16:IFFR=16THEN250	OP	L,A:NEXT	
270 PRINT"[HOME]"TAB(7)"[26" "]":SYS4943	DA	620 FORL=12608TO12670:READA:CK=CK+A:POKE	LC
7:POKEV+30,0	AG	L,A:NEXT	
280 SYS49152:IFPEEK(679)THENX=X+4:POKE67	AK	630 FORL=12672TO12734:READA:CK=CK+A:POKE	CG
9,0:P=193	LO	L,A:NEXT	
290 IFPEEK(680)THENX=X-4:POKE680,0:P=197	NN	640 IFCK<>13468THENPRINT"ERROR IN LINES	IK
300 IF(X<25)OR(X>340)THENX=25	BC	760-1150":END	
310 IF(PEEK(V+1)<50)OR(PEEK(V+1)>240)THE	CG	650 POKEV+28,3:POKEV+37,15:POKEV+38,7:PO	CA
NPOKEV+1,50	NI	KEV+39,12:POKEV+40,1	
320 POKE2040,P:SX=FNRX(X):LX=FNTX(Z):POK	JH	660 FORL=STOS+24:POKEL,0:NEXT:POKES+1,20	OB
EV,LX:POKEV+16,SX:IFLV>7THENSYSF	BM	0:POKES+5,16:POKES+6,64	
330 IFPEEK(V+31)<>2THENSYS49348:IFPEEK(7	HE	670 POKES+18,129:POKES+14,5:POKES+24,15:	EG
04)THEN370	FB	RETURN	
340 IFPEEK(V+30)=3THENGOSUB450	CE	680 CK=0:FORL=1TO10:READJX(L),JY(L):CK=C	BM
350 GETAN\$:IFAN\$="[F1]"THENGOSUB500	EC	K+JX(L)+JY(L):NEXT	
360 GOTO280	OF	690 IFCK<>3286THENPRINT"ERROR IN LINES 7	PF
370 POKE198,0:POKE1998,48:PRINT"[HOME][6	PN	40-750":END	IM
"[DOWN]"]"TAB(15)"[GREEN]GAME OVER"	JO	700 RETURN	
380 PRINTTAB(14)"PLAY AGAIN?":PRINTTAB(1	EE	710 ML=49152:CK=0:FORL=MLTOML+309:READA:	AN
7)"(Y/N)"	GD	POKEL,A:CK=CK+A:NEXT	
390 WAIT198,1:GETAN\$	AO	720 IFCK<>37116THENPRINT"ERROR IN LINES	EN
400 IFAN\$="Y"THENGOTO430	FP	1200-1580":END	
410 IFAN\$="N"THENPOKE828,0:SYS828	IH	730 RETURN	IM
420 GOTO390	MH	740 DATA 92,88,255,88,175,136,92,185,255	FI
430 PRINT"[HOME][6"[DOWN]"]"TAB(15)"[9"	EL	,185,175,224,113,136,234,136	IO
"]":POKEV+21,0	EH	750 DATA 113,185,234,185	CK
440 PRINTTAB(14)"[11" "]":PRINTTAB(17)"[		760 DATA 34,34,32,162,162,34,170,170	JF
5" "]":GOTO220		770 DATA 186,8,32,32,0,128,0,2	NJ
450 SYSF:POKES+1,9:POKES+4,17:J=J+1:IFJ=		780 DATA 20,0,8,40,0,32,40,0	DL
11THENJ=1:GOSUB480		790 DATA 128,80,0,32,80,0,8,80	EM
460 POKEV+21,1:POKEV+2,JX(J):POKEV+3,JY(		800 DATA 0,0,112,0,2,84,0,0	FG
J):POKEV+21,3:POKEV+30,0		810 DATA 85,0,0,169,64,0,33,64	KH
470 FORL=1TO10:NEXT:POKES+4,129:RETURN		820 DATA 0,137,64,2,2,120,8,0	KK
480 LV=LV+1:IFLV>9THEN530		830 DATA 156,32,0,32,168,0,42	PH
490 POKE2016,LV+48:RETURN		840 DATA 34,34,32,136,136,136,34,32	NJ
500 PRINT"[HOME][RED]"TAB(7)"RELAX-PRESS		850 DATA 32,0,32,0,0,128,0,2	NJ
[GREEN]F3[RED] TO CONTINUE"		860 DATA 20,0,8,40,0,32,40,0	DL
510 POKE198,0:WAIT198,1:GETP\$:IFP\$<>"[F3		870 DATA 128,80,0,32,80,0,8,80	EM
]":THEN510		880 DATA 0,0,112,0,2,84,0,0	FG
520 PRINT"[HOME]"TAB(7)"[32" "]":SYS4943		890 DATA 85,0,0,169,64,0,33,64	KH
7:RETURN		900 DATA 0,137,64,2,2,120,8,0	KK
530 POKES+4,17:FORK=1TO10		910 DATA 156,32,0,32,168,0,42	CK
540 PRINT"[HOME][7"[DOWN]"][4"[RIGHT]"][		920 DATA 34,34,32,162,162,34,170,170	HA
GREEN]C O N G R A T U L A T I O N S ! !"		930 DATA 186,8,32,32,0,8,0,1	

IMPORTANT!

Letters on white background are **Bug Repellent** line codes. **Do not enter them!** Pages 119 and 120 explain these codes and provide other essential information on entering **Ahoy!** programs. Refer to these pages **before** entering any programs!

•940 DATA 66,0,0,160,128,0,160,32
 •950 DATA 0,80,8,0,80,32,0,80
 •960 DATA 128,0,112,0,1,82,0,5
 •970 DATA 80,0,20,168,0,20,32,0
 •980 DATA 20,136,0,242,2,0,232,0
 •990 DATA 128,32,0,32,168,0,42
 •1000 DATA 8,136,136,162,34,34,72,136
 •1010 DATA 138,0,32,0,0,8,0,1
 •1020 DATA 66,0,0,160,128,0,160,32
 •1030 DATA 0,80,8,0,80,32,0,80
 •1040 DATA 128,0,112,0,1,82,0,5
 •1050 DATA 80,0,20,168,0,20,32,0
 •1060 DATA 20,136,0,242,2,0,232,0
 •1070 DATA 128,32,0,32,168,0,42
 •1080 DATA 0,32,0,0,184,0,2,254
 •1090 DATA 0,0,184,0,0,32,0,0
 •1100 DATA 0,0,0,0,0,0,0,0
 •1110 DATA 0,0,0,0,0,0,0,0
 •1120 DATA 0,0,0,0,0,0,0,0
 •1130 DATA 0,0,0,0,0,0,0,0
 •1140 DATA 0,0,0,0,0,0,0,0
 •1150 DATA 0,0,0,0,0,0,0,0
 •1160 DATA 40,20,150,85,150,150,20,40
 •1170 DATA 2,10,42,170,85,85,85,85
 •1180 DATA 170,170,170,170,85,85,85,85
 •1190 DATA 170,169,165,149,85,84,80,64
 •1200 DATA 169,129,141,4,212,173,0,220
 •1210 DATA 41,8,208,10,169,1,141,167
 •1220 DATA 2,169,192,141,248,7,173,0
 •1230 DATA 220,41,4,208,10,169,1,141
 •1240 DATA 168,2,169,196,141,248,7,173
 •1250 DATA 0,220,41,16,208,9,206,1
 •1260 DATA 208,206,1,208,76,58,192,238
 •1270 DATA 1,208,169,0,141,0,220,173
 •1280 DATA 27,212,141,40,208,174,248,7
 •1290 DATA 224,194,16,8,169,192,141,248
 •1300 DATA 7,76,89,192,169,196,141,248
 •1310 DATA 7,169,59,174,188,2,172,189
 •1320 DATA 2,238,188,2,206,189,2,157
 •1330 DATA 0,4,157,224,5,153,240,4
 •1340 DATA 153,32,7,169,32,157,0,4
 •1350 DATA 157,224,5,153,240,4,153,32
 •1360 DATA 7,174,188,2,172,189,2,169
 •1370 DATA 59,157,0,4,157,224,5,153
 •1380 DATA 240,4,153,32,7,162,180,202
 •1390 DATA 142,1,212,224,0,208,248,173
 •1400 DATA 189,2,201,0,208,29,169,32
 •1410 DATA 141,39,4,141,7,6,141,240
 •1420 DATA 4,141,32,7,169,0,141,188
 •1430 DATA 2,169,39,141,189,2,169,0
 •1440 DATA 141,4,212,96,169,17,141,11
 •1450 DATA 212,162,220,160,15,142,8,212
 •1460 DATA 140,39,208,136,208,250,202,224
 •1470 DATA 200,208,240,169,12,141,39,208
 •1480 DATA 169,0,141,31,208,141,11,212
 •1490 DATA 206,191,2,173,191,2,201,47

NE •1500 DATA 208,39,169,57,141,191,2,141 PF
 KP •1510 DATA 206,7,206,190,2,173,190,2 CH
 BE •1520 DATA 201,47,208,14,169,48,141,205 GL
 FP •1530 DATA 7,141,206,7,169,1,141,192 CM
 JF •1540 DATA 2,96,173,190,2,141,205,7 CD
 MF •1550 DATA 96,141,206,7,96,169,10,162 PB
 OG •1560 DATA 0,160,39,157,0,216,157,224 GE
 NK •1570 DATA 217,153,240,216,153,32,219,232 DF
 NE •1580 DATA 136,192,0,208,238,96 MP
 KP •1590 POKE53280,0:POKE53281,11:PRINT"[CLE IB
 BE AR][HOME]"TAB(11)"[RVSON][YELLOW] JEWEL
 FP QUEST " EH
 JF •1600 PRINTTAB(17)"[GREEN]BY":PRINTTAB(12
 MF)"BOB BLACKMER[DOWN]" EH
 EK •1610 PRINT"[YELLOW][CYAN] YOU MUST GATHE
 AM R THE TEN JEWELS ON EACH [DOWN]OF NINE
 FG LEVELS."; CP
 FG •1620 PRINT" YOU ACCOMPLISH THIS BY [DOW
 FG N]FLYING A GYROCOPTER IN THE JEWEL ROOM.
 FG " CP
 FG •1630 PRINT"[RIGHT][DOWN]TO FLY USE THE J
 PD OYSTICK IN PORT #2 AND [DOWN]PUSH LEFT
 FB OR RIGHT."; PL
 DB •1640 PRINT" TO FLY UP PUSH THE [DOWN]FI
 AG RE BUTTON. TO GET A JEWEL JUST TOUCH [D
 CN OWN]IT "; IO
 LM •1650 PRINT"WITH YOUR LANDING PODS. DONT
 GM TOUCH[3" "][DOWN]THE VELVET ON WHICH THE
 FD Y SIT "; JO
 CM •1660 PRINT"OR THE[5" "][DOWN]ROBOT GUARD
 LF S WHICH PATROL FOR THEY SAP [DOWN]YOUR
 MG ENERGY." PI
 OE •1670 PRINTTAB(4)"[RVSON][YELLOW]PRESS F1
 LP TO PAUSE DURING GAME" NF
 JN •1680 PRINTTAB(8)"[RVSON]PRESS ANY KEY TO
 CO BEGIN[HOME]":POKE198,0 OF
 LD •1690 WAIT198,1:PRINT"[CLEAR][3"[DOWN]]"
 MG 3"[RIGHT]"JUST A MOMENT[3""][DOWN]":RE
 GG TURN KD

THE IBM CONNECTION FROM PAGE 61

COMMTX

•0 REM << COMMTX - TRANSMIT TO IBM OC
 •5 REM - COMMODORE PROGRAM - MD
 •6 REM - -- COMMTX -- EH
 •7 REM - RUPERT REPORT #24 PP
 •8 REM - THE IBM CONNECTION KB
 •9 REM - LO
 •10 OPEN 2,2,0,CHR\$(8)+CHR\$(0) NG
 •20 GET K\$: IF K\$="" THEN 20 DF
 •30 PRINT#2,K\$; : PRINT K\$; BI
 •40 GOTO 20 OK

COMMRX

```

•0 REM << COMMRX - RECEIVE FROM IBM
•5 REM - COMMODORE PROGRAM -
•6 REM - -- COMMRX --
•7 REM - RUPERT REPORT #24
•8 REM - THE IBM CONNECTION
•9 REM -
•10 OPEN 2,2,0,CHR$(8)+CHR$(0)
•20 GET#2,R$: IF R$="" THEN 20
•30 PRINT R$;
•40 GOTO 20

```

KI
MD
EN
PP
KB
LO
NG
OD
EP
OK

```

SUB 1000 : GOTO 80
•130 T$="THAT'S RIGHT! MY NUMBER IS "+G$+
". YOU TOOK"+STR$(NG)+" GUESSES."
•140 GOSUB 1000 : GOSUB 2000
•150 T$="YOU'RE WELCOME." : GOSUB 1000
•155 REM >WAIT TILL DONE TRANSMITTING<
•160 IF PEEK(673) AND 1 THEN 160
•170 CLOSE 2 : END
•1000 PRINT#2,T$ :REM TRANSMIT T$
•1010 RETURN
•2000 R$="" :REM RECEIVE R$
•2010 GET#2,A$:IF A$="" THEN 2010
•2020 IF A$=CHR$(13) THEN 2040
•2030 R$=R$+A$ : GOTO 2010
•2040 PRINT R$ : RETURN

```

PG
MC
PG
NK
DE
GO
JB
CP
IM
JL
AB
HJ
DP
NL

COMMHS

```

•0 REM << COMMHS - HANDSHAKE WITH IBM
•1 REM - COMMODORE PROGRAM -
•2 REM - -- COMMHS --
•3 REM RUPERT REPORT #24
•4 REM THE IBM CONNECTION
•5 REM
•9 REM 1200 BAUD, 8 BITS/CHR, 1 STOP BIT,
NO PARITY
•10 OPEN 2,2,0,CHR$(8)+CHR$(0)
•20 CR$=CHR$(13)
•25 REM CLEAR THE RECEIVE BUFFER
•30 GET#2,R$: IF ST<>8 OR ST<>0 THEN 30
•35 REM == MAIN LOOP ==
•40 GET#2,R$: IF R$="" THEN 40
•50 M$=M$+R$
•60 PRINT R$;: IF R$=CR$ THEN GOSUB 80
•70 GOTO 40
•75 REM - TRANSMIT HANDSHAKE MESSAGE -
•80 T$="MESSAGE #"+STR$(VAL(M$))+ " RECEIV
ED"
•90 PRINT#2,T$ : M$="" : RETURN

```

HA
MD
CN
ON
EC
JD
DI
NG
PB
JE
PB
FP
AB
MB
KP
PE
CM
JC
PJ

DIRECTORY MANIPULATOR FROM PAGE 113

```

•10 REM *****
•20 REM * DIRECTORY MANIPULATOR INIT *
•30 REM *****
•40 PRINT"[CLEAR]"TAB(9)"[BLACK]DIRECTORY
MANIPULATOR[CYAN]"
•50 PRINTTAB(5)"[DOWN][RVSON]INSERT DISKE
TTE TO MANIPULATE":GOSUB1430
•60 DIMF$(144);FORI=1TO11:FL$=FL$+CHR$(0)
:NEXT:TY$=CHR$(131)+CHR$(18)+CHR$(0)
•70 DIMS%(18):S%(1)=1:FORI=1TO17
•80 IFI=6THENS%(I+1)=2:NEXT
•90 IFI=12THENS%(I+1)=3:NEXT
•100 S%(I+1)=S%(I)+3:NEXT
•110 T=18:S=1:N=1:OK=0
•120 SP$="":FORI=1TO16:SP$=SP$+CHR$(160):
NEXT
•130 REM *****
•140 REM * INIT DISK UNIT *
•150 REM *****
•160 OPEN15,8,15,"I0":GOSUB1550
•170 PRINTTAB(12)" DISK UNIT OK ![DOWN]"
•180 REM *****
•190 REM * READ DIRECTORY ROUTINE *
•200 REM *****
•210 OPEN2,8,2,"#"
•220 PRINT#15,"U1";2;0;T;S
•230 GOSUB1550
•240 GET#2,T$,S$:REM * TRACK & SECTOR OF
NEXT DIR ENTRY *
•250 T=ASC(T$+CHR$(0)):S=ASC(S$+CHR$(0))
•260 FORI=1TO8
•270 F$="":FORX=1TO30:REM * GET DIRECTORY
ENTRIES *
•280 GET#2,B$:B=ASC(B$+CHR$(0)):IFX=1THEN
A=B
•290 IFX=4THENC=B
•300 F$=F$+CHR$(B):NEXTX
•310 IFA<>0OR(A=0ANDC=160)THENF$(N)=F$:N=

```

NK
JD
NK
EJ
NH
KM
IF
CB
HO
JG
AK
BJ
LO
ID
LO
IN
PE
OG
PD
OG
DO
AM
GG
EH
MK
JD
JI
BO
KE
HM

COMMHILO

```

•0 REM << COMMHILO - HI-LO GAME WITH IBM
•1 REM - COMMODORE PROGRAM -
•2 REM - -- COMMHILO --
•3 REM RUPERT REPORT #24
•4 REM THE IBM CONNECTION
•5 REM
•6 PRINT CHR$(147)
•10 OPEN 2,2,0,CHR$(8)+CHR$(0)
•20 N=INT(RND(0)*1048576)
•30 N$=STR$(N)
•40 GOSUB 2000
•50 IF LEFT$(R$,13)<>"PICK A NUMBER" THEN
T$="WHAT?" : GOSUB 1000 : GOTO 40
•60 T$="ALL RIGHT" : GOSUB 1000
•70 PRINT"( MY NUMBER IS";N;")"
•80 GOSUB 2000 : NG=NG+1
•90 G$=MID$(R$,6) :V=VAL(G$) :G$=STR$(V)
•100 IF G$=N$ THEN 130
•110 IF V>N THEN T$=G$+" IS TOO HIGH" : G
OSUB 1000 : GOTO 80
•120 IF V<N THEN T$=G$+" IS TOO LOW" : GO

```

CO
MD
LB
ON
EC
JD
FG
NG
GB
IA
FL
KF
HN
IP
GI
FB
FF
HP

N+1	ID	•690 PRINT"[CLEAR]":GOTO580	NM
•320 GET#2,B\$,B\$:NEXTI:REM * DIR ENTRIES		•700 REM *****	FC
2-7 GARBAGE 1ST 2 BYTES *	NL	•710 REM * RE-WRITE DIRECTORY *	NI
•330 IFT<>0THEN220	MI	•720 REM *****	FC
•340 REM *****	CE	•730 PRINT"[CLEAR][DOWN] [RVSON]WRITING	FG
•350 REM * PRINT DIRECTORY ROUTINE *	OM	NEW DIRECTORY[3".]PLEASE WAIT![RVSOFF][	
•360 REM *****	CE	DOWN]"	
•370 Z=1:OD=0:P1=20:PG=P1:X=INT((N-1)/2)+	KC	•740 F\$="":FORI=1TO32:F\$=F\$+CHR\$(0):NEXTI	NE
1:IF(N-1)-(2*(X-1))=1THENX=X+1:OD=1		•750 OPEN15,8,15,"I0":GOSUB1550	IN
•380 XX=X-1:PC=INT(XX/PG):IF(XX/PG)-PC<>0	OJ	•760 PRINTTAB(12)" DISK UNIT OK ![DOWN]"	PE
THENPC=PC+1	JG	•770 OPEN2,8,2,"#":X=INT((N-1)/8):XX=0:IF	
•390 IFXX>PGTHENX=PG+1		((N-1)/8)-X<>0THENX=X+1	JD
•400 FORI=1TOXX:PRINT"[BLACK]"RIGHT\$(STR\$(	KO	•780 FORI=1TOX:PRINT#15,"B-P:":2;0:REM *	
Z),2)"[CYAN]";MID\$(F\$(Z),4,16):Z=Z+1		POSITION BUFFER POINTER *	KD
•410 IFOD=0OR(OD=1AND2*XX<>X)THENPRINTTAB	AG	•790 T=18:IFI=XTHENT=0:REM * SET NEXT DIR	
(19)"[UP][BLACK]"RIGHT\$(STR\$(X),2)"[CYAN	FL	SEC POINTER TO 0 IF LAST SECTOR *	MA
]";MID\$(F\$(X),4,16):X=X+1	CK	•800 PRINT#2,CHR\$(T);CHR\$(S%(I+1));:REM *	FO
•420 IFINT(I/PG)=1ANDPC>=2THENPG=PG+P1:GO	JL	POINTER TO NEXT TR/SE OF DIR *	MP
SUB1430:PC=PC-1:GOTO440	DE	•810 FORZ=1TO8:XX=XX+1	MK
•430 GOTO460	MN	•820 IFXX=>NTHENPRINT#2,F\$;:GOTO850	
•440 Z=X:IFPC=>2THENX=Z+P1	BC	•830 PRINT#2,F\$(XX);:REM * PUT DIR ENTRIE	CJ
•450 IFPC=1THENX=INT(((2*XX)-(2*I))/2)+Z	JN	S INTO BUFFER *	
•460 NEXTI	PB	•840 IFZ<>8ANDXX<>(N-1)THENPRINT#2,"SG";:	LH
•470 CLOSE15:CLOSE2	JN	REM * TRASH BYTES FOR DIR ENTRIES 2-7 *	NM
•480 REM *****		•850 NEXTZ	
•490 REM * CHECK DIR OK? *	KN	•860 PRINT#15,"U2:":2;0;18;S%(I):REM * WR	PO
•500 REM *****	HL	ITE DIR SECTOR *	
•510 PRINT:PRINT"[DOWN]DIRECTORY OK (Y/N)	LA	•870 PRINT"WRITING TRACK 18 SECTOR"STR\$(S	GF
");:INPUT"[3"[RIGHT]"N[3"[LEFT]""]";OK\$	OC	% (I))	NO
•520 IFOK\$<>"Y"ANDOK\$<>"N"THENPRINT"[3"[U	OP	•880 NEXTI:CLOSE2:CLOSE15:GOTO1660	KN
P]"]":GOTO510	AG	•890 REM *****	OA
•530 IFOK\$="Y"ANDOK=0THENGOTO1660:REM * E	OP	•900 REM * ALPHABATIZE DIRECTORY *	KN
XIT DIR MANIPULATOR *	PN	•910 REM *****	FP
•540 IFOK\$="Y"ANDOK=1THENGOTO730:REM * RE	OA	•920 X=N	GO
-WRITE DIRECTORY *	HI	•930 X=INT(X/2):IFX=0THENRETURN	HI
•550 REM *****	OP	•940 FORI=1TO((N-1)-X):Y=I	
•560 REM * SELECT MANIP CMD *	AK	•950 Z=Y+X:IFMID\$(F\$(Y),4,16)<=MID\$(F\$(Z)	EA
•570 REM *****	II	,4,16)THEN970	
•580 PRINT"[DOWN]SELECT DIRECTORY MANIPUL	DB	•960 FF\$=F\$(Y):F\$(Y)=F\$(Z):F\$(Z)=FF\$:Y=Y-	KF
ATION COMMAND:"	AK	X:IFY>0THEN950	OD
•590 GETCM\$:IFCM\$=""THEN590	HI	•970 NEXT:GOTO930	FC
•600 IFCM\$="[F1]"THENPRINT"RE-LIST DIRECT	OP	•980 REM *****	OP
ORY[DOWN]":GOTO370	AK	•990 REM * INSERT BLANK ENTRY *	FC
•610 IFCM\$="H"THENGOSUB1340:GOTO370	II	•1000 REM *****	
•620 OK=1:IFCM\$="[F2]"THENPRINT"ALPHABATI	DB	•1010 GOSUB1490:F\$(BL)=CHR\$(0)+CHR\$(0)+CH	LH
ZE DIRECTORY":GOSUB920:GOTO370	AK	R\$(0)+SP\$+FL\$:RETURN	JL
•630 IFCM\$="[F3]"THENPRINT"INSERT BLANK E	II	•1020 REM *****	AE
NTRY":GOSUB1010:GOTO370	DB	•1030 REM * DELETE BLANK ENTRIES *	JL
•640 IFCM\$="[F4]"THENPRINT"DELETE BLANK E	AK	•1040 REM *****	AE
NTRIES":GOSUB1050:GOTO370	II	•1050 FORI=1TON-1:IFASC(F\$(I))=0THEN1070	EJ
•650 IFCM\$="[F5]"THENPRINT"INSERT [RVSON]	OJ	•1060 NEXT:RETURN	OL
[5"-"] [RVSOFF] ENTRY":GOSUB1130:GOTO370	DH	•1070 FORX=BLTON-1	AO
•660 IFCM\$="[F6]"THENPRINT"INSERT 'REMARK	GP	•1080 IFBL<N-1THENF\$(X)=F\$(X+1)	HJ
' ENTRY":GOSUB1170:GOTO370	GP	•1090 NEXT:N=N-1:GOTO1050	FC
•670 IFCM\$="[F7]"THENPRINT"SWAP DIRECTORY	GP	•1100 REM *****	CC
ENTRIES":GOSUB1230:GOTO370	GP	•1110 REM * INSERT ----- ENTRY *	FC
•680 IFCM\$="[F8]"THENPRINT"DELETE DIRECTO	GK	•1120 REM *****	
RY ENTRY":GOSUB1280:GOTO370		•1130 GOSUB1490:F\$(BL)=TY\$+"[16"-"]"+FL\$:	

IMPORTANT! Letters on white background are **Bug Repellent** line codes. **Do not enter them!** Pages 119 and 120 explain these codes and provide other essential information on entering **Ahoy!** programs. Refer to these pages **before** entering any programs!

NM
FC
NI
FC

FG
NE
IN
PE

JD
KD

MA

FO
MP
MK

CJ

LH
NM

PO

GF
NO
KN
OA
KN
FP
GO
HI

EA

KF
OD
FC
OP
FC

LH
JL
AE
JL
AE
EJ
OL
AO
HJ
FC
CC
FC

```

RETURN
.1140 REM *****
.1150 REM * INSERT 'REMARK' ENTRY *
.1160 REM *****
.1170 GOSUB1490:PRINT"ENTER REMARK:";:INP
UTRM$:IFLEN(RM$)>16THEN1170
.1180 IFLEN(RM$)<16THENFORI=1TO(16-LEN(RM
$)):RM$=RM$+CHR$(160):NEXT
.1190 F$(BL)=TY$+RM$+FL$:RETURN
.1200 REM *****
.1210 REM * SWAP DIRECTORY ENTRIES *
.1220 REM *****
.1230 PRINT"1ST ";:GOSUB1490:A=BL:PRINT"2
ND ";:GOSUB1490:F$(B)=F$(A):F$(A)=F$(BL)
.1240 F$(BL)=F$(B):RETURN
.1250 REM *****
.1260 REM * DELETE DIRECTORY ENTRY *
.1270 REM *****
.1280 GOSUB1490:FORX=BLTON-1
.1290 IFBL<N-1THENF$(X)=F$(X+1)
.1300 NEXT:N=N-1:RETURN
.1310 REM *****
.1320 REM * HELP MENU *
.1330 REM *****
.1340 PRINT"[CLEAR][DOWN][3" "][RVSON]DIR
ECTORY MANIPULATOR HELP MENU[DOWN]"
.1350 PRINT"[3" "][F1 -> RE-LIST DIRECTORY
[DOWN]":PRINT"[3" "][F2 -> ALPHABATIZE DI
RECTORY[DOWN]"
.1360 PRINT"[3" "][F3 -> INSERT BLANK ENTR
Y[DOWN]":PRINT"[3" "][F4 -> DELETE BLANK
ENTRIES[DOWN]"
.1370 PRINT"[3" "][F5 -> INSERT [RVSON][5"
-"]][RVSOFF] ENTRY[DOWN]":PRINT"[3" "][F6
-> INSERT 'REMARK' ENTRY[DOWN]"
.1380 PRINT"[3" "][F7 -> SWAP DIRECTORY EN
TRIES[DOWN]":PRINT"[3" "][F8 -> DELETE DI
RECTORY ENTRY"
.1390 GOSUB1430:RETURN
.1400 REM *****
.1410 REM * HIT KEY SUBROUTINE *
.1420 REM *****
.1430 PRINT:PRINTTAB(13)"HIT ANY KEY[3"!
][DOWN]"
.1440 GETCK$:IFCK$=""THEN1440
.1450 RETURN
.1460 REM *****
*****
.1470 REM * LOC OF ENTRY/MOVE DIR ARRAY E
NTRIES SUBROUTINE *
.1480 REM *****
*****
.1490 PRINT"LOCATION OF ENTRY:[4" "][4"[L
EFT]"]";:INPUTBL:IFBL>N-1ORBL<1THENPRINT
"[UP][UP]":GOTO1490
.1500 IFCM$="[F7]"ORCM$="[F8]"THENRETURN

```

```

OL .1510 N=N+1:FORI=N-1TOBL+1STEP-1:F$(I)=F$
KN (I-1):NEXT:RETURN CJ
DK .1520 REM ***** CF
KN .1530 REM * DISK STATUS CHECK * DA
MB .1540 REM ***** CF
MO .1550 INPUT#15,EN,EM$,ET,ES:IFEN<>0THENG0
TO1600 CJ
IK .1560 RETURN IM
KN .1570 REM ***** CE
NG .1580 REM * DISK UNIT ERROR ROUTINE * MF
KN .1590 REM ***** CE
BG .1600 PRINT"[CLEAR]"TAB(12)"[RVSON]DISK U
NIT ERROR!" NK
KO .1610 PRINT"[DOWN]ERROR # -"EN"[LEFT]; TR
OG ACK -"ET"[LEFT]; SECTOR -"SE DH
JC .1620 PRINT"[DOWN]ERROR MSG - "EM$:END HO
OG .1630 REM ***** NK
JH .1640 REM * EXIT DIRECTORY MANIPULATOR * BN
AO .1650 REM ***** NK
LA .1660 PRINT"[CLEAR][DOWN]MANIPULATE ANOTH
ER DISKETTE (Y/N)";:INPUT"[3"[RIGHT]]N[
MF 3"[LEFT]]";AN$ GJ
DM .1670 IFAN$<>"Y"ANDAN$<>"N"THEN1660 EI
MF .1680 PRINT"[DOWN]DISKETTE BEING VALIDATE
D":OPEN15,8,15:PRINT#15,"V":PRINT#15,"I"
BA :CLOSE15 CL
NO .1690 IFAN$="Y"THENRUN OC
MP .1700 END IC

```

GAMELOADER FROM PAGE 107

```

AA .1 REM ***** JL
.2 REM * GAMELOADER * LI
.3 REM * BY TIM BROWN * PK
.4 REM ***** JL
CO .5 POKE53281,12:POKE53280,12:PRINT"[CLEAR
FC ][BLACK]" KJ
PO .10 PRINT"[DOWN][DOWN]BASIC LOADER CONSTR
FC UCTION" IB
JL .20 INPUT"ENTER PROGRAM NAME";NA$ NO
CE .30 INPUT"[DOWN]ENTER ADDRESS TO SYS";AD$ EN
IM .40 NX$=LEFT$(NA$,1)+"X":AD=VAL(AD$) FL
JO .50 PRINT"[DOWN][DOWN]INSERT PROGRAM DISK
CO INTO DRIVE"
.60 PRINT"[5"[RIGHT]]Y/N" FK
.70 GETA$:IFA$<>"Y"ANDA$<>"N"THEN70 KG
BN .80 IFA$="N"THENGOSUB9000:GOTO50 EP
JO .100 PRINT"[CLEAR][4"[DOWN]]NOW CONSTRUC
TING LOADER" MJ
.110 OPEN1,8,15:PRINT#1,"R0:"+NX$+"="+NA$ GA
.115 INPUT#1,E,E$:IFE>0THENPRINT"[CLEAR][
BN 5"[DOWN]]ERROR !":CLOSE1:GOTO10 EO
AA .117 CLOSE1:PRINT"[CLEAR]":PRINT"[3"[DOWN

```


IMPORTANT!

Letters on white background are **Bug Repellent** line codes. **Do not enter them!** Pages 119 and 120 explain these codes and provide other essential information on entering **Ahoy!** programs. Refer to these pages **before** entering any programs!

```
]"]NEW[3"[DOWN]""]"  
•120 PRINT"100 IFA=0THENA=1:LOAD"CHR$(34)  
NX$CHR$(34)",8,1"  
•130 PRINT"110 PRINT"CHR$(34)"READY"CHR$(  
34)  
•140 PRINT"130 SYS"AD":NEW"  
•145 PRINT"SAVE"CHR$(34)NA$CHR$(34)",8"  
•150 PRINT"[HOME]";:FORR=631TO644:POKER,1  
3:NEXT  
•160 POKE198,13:END  
•9000 S=54272:FORE=STOS+28:POKEE,0:NEXT  
•9010 POKE54296,15:POKE54277,0:POKE54278,  
240  
•9020 POKE54275,1:POKE54274,0  
•9030 POKE54273,33:POKE54272,135:POKE5427  
6,65  
•9040 FORT=1TO500:NEXT:POKE54276,64  
•9050 POKE54296,0  
•9090 RETURN
```

CLOAK FROM PAGE 108

```
•100 MP=828:KEY=882:BY=254:TL=13776:CS=0 MN  
•102 PRINT"[CLEAR]DATA CLOAK[DOWN][DOWN]" EI  
•104 READ K:IFK<0THEN108 BE  
•106 CS=CS+K:POKEMP,K:MP=MP+1:GOTO104 OB  
•108 IF CS<>TL THENPRINT"[RVSON]ERROR="CS  
:GOTO154 DI  
•110 PRINT"OKAY":SYSKEY:KEY=KEY-1 HK  
•112 PRINT"ENCRYPTION KEY":INPUT KY$:IFKY  
$=""THEN154 LJ  
•114 PRINT"SOURCE FILENAME":INPUT N1$:IFN  
1$=""THEN154 OM  
•116 PRINT"FILE TYPE (P/S/U)":INPUT SF$:I  
FSF$=""THENSF$="P" AC  
•118 PRINT"NEW FILENAME":INPUT N2$:IFN2$=  
""THEN154 IP  
•120 PRINT"FILE TYPE (P/S/U)":INPUT NF$:I  
FNF$=""THENNf$="P" PF  
•122 SF$=","+LEFT$(SF$,1)+",R":NF$=","+LE  
FT$(NF$,1)+",W" DM  
•124 N1$="0:"+LEFT$(N1$,16)+SF$:N2$="0:"+  
LEFT$(N2$,16)+NF$ DL  
•126 PRINT"OPENING ";N1$:OPEN15,8,15,"I" CN  
•128 OPEN2,8,2,N1$:GOSUB158:PRINTDK$:IFER  
THEN154 LL  
•130 PRINT"OPENING ";N2$ AM  
•132 OPEN 3,8,3,N2$:GOSUB158:PRINTDK$:IFE  
RTHEN154 OA  
•134 FORLP=1TOLN(KY$):POKEKEY+LP,ASC(MID  
$(KY$,LP,1)):NEXTLP EC  
•136 POKEKEY+LP,0:PRINT"CRYPTING WAIT" CL  
•138 ER=1 HL  
•140 GET#2,Q$:IF STATUS AND 64 THENER=0 LB
```

```
NH •142 K=0:IFQ$=""THEN146 NH  
•144 K=ASC(Q$) KO  
MO •146 POKEBY,K:SYS828:K=PEEK(BY) GE  
•148 PRINT#3,CHR$(K);:IFERTHEN140 CI  
MG •150 GOSUB158:PRINTDK$:IFERTHEN154 FE  
JI •152 PRINT" ALL DONE." FA  
KK •154 CLOSE2:CLOSE3:CLOSE15:END NA  
•156 REM DISK ERRORS JM  
OJ •158 ER=0:INPUT#15,E1,E2$,E3,E4 JL  
KD •160 DK$=STR$(E1)+CHR$(32)+E2$ HD  
LA •162 IFE1>20THENER=1:DK$=CHR$(18)+DK$ OA  
•164 RETURN IM  
MK •166 DATA 222,135,090,041,121 EJ  
FO •168 DATA 063,132,255,132,178 CH  
•170 DATA 203,129,179,122,138 FH  
IE •172 DATA 121,254,135,026,210 PN  
GL •174 DATA 054,054,121,203,129 AD  
PK •176 DATA 112,234,120,051,103 NM  
IM •178 DATA 235,129,026,211,070 CJ  
•180 DATA 255,129,211,121,255 EI  
•182 DATA 134,211,122,210,235 HI  
•184 DATA 129,178,186,086,170 KN  
•186 DATA 131,054,152,134,169 AE  
•188 DATA 093,141,002,003,169 CN  
•190 DATA 003,141,003,003,169 OD  
•192 DATA 060,133,251,169,003 AC  
•194 DATA 133,252,160,000,132 HF  
•196 DATA 253,177,251,073,122 IO  
•198 DATA 145,251,200,192,054 GP  
•200 DATA 208,245,169,114,133 FG  
•202 DATA 251,169,003,133,252 AB  
•204 DATA 096,255,-7 HB
```

LINEOUT FROM PAGE 90

```
•1 REM ** LINEOUT ** BUCK CHILDRESS ** BO  
X 13575, SALEM, OR 97309 ** 9,15,85 MA  
•2 PRINT"[CLEAR][BLACK]LOADING AND CHECKI  
NG DATA[3".""] DK  
•3 FORJ=49152TO49447:READA:POKEJ,A:X=X+A:  
NEXT ID  
•4 IFX<>35036THENPRINT"[DOWN]ERROR IN DAT  
A[3".""]":END LA  
•5 PRINT"[DOWN]DATA IS OK AND LOADED[3"."  
"] FE  
•6 PRINT"[DOWN]SYS 49152 TO ACTIVATE[3"."  
"]":END EE  
•7 DATA169,6,133,252,160,0,132,251,185,19  
9,192,32 LJ  
•8 DATA210,255,200,196,252,144,245,132,25  
4,169,0,133 OL  
•9 DATA253,169,0,133,204,32,228,255,240,2  
47,201,13 FI  
•10 DATA240,26,201,20,240,214,201,48,144,
```


235,201,58
 •11 DATA176,231,230,253,166,253,224,6,176,223,32,210
 •12 DATA255,76,25,192,165,253,240,213,230,252,230,252
 •13 DATA230,252,230,251,164,254,165,251,201,2,240,180
 •14 DATA201,3,176,10,165,252,24,105,5,133,252,76
 •15 DATA8,192,169,32,32,210,255,160,0,185,120,4
 •16 DATA153,48,193,200,192,38,144,245,160,43,185,199
 •17 DATA192,32,210,255,200,192,88,144,245,169,8,133
 •18 DATA198,169,13,160,0,153,119,2,200,192,8,144
 •19 DATA248,169,19,32,210,255,76,49,168,160,0,185
 •20 DATA225,5,153,50,193,200,192,6,144,245,160,0
 •21 DATA76,118,192,160,0,185,48,193,153,184,5,200
 •22 DATA192,29,144,245,162,0,189,31,193,153,184,5
 •23 DATA232,200,224,9,144,244,96,147,17,17,66
 •24 DATA61,32,32,32,32,32,58,69,61,58,73,61
 •25 DATA147,17,17,17,73,70,66,62,69,84,72,69
 •26 DATA78,80,79,75,69,49,57,56,44,48,58,69
 •27 DATA78,68,17,17,13,63,66,17,13,17,17,80
 •28 DATA79,75,69,50,49,52,44,53,13,145,145,145
 •29 DATA83,89,83,52,57,51,50,51,17,13,17,17
 •30 DATA17,17,17,83,89,83,52,57,51,48,53,58
 •31 DATA2,61,2,43,9,58,63,2

GYPSY STARSHIP

FROM PAGE 18

VIDEO SETUP

•1 REM *** VIDEO SETUP ***
 •2 REM CREATES 'GYPSY VIDEO' FOR 'GYPSY'
 •5 POKE 55,255:POKE 56,127:POKE 643,255:POKE 644,127:PRINT "[CLEAR]"
 •7 F\$=" ":C0%=0:C1%=0:C2%=0:C3%=0:C4%=0:C5%=0:C6%=0:SP%=0
 •8 DEF FN PG(X)=INT(X/256):DEF FN LO(X)=X-256*(INT(X/256))
 •10 GOSUB 90:GOSUB 600
 •12 PRINT "[CLEAR]";:GOSUB 95:GOSUB 700:G

LA OSUB 2000 CM
 •13 GOSUB 900 DB
 CK •14 SYS 38046:POKE 648,140 AE
 •15 REM ** ENABLE SPRITES OD
 EJ •16 FOR I=0 TO 199:NEXT:POKE ES,31:POKE 36839,32 HM
 FE •17 PRINT LL\$BL\$LL\$"[RVSON]PRESS BUTTON[RVSOFF] TO CREATE 'GYPSY VIDEO'";:GOTO 100 BO
 GJ 0 GD
 •19 REM ** LOAD SUBROUTINE
 DB •20 FOR I=XB TO XE:READ A:POKE I,A:NEXT:PRINT "[RVSON].[RVSOFF]";:RETURN MG
 PF •90 POKE 53265,0:RETURN MO
 •95 POKE 53265,91:RETURN PH
 HP •98 REM *** ACTION LOOP *** KJ
 •100 IF C0%>0 THEN C0%=0:GOTO 300 KB
 FP •196 GOTO 100 CF
 •298 REM *** END HANDLING *** AB
 FL •299 REM ** PUT VIDEO MEMORY BACK TO FIRST BLOCK, AND SCREEN MEMORY TO 1024 EG
 BN •300 GOSUB 90:POKE ES,0:REM DISABLE SPRITES LO
 HN •304 REM RESTORE VIDEO/SCREEN MEMORY AK
 ON •305 POKE 56578,PEEK(56578)OR3:POKE 56576,PEEK(56576)AND 252)OR 3 MB
 CJ •310 POKE 53272,20:POKE 648,4:SYS 40768 OJ
 •360 POKE 37894,PEEK(45):POKE 37895,PEEK(46) PA
 HN •365 POKE 43,0:POKE 44,128:POKE 45,255:POKE 46,159 HA
 LD •370 SAVE "@0:GYPSY VIDEO",8,1 DH
 IC •375 POKE 43,1:POKE 44,8:POKE 45,PEEK(37894):POKE 46,PEEK(37895) HC
 PC •380 POKE 657,0:POKE 792,71:POKE 808,237 PK
 •385 GOSUB 95:POKE 37952,0:POKE 37953,0 GI
 FK •390 SYS 65126 KI
 •598 REM *** ARRANGE MEMORY *** KB
 NF •600 VB=32768:POKE 56578,PEEK(56578)OR3:POKE 56576,(PEEK(56576)AND 252)OR 1 CN
 AD •602 SB=0:POKE 53272,(SB*16)+4:SB=VB+1024*SB MO
 JB •604 BB=SB/256:POKE 648,BB AK
 •611 REM ** SPRITE COLOR TABLE LA
 •612 CT(0)=53287:FOR I=1 TO 7:CT(I)=CT(I-1)+1:NEXT AN
 •614 HT(0)=53248:FOR I=1 TO 7:HT(I)=HT(I-1)+2:NEXT KC
 •616 VT(0)=53249:FOR I=1 TO 7:VT(I)=VT(I-1)+2:NEXT AJ
 PI •618 HR=53264 FB
 KE •620 ES=53269 FE
 NO •622 POKE 53271,0:POKE 53277,0:POKE 53275,0:POKE 53276,30 GD
 •628 EM=53276 EK
 EF •630 POKE 53285,15:POKE 53286,7 FK
 GA •635 FOR I=0 TO 7:BC(I)=255-BS(I):NEXT LB
 •638 REM *** INITIALIZE VALUES *** DK
 •640 PRINT "[c 7]"; KM

•642 POKE 53281,0	AF	DISABLE TIMER INTERRU., QUIT	NJ	9
•644 POKE 53280,0	AE	•2006 REM LDA 53265 AND#127 STA 53265 LDA		•23
•646 POKE CT(0),7:POKE CT(1),5:POKE CT(2)		#1 STA 53274 STA 56333 CLI RTS	PK	•23
,2:POKE CT(3),6:POKE CT(4),12	EE	•2007 DATA 173,17,208,41,127,141,17,208,1		•23
•659 REM *** ML TABLE SETUP ***	CA	69,1,141,26,208,141,13,220,88,96	LA	13
•661 POKE 37920,4:POKE 37921,4	CB	•2019 REM *** ANIMATION SHELL ***	KJ	•23
•663 POKE 37922,1	PO	•2020 XB=38144:XE=38176:GOSUB 20	DD	•23
•665 POKE 37923,0	PA	•2023 DATA 206,32,148,240,3,108,10,148	BE	•23
•667 POKE 37924,1:POKE 37925,1	FL	•2026 DATA 173,33,148,141,32,148	ED	•23
•669 POKE 37936,1	AJ	•2029 DATA 206,34,148,208,5,169,8,141,34,		•23
•671 POKE 37940,1	PO	148,174,34,148,202	OK	9
•673 POKE 37941,0	PA	•2032 DATA 173,35,148,240,6	LH	•23
•675 POKE 37926,3:POKE 37928,3	GI	•2035 A=192:B=248:FOR I=38177 TO 38219 ST		•23
•677 POKE 37927,0:POKE 37935,0:POKE 37943	MA	EP 6:POKE I,189:POKE I+1,A:POKE I+2,148	MN	•23
,0		•2036 POKE I+3,141:POKE I+4,B:POKE I+5,13		•23
•679 POKE 53282,1:POKE 53283,7:POKE 53284	GD	1:A=A+8:B=B+1:NEXT	BG	•23
,9		•2039 POKE 38225,108:POKE 38226,10:POKE 3		9
•694 POKE 657,128	BJ	8227,148	KK	•23
•696 RETURN	IM	•2049 REM *** MOVEMENT COUNTER ***	HI	•23
•699 REM *** INTRO SCREEN ***	PN	•2050 XB=38272:XE=38288:GOSUB 20	EL	•23
•700 PRINT "[CLEAR][5"[DOWN]]"TAB(14)"[s		•2051 X=38272:POKE 37896,FN LO(X):POKE 37		•23
G][s Y][s P][s S][s Y][SS][s P][s I][s	KL	897,FN PG(X)	EI	•23
L][s O][s T]"		•2052 POKE 37898,FN LO(X):POKE 37899,FN P		•23
•710 PRINT:PRINT TAB(6)"[RVSON][s Y][s O]		G(X)	MC	•23
[s U][s R][SS][s S][s H][s I][s P][SS][s		•2055 DATA 206,36,148,240,3,108,12,148	GC	6
I][s S][SS][s B][s E][s I][s N][s G][SS		•2058 DATA 173,37,148,141,36,148,108,2,14		•23
][s P][s R][s E][s P][s A][s R][s E][s D	NO	8	EA	D
][RVSOFF]":PRINT:PRINT		•2059 REM ** BITSET SUBROUTINE **	EI	•23
•715 RETURN	IM	•2060 XB=38314:XE=38323:GOSUB 20	BM	•23
•898 REM *** SPRITE POSITIONS ***	KA	•2063 DATA 185,74,148,13,16,208,141,16,20		•23
•900 FOR I=1 TO 4:POKE HT(I),20+INT(RND(9	DK	8,96	EH	•23
)*220)	JM	•2069 REM ** BITCLEAR SUBROUTINE **	KG	•23
•901 POKE VT(I),50+INT(RND(9)*190):NEXT	IJ	•2070 XB=38324:XE=38335:GOSUB 20	CK	89
•902 POKE HR,0	MF	•2073 DATA 185,74,148,73,255,45,16,208,14		•23
•909 REM ** PUT STARS ON THE SCREEN		1,16,208,96	CF	8
•910 PRINT "[CLEAR]";:FOR I=0 TO 49:POKE	EO	•2099 REM *** XMOVE ***	EL	•23
VB+INT(RND(9)*1024),46:NEXT		•2100 XB=38400:XE=38467:GOSUB 20	CJ	10
•915 FOR I=0 TO 8:POKE VB+INT(RND(9)*1024	IK	•2103 DATA 169,1,57,75,148,240,3,32,128,1		•23
),42:NEXT	LP	50	GE	4
•919 REM ** STARSHIP POSITION	AE	•2109 DATA 169,2,57,75,148,240,3,32,192,1		•23
•920 POKE 53248,175:POKE 53249,150	CN	50	CM	8
•921 REM ** STARSHIP DIRECTION	ED	•2119 DATA 169,4,57,75,148,240,17,185,74,		•23
•922 POKE VB+1016,16	BE	148,45,16,208,240,6	KM	•23
•930 LL\$="[HOME][23"[DOWN]]"	AM	•2122 DATA 32,0,151,76,44,150,32,64,151	FE	•23
•931 BL\$="[39" "]:BL\$=BL\$+BL\$+" "	IM	•2128 DATA 169,8,57,75,148,208,1,96,185,7		•23
•946 RETURN	OA	4,148,45,16,208,240,4	HN	•23
•1998 REM *** MACHINE LANGUAGE ***	JO	•2131 DATA 32,128,151,96,32,192,151,96	OB	•23
•1999 REM ** STARTUP SYS ROUTINE	LB	•2139 REM *** UPMOVE SUBROUTINE ***	NE	14
•2000 POKE 37888,PEEK(788):POKE 37889,PEE	AI	•2140 XB=38528:XE=38561:GOSUB 20	BL	•23
K(789)	CI	•2143 DATA 190,1,208,202,138,217,90,148,2		•23
•2001 XB=38046:XE=38079:GOSUB 20	GP	08,3,32,146,150,138,153,1,208,96	BB	•23
•2002 REM SET INTERRU.VECTOR TO INTERRU.HAN	PA	•2146 DATA 173,48,148,208,4,232,76,247,14		•23
DLER#1 AND SCANLINE 234		9,190,91,148,202,76,247,149	OB	•23
•2003 REM SEI LDA#0 STA 788 LDA#154 STA 7		•2159 REM *** DOWNMOVE SUBROUTINE ***	PI	5
89 LDA#234 STA 53266		•2160 XB=38592:XE=38625:GOSUB 20	CJ	•23
•2004 DATA 120,169,0,141,20,3,169,154,141		•2163 DATA 190,1,208,232,138,217,91,148,2		•23
,21,3,169,234,141,18,208		08,3,32,210,150,138,153,1,208,96	NF	•23
•2005 REM HIGH BIT, ENABLE SCAN INTERRU.,		•2166 DATA 173,48,148,208,4,202,76,247,14		41

NJ	9,190,90,148,232,76,247,149	OM	•2575 DATA 32,80,153,76,208,152	FI
PK	•2179 REM *** LEFTMOVE (HI BIT SET) ***	KO	•2578 DATA 173,53,148,240,13,173,31,208,4	CD
LA	•2180 XB=38656:XE=38669:GOSUB 20	GC	1,1,240,3,32,112,153,76,208,152,96	AI
KJ	•2183 DATA 190,0,208,202,16,3,32,180,149,	DC	•2579 REM ** UNMOVE **	PK
DD	138,153,0,208,96	KJ	•2580 XB=39120:XE=39148:GOSUB 20	OB
BE	•2199 REM *** LEFTMOVE (HI BIT CLR) ***	LH	•2583 DATA 169,1,141,40,148,172,75,148,18	OC
ED	•2200 XB=38720:XE=38756:GOSUB 20	FL	5,121,148,141,75,148	KL
OK	•2203 DATA 190,0,208,202,138,217,106,148,	PA	•2586 DATA 160,0,32,0,150,172,75,148,185,	AP
LH	208,3,32,82,151,138,153,0,208,96	CM	121,148,141,75,148,96	HH
MN	•2206 DATA 173,48,148,208,4,232,76,247,14	CL	•2599 REM ** INTERRUPT HANDLER 1 **	OO
BG	9,190,107,148,202,32,170,149,76,247,149	BE	•2600 XB=39424:XE=39449:GOSUB 20	JH
KK	•2219 REM *** RIGHTMVE (HI BIT SET) ***	MI	•2601 FOR I=36856 TO 36860:POKE I,48:NEXT	ON
HI	•2220 XB=38784:XE=38820:GOSUB 20	LP	•2602 REM CLEAR INTERR.FLAG, RESET VECTOR	PJ
EL	•2223 DATA 190,0,208,232,138,217,107,148,	CL	, SET NEW SCANLINE	EK
EI	208,3,32,146,151,138,153,0,208,96	ND	•2603 REM LDA#15 STA 53273 LDA#64 STA 788	AA
MC	•2226 DATA 173,48,148,208,4,202,76,247,14	AN	LDA#254 STA 53266	FA
GC	9,190,106,148,232,32,180,149,76,247,149	BL	•2604 DATA 169,15,141,25,208,169,64,141,2	NK
EA	•2239 REM *** RIGHTMVE (HI BIT CLR) ***	OI	0,3,169,254,141,18,208	OO
EI	•2240 XB=38848:XE=38861:GOSUB 20	PI	•2605 REM CHANGE SCREEN POINTER AND QUIT	BH
BM	•2243 DATA 190,0,208,232,208,3,32,170,149	EC	•2606 REM LDA#52 STA 53272 PLA TAY PLA TA	AI
EH	,138,153,0,208,96	BO	X PLA RTI	FE
KG	•2399 REM *** BASIC MOVEMENT HANDLER ***	FC	•2607 DATA 169,52,141,24,208,104,168,104,	JN
CK	•2400 XB=38336:XE=38346:GOSUB 20	DN	170,104,64	IA
CF	•2403 DATA 160,59,177,45,170,188,56,148,7	AD	•2615 FOR I=35840 TO 35903:POKE I,0:NEXT	DD
EL	6,0,150	AN	•2620 XB=39488:XE=39510:GOSUB 20	KD
CJ	•2469 REM ** REPORT NON-SPRITE-0 WRAPS AN	OM	•2621 REM CLEAR INTERR.FLAG, RESET VECTOR	LD
GE	D EDGES TO BASIC	EH	, SET NEW SCANLINE	PP
CM	•2470 XB=38391:XE=38399:GOSUB 20	PG	•2622 REM LDA#15 STA 53273 LDA#0 STA 788	PN
KM	•2473 DATA 192,0,208,1,96,140,55,148,96	PM	LDA#234 STA 53266	CJ
FE	•2499 REM *** READ JOYSTICK ***	IF	•2623 DATA 169,15,141,25,208,169,0,141,20	JP
HN	•2500 XB=38912:XE=38972:GOSUB 20	BJ	,3,169,234,141,18,208	LI
DB	•2502 X=38912:POKE 37890,FN LO(X):POKE 37	LH	•2624 REM SET SCREEN POINTER, JUMP TO ANI	MF
NE	891,FN PG(X)	FG	M. SHELL	CL
BL	•2508 DATA 173,0,220,141,45,148,41,16,208	DB	•2625 REM LDA#4 STA 53272 JMP 38144	KJ
BB	,8,169,1,141,39,148,32,0,153	BC	•2626 DATA 169,4,141,24,208,76,0,149	BK
OB	•2511 DATA 173,45,148,41,15,201,15,208,3,	FI	•2699 REM ** BASIC VARIABLE SUBROUTINES	BC
PI	108,12,148,73,15,141,75,148,32,128,152	AM	•2700 XB=39168:XE=39174:GOSUB 20	DE
CJ	•2514 DATA 160,0,32,0,150,32,160,152,173,	DC	•2701 REM ** REPORT FIREBUTTON - C0%	NK
NF	4,148,141,10,148	LG	•2703 DATA 160,10,169,1,145,45,96	MP
	•2516 DATA 173,5,148,141,11,148,108,12,14		•2709 REM ** REPORT SPRITES TO BASIC	AC
	8		•2710 XB=39184:XE=39222:GOSUB 20	DF
	•2529 REM *** INTERR.MOVE.HANDLER ***		•2711 REM C1%=EDGEWRAP, C2%=S/S COLLIS.	
	•2530 XB=38976:XE=39009:GOSUB 20		•2713 DATA 160,17,173,55,148,240,2,145,45	
	•2531 POKE 37892,FN LO(XB):POKE 37893,FN		,160,24,173,49,148,240,2,145,45	
	PG(XB)		•2714 REM C3%=S/FOREG.COLLIS.	
	•2534 DATA 160,0,32,0,150,32,160,152		•2716 DATA 160,31,173,50,148,240,2,145,4	
	•2537 DATA 206,40,148,208,243,173,38,148,		5	
	141,40,148		•2718 DATA 169,0,141,49,148,141,50,148,14	
	•2540 DATA 173,8,148,141,10,148,173,9,148		1,55,148,96	
	,141,11,148,108,12,148		•2719 REM ** REPORT MOVEMENT	
	•2549 REM *** SET SHAPE 0 ***		•2720 XB=39232:XE=39241:GOSUB 20	
	•2550 XB=39040:XE=39057:GOSUB 20		•2721 REM C4%	
	•2553 DATA 173,35,148,208,9,172,75,148,18		•2723 DATA 160,38,169,1,145,45,141,47,148	
	5,63,148,141,248,131,32,64,153,96		,96	
	•2569 REM ** SPRITE 0 COLLISION ROUTINE		•2729 REM ** REPORT SPRITE 0 BOUNCE/S	
	•2570 XB=39072:XE=39111:GOSUB 20		•2730 XB=39248:XE=39257:GOSUB 20	
	•2573 DATA 173,52,148,240,16,173,30,208,1		•2731 REM C5%	
	41,41,148,41,1,240,6		•2733 DATA 160,45,173,41,148,41,254,145,4	

5,96	DH	•3020 DATA 0,40,0,3,170,192,62,170,148,16	
•2739 REM ** REPORT SPRITE 0 BOUNCE/F	MA	2,170,143,42,255,252,2,255,192,0,40,0	JC
•2740 XB=39280:XE=39289:GOSUB 20	CF	•3021 DATA 0,40,0,3,106,192,61,106,188,24	LA
•2741 REM C6%	DC	1,106,143,62,171,252,2,171,192,0,40,0	EL
•2743 DATA 160,52,169,1,145,45,141,42,148,96	LP	•3022 DATA 0,24,0,3,90,192,61,90,188,81,9	OP
•2898 REM *** WRAPUP ***	HC	0,143,63,234,188,3,234,128,0,24,0	DG
•2900 XB=40704:XE=40741:GOSUB 20	CB	•3023 DATA 0,20,0,3,86,192,61,86,188,241,	ML
•2901 REM ** SET COLLISION VECTOR	FI	86,138,61,255,168,1,255,128,0,20,0	JI
•2902 X=40704:POKE 37900, FN LO(X):POKE 37901, FN PG(X)	HB	•3024 DATA 0,20,0,3,85,128,61,85,104,241,	KO
•2908 DATA 173,30,208,141,49,148,173,31,208,141,50,148,32,16,153	ED	85,74,63,223,252,3,223,192,0,20,0	GI
•2909 REM MOVE THE NEXT PLANET	JO	•3025 DATA 0,20,0,3,149,192,62,149,124,24	DM
•2910 REM LDX 37934 DEX BNE+2 LDX #4 STX 37934 LDY(37944),X JSR 38400	FN	2,149,79,63,253,252,3,253,192,0,20,0	MI
•2911 DATA 174,46,148,202,208,2,162,4,142,46,148,188,56,148,32,0,150	HL	•3026 DATA 0,40,0,2,169,192,62,169,124,24	DN
•2915 REM END INTERRUPT ROUTINE	CM	2,169,79,63,255,252,3,255,192,0,40,0	EO
•2916 REM PLA,TAY,PLA,TAX,PLA,RTI	GF	•3027 DATA 0,40,0,2,170,0,42,170,188,162,	EO
•2917 DATA 104,168,104,170,104,64	IK	170,143,63,255,212,3,255,192,0,40,0	OO
•2949 REM ** RESTORE VIDEO (UNSYS)	KF	•3058 GOSUB 3985	BG
•2950 XB=40768:XE=40792:GOSUB 20	HF	•3059 REM ** SPRITE ANIMATION TABLES	IL
•2951 REM SET INTERRUPT VECTOR TO NORMAL HO USEKEEPING, TIMED INTERRUPTS	CI	•3060 FOR I=38088 TO 38112 STEP 8:FOR J=0	KK
•2952 REM SEI LDA 37888 STA 788 LDA 37889 STA 789	FB	TO 7:READ A:POKE I+J,A:NEXT:NEXT	PH
•2953 DATA 120,173,0,148,141,20,3,173,1,148,141,21,3	CC	•3061 REM ** ANIMATION TABLE DATA	HA
•2954 REM LDA#0 STA 53274 LDA#129 STA 563 33 CLI RTS	AK	•3062 DATA 24,25,26,27,28,29,30,31	PB
•2955 DATA 169,0,141,26,208,169,129,141,13,220,88,96	KA	•3063 DATA 32,33,34,35,36,37,38,39	PC
•2998 REM *** SET UP SPRITE SHAPES ***	BK	•3064 DATA 27,26,25,24,31,30,29,28	KN
•2999 REM ** PLANETS	AK	•3065 DATA 37,36,35,34,33,32,39,38	AD
•3000 FOR I=34304 TO 34816 STEP 512:FOR J=0 TO 448 STEP 64:FOR K=0 TO 20	AJ	•3098 REM *** SPRITE 0 SHAPES ***	E,
•3001 READ A:POKE I+J+K,A:NEXT	AO	•3099 REM ** SPRITE 0 DIRECTION TABLE	AM
•3002 FOR K=21 TO 63:POKE I+J+K,0:NEXT:NEXT:GOSUB 3985:NEXT	FF	•3100 FOR I=37952 TO 37961:READ A:POKE I,	GL
•3009 REM ** PLANET 1 SHAPE DATA	HM	A:NEXT:GOSUB 3985	BM
•3010 DATA 0,40,0,0,175,0,82,191,192,82,175,128,2,191,128,0,171,0,0,40,0	DC	•3101 DATA 16,20,0,22,23,21,0,18,17,19	EI
•3011 DATA 0,40,0,0,190,0,2,255,128,5,190,128,5,254,128,0,175,0,0,40,0	IL	•3102 REM ** SPRITE 0 ANIMATION TABLE	KA
•3012 DATA 0,40,0,0,250,0,3,254,128,2,90,128,3,90,128,0,190,0,0,40,0	DM	•3103 FOR I=0 TO 7:POKE 38080+I,16+I:NEXT	KN
•3013 DATA 0,40,0,0,234,0,3,250,128,3,229,128,3,229,128,0,250,0,0,40,0	HF	•3104 REM ** SPRITE 0 SHAPES	IG
•3014 DATA 0,40,0,0,170,0,3,234,80,3,170,80,3,170,128,0,234,0,0,40,0	JN	•3105 FOR I=33792 TO 34240 STEP 64:FOR J=0 TO 18 STEP 3	PK
•3015 DATA 0,40,0,0,170,20,3,170,212,2,170,128,2,170,192,0,170,0,0,40,0	CA	•3106 READ A:POKE I+J,A:POKE I+J+1,0:POKE I+J+2,0:NEXT	LB
•3016 DATA 0,40,0,0,170,64,2,171,192,2,170,192,2,171,192,0,170,0,0,40,0	NH	•3107 FOR J=21 TO 63:POKE I+J,0:NEXT:NEXT:GOSUB 3985	BK
•3017 DATA 0,40,0,5,171,0,6,175,192,2,171,192,2,175,192,0,170,0,0,40,0	JJ	•3109 REM ** SPRITE 0 DATA	GB
•3019 REM ** PLANET 2 SHAPE DATA	GP	•3110 DATA 8,28,28,28,54,34,0	GL
		•3111 DATA 6,14,28,120,240,48,32	AH
		•3112 DATA 0,224,62,31,62,224,0	OD
		•3113 DATA 32,48,240,120,28,14,6	OL
		•3114 DATA 0,34,54,28,28,28,8	MA
		•3115 DATA 4,12,15,30,56,112,96	LO
		•3116 DATA 0,7,124,248,124,7,0	
		•3117 DATA 96,112,56,30,15,12,4	
		•3298 REM ** SPRITE MOVEMENT DATA	
		•3300 X=0:FOR I=37944 TO 37951:POKE I,X:X=X+2:NEXT	
		•3305 X=1:FOR I=37962 TO 37976 STEP 2:POKE I,X:X=X*2:NEXT	
		•3310 FOR I=37963 TO 37977 STEP 2:READ A:POKE I,A:NEXT	
		•3311 DATA 0,5,6,10,9,0,0,0	
		•3316 FOR I=37978 TO 37992 STEP 2:READ A:POKE I,A:NEXT	

.3317 DATA 50,43,43,43,43,43,43,43
 .3319 FOR I=37979 TO 37993 STEP 2:READ A:
 POKE I,A:NEXT
 .3320 DATA 231,242,242,242,242,242,242,24
 2
 .3322 FOR I=37994 TO 38008 STEP 2:READ A:
 POKE I,A:NEXT
 .3323 DATA 23,0,0,0,0,0,0,0
 .3325 FOR I=37995 TO 38009 STEP 2:READ A:
 POKE I,A:NEXT
 .3326 DATA 80,87,87,87,87,87,87,87
 .3328 FOR I=38010 TO 38019:READ A:POKE I,
 A:NEXT
 .3329 DATA 2,1,0,8,10,9,0,4,6,5
 .3331 POKE 37934,1
 .3985 PRINT "[RVSON]![RVSOFF]";
 .3990 RETURN

PLANET SETUP

.1 REM *** PLANET SETUP ***
 .2 REM MAKES 'GYPSY PLANETS' FOR 'GYPSY'
 .5 POKE 53265,PEEK(53265)OR 64
 .10 OPEN 2,8,2,"GYPSY PLANETS,SEQ,WRITE"
 .14 REM * PLANET NAMES *
 .15 B\$="":B=0:X\$=CHR\$(13)
 .16 READ A\$
 .17 IF A\$="[5\"X"]" THEN PRINT#2,A\$:GOTO 5
 0
 .18 GOSUB 45:PRINT#2,A\$:PRINT A\$
 .19 B=B+1:GOTO 16
 .21 DATA ANDALUSIA,IBERIA,HIBERNIA,CALEDONIA,
 GALES,GAUL,LUSITANIA,ATLANTIS
 .22 DATA MISERICORDIA,SALAMANCA,CATALONIA,
 LANGUEDOC,NAVARR,SCANDIA,ULSTER,ZULU
 .23 DATA KURDISTAN,ARMENIA,SAMARIA,GALILEE,
 SALEM,PLYMOUTH,ERITREA,OGADEN
 .24 DATA HADRAMAWT,SHONA,NDEBELE,UZBEKSKAYA,
 BURYAT,KHALKHA,AIMAQ,PRADESH
 .25 DATA PANDIT,KALASH KAFIR,BORUSH,SHERP
 A,LEPCHA,GURUNG,NEPHILIM,THAI
 .26 DATA PERSIA,BACTRIA,SARDIS,LACONIA,ET
 RURIA,DALMATIA,VENETIA,DACIA
 .27 DATA IBANA,MAORI,WIKMUNGKAN,WALBIRI,J
 IGALONG,KUKUKUKU,GOILALA,ARAPESH
 .28 DATA YAP,FANG,BIAFRA,HAUSA,MALINKE,DO
 GON,DRUZIA,SHEBA
 .29 DATA KABAB,HOMR,MYCENAE,KNOSSOS,LATIU
 M,BILBAO,CANTABRIA,ROMANY
 .30 DATA BOHEMIA,SILESIA,ESTONIA,LITHUANI
 A,FLANDERS,BRETAGNE,ORANGE,QUECHUA
 .31 DATA OLMECA,TEOTIHUACAN,TIKAL,TITICAC
 A,MACCHU PICCHU,GE,GUARANI,XINGU
 .32 DATA BAHIA,AMAHUACA,AYMARA,AINU,YANOM
 AMO,OTAVALO,GUAJIRO,KOGI
 .33 DATA COSTENOCA,CHEROKEE,DAKOTA,HOPI,S
 HOSHONE,QAPAW,WACO,KICKAPOO
 .34 DATA WAMPANOAG,CADDO,SHAWNEE,CREEK,AP
 ACHE,PUEBLO,NAVAHO,ARAPAHO

PI .35 DATA ACADIA,MANCHURIA,TIBET,SHOGUN,HA
 KKA,TAIPEI,HUNAN,HMONG JO
 GK .36 DATA ROCANNON,ARRAKIS,MEDEA,TERMINUS,
 URTH,RAMA,TREASON,WORTHING FO
 BG .37 DATA TRONDHEIM,NAUVOO,DESERET,EREWHON
 ,RIVERWORLD,TROUT,INWIT,DANDELION FI
 ID .38 DATA WOZNIAC,JOBS,BUSHNELL,TRAMIEL,PO
 URNELLE,TURING,ASKY,UNIVAC FF
 IA .39 DATA NIVEN,BISHOP,O'NEILL,VARLEY,MART
 IN,KESSEL,KILROY,VONNEGUT JL
 JD .40 DATA YOLEN,NORTON,BRUMMET,BOVA,ASPRIN
 ,TURTLEDOVE,RUCKER,LIAVEK OP
 IL .41 DATA SWANWICK,SHINER,VAN NAME,WYLDE,F
 OWLER,SHEPARD,MEACHAM,SCHIFF PI
 FD .42 DATA FERMAN,MOYNIHAN,IACocca,MINAS GE
 RAIS,MOAB,EDOM,CANAAN,SUMER CG
 LB .43 DATA BABYLON,BILOXI,MISHAWAKA,SCHOLZ,
 MAYHAR,CARTHAGE,KEIZER,POIUYT,XXXXX FE
 AH .44 REM CONVERT STRINGS NH
 NG .45 D\$="":FOR I=1 TO LEN(A\$):C\$=MID\$(A\$,I
 IM .1),1) CD
 MK .46 D\$=D\$+CHR\$(ASC(C\$)OR 192):NEXT A\$:D\$:
 NO .49 REM ** WORLD TYPES LA
 AM .50 FOR I=0 TO 5:READ A\$:PRINT#2,A\$:PRINT
 GM .1,A\$:NEXT AA
 EJ .51 DATA A SPACE STATION,A LARGE MOON,A S
 MC .52 DATA UNINHABITED,POPULATED BY HUMANS,
 OJ .59 REM ** GYPSY NAMES LD
 JO .60 FOR K=0 TO 32:READ A\$:GOSUB 45:PRINT#
 NH .2,A\$:PRINT K,A\$:NEXT PF
 DJ .65 DATA RANA,MARA,MISHAK,DOC,GRANNY,VISH
 FC .66 DATA WILL,ALEC,BOOKER,CLAM,FIZZ,IGOR,
 HB .67 DATA SHAKER,TOFF,ULLY,YACKITY,ZIPPER,
 NJ .98 REM ** UNINHABITED WORLDS PH
 BC .99 FOR I=0 TO 9:READ A\$,B\$,C\$,D\$,E\$,F\$,G
 MJ .100 PRINT I,A\$:NEXT PO
 OF .101 DATA COLD BARE ROCK WITHOUT WATER OR
 LC .102 DATA FELL INTO A CREVICE,GOT LOST AN
 CE .103 DATA SET OFF AN AVALANCHE AND WAS CR
 NK .104 DATA A PURE VEIN OF PLATINUM,A CLIFF
 GA .105 DATA THE ORIGINAL VOYAGER SPACECRAFT MA
 PC .106 DATA A THICK IMPENETRABLE LAYER OF V
 OJ .107 DATA WAS DEVoured BY A MAN-EATING PL
 IC .108 DATA DIED OF VIOLENT ALLERGIES TO PO
 FD .109 DATA WAS DEVoured BY A MAN-EATING PL
 BL .110 DATA DIED OF VIOLENT ALLERGIES TO PO
 LLEN

•109 DATA A VINE THAT BEARS HIGH-CALORY FRUIT,SAP THAT HARDENS INTO JEWELS	PA	GEYSER,CHOKED TO DEATH ON FLYING ASH	FF
•110 DATA AN INSECT WHOSE BITE CURES CANCER	KO	•143 DATA A RIVER OF PURE PLATINUM,THE OLDEST METEORITE EVER FOUND	GN
•111 DATA A MILE-THICK LAYER OF DUST	HI	•144 DATA A POOL OF SELF-REPLICATING PROTEINS--THEBEGINNINGS OF LIFE!	GP
•112 DATA SANK INTO THE DUST AND DISAPPEARED,CHOKED TO DEATH IN THE WIND	HP	•146 DATA A GLASS-SMOOTH SURFACE COVERED WITH THE WRECKS OF OLD STARSHIPS	DI
•113 DATA WAS EATEN BY A HUGE DUSTWORM,A PATCH OF EUPHORIA-CAUSING DUST	DB	•147 DATA SANK INTO THE SURFACE AND VANISHED,WAS SUCKED INTO A TINY BLACK HOLE	MN
•114 DATA A NEW SPECIES OF OXYGEN-MAKING MICROBE,DIAMONDS EXCRETED BY DUSTWORMS	EG	•148 DATA GREW SMALLER AND SMALLER--AND FINALLY DISAPPEARED	KB
•116 DATA A SURFACE ENTIRELY ENCRUSTED WITH DAZZLING CRYSTALS	MM	•149 DATA SMALL SINGULARITIES THAT ALLOW TIME TRAVEL	AC
•117 DATA FELL AND WAS CUT TO RIBBONS,WAS CRUSTED OVER WITH CRYSTALS	LO	•150 DATA GOLD FROM AN ANCIENT CARGO SHIP ,A RADIATION-SUPPRESSION FIELD	OJ
•118 DATA WENT MAD FROM THE PATTERNS OF LIGHT	IK	•198 REM ** WORLDS POPULATED BY HUMANS	AN
•119 DATA CRYSTALS THAT HOLD MEGABYTES OF MEMORY	CN	•199 FOR I=0 TO 9:READ A\$,B\$,C\$,D\$,E\$,F\$,G\$:PRINT#2,A\$X\$B\$X\$C\$X\$D\$X\$E\$X\$F\$X\$G\$	PO
•120 DATA LIVING CRYSTALS THAT PAINT WITH PURE LIGHT,HUGE EMERALDS	KC	•200 PRINT I,A\$:NEXT	EI
•121 DATA THE HIGHLY RADIOACTIVE HUSK OF A WORLD THAT DIED IN NUCLEAR WAR	JN	•201 DATA A TRIBE OF PRIMITIVE HUNTERS AND FRUIT- GATHERERS	KF
•122 DATA DIED OF RADIATION POISONING,WAS KILLED BY A MUTATED VIRUS	JK	•202 DATA WANDERED OFF AND WAS EATEN,OFFENDED THE CHIEF AND WAS KILLED	HM
•123 DATA TRIGGERED AN ANCIENT LANDMINE,A SCULPTURE OF INEFFABLE BEAUTY	GN	•203 DATA GOT FLEAS THAT CARRIED A DEADLY DISEASE	OB
•124 DATA THE HISTORY OF A LOST CIVILIZATION,A MUTATED SPECIES OF SENTIENT RAT	FJ	•204 DATA IVORY,PELTS,ANTHROPOLOGICAL DATA	PN
•126 DATA THE DUSTY RUINS OF A SPECIES THAT LEFT TO VOYAGE AMONG THE STARS	ME	•206 DATA A FARMING VILLAGE WHOSE PEOPLE SCRATCH THE SOIL WITH STONE TOOLS	GG
•127 DATA ATE A FRUIT THAT CAUSED FATAL DYSENTERY,WAS KILLED BY A CRAZED ROBOT	EI	•207 DATA GOT ROMANTICALLY INVOLVED AND WAS AS KILLED BY A FURIOUS FATHER	PI
•128 DATA FELL INTO A DISINTEGRATOR UNIT, A MATTER-DESTROYING DISINTEGRATOR	ON	•208 DATA GOT IN A QUARREL AND WAS MASHED WITH A STONE AX,CAUGHT A POX AND DIED	JA
•129 DATA THE SECRET OF INSTANT MATTER TRANSFER,A GALLERY OF PRICELESS PAINTINGS	FJ	•209 DATA A DOMESTICATED FLYING LIZARD,PRIMITIVE BUT LOVELY POTS,OPALS	AC
•131 DATA A VAST OCEAN WITHOUT A SPECK OF LAND	GD	•211 DATA A BRONZE-USING CIVILIZATION THAT BUILDS HUGE STONE MONUMENTS	IK
•132 DATA WAS PULLED INTO THE SEA BY A HUGE SQUID,DRANK THE WATER AND DIED	GO	•212 DATA WAS SACRIFICED TO A RAIN GOD,WAS CRUSHED UNDER A BLOCK OF STONE	NC
•133 DATA WAS COVERED BY A HIDEOUS ALGAE AND DRIED UP IN MOMENTS	EB	•213 DATA INSULTED A PRIEST AND WAS POISONED,MAGNIFICENT STONE SCULPTURES	EI
•134 DATA SWIMMING OYSTERS WITH GIANT PEAPLES,IVORY TUSKS FROM DEAD NARWHALS	EK	•214 DATA A SOFT AND BEAUTIFUL METAL ALLOY,GILT DAGGERS OF CUNNING ARTIFICE	CP
•135 DATA A SPECIES OF GRAIN THAT GROWS IN SALT WATER	AM	•216 DATA A COASTAL VILLAGE OF SEA-FARING TRADERS	BD
•136 DATA A SURFACE RAVAGED BY VIOLENT STORMS AND SMOTHERING BLIZZARDS	FN	•217 DATA WAS CARRIED OFF INTO SLAVERY,WAS THROWN OVERBOARD	MJ
•137 DATA WAS CARRIED OFF BY THE WIND,WAS BURIED IN A SNOWDRIFT	MF	•218 DATA WAS CAUGHT 'BORROWING' A JEWEL AND WAS TORTURED TO DEATH	LO
•138 DATA WAS GROUND TO POWDER IN A SANDSTORM,THE LOG OF THE LOST SHIP ENTERPRISE	DB	•219 DATA A SNAKE WHOSE VENOM IS SUBTLE AND STRONG,A SPECIES OF SUCCULENT FISH	LE
•139 DATA A TREE WITH WOOD TOUGHER THAN STEEL,A PLANT THAT SYNTHESIZES HYDROGEN	NA	•220 DATA BEAUTIFULLY DECORATED HARPOONS AND FISH KNIVES	PN
•141 DATA A YOUNG PLANET WITH CONSTANT VOLCANOES AND EARTHQUAKES	GO	•221 DATA A PEOPLE WHO DWELL IN A VAST NETWORK OF CAVERNS AND BURROWS	HL
•142 DATA WAS CAUGHT IN LAVA,FELL INTO A		•222 DATA WAS BURIED IN THE COLLAPSE OF A TUNNEL,ATE A POISONOUS MUSHROOM	DG
		•223 DATA GOT LOST FOREVER IN A LABYRINTH	

FF	,AN EXQUISITELY FLAVORFUL MOLD	AD	S HYPNOTIZED AND LURED INTO OPEN JAWS	NA
GN	•224 DATA A BRIGHTLY LUMINOUS FISH,THE LA RGEST EMERALDS EVER FOUND	KH	•303 DATA TOOK A SAMPLE OF CORAL THAT TUR NED OUT TO BE SACRED	FC
GP	•226 DATA A HUGE CITY HOUSED IN A SINGLE MILE-HIGHBUILDING	IO	•304 DATA EXQUISITE BANSAI CORAL,PET SEAW EED THAT DOES TRICKS,SEABOTTOM SALMON	AM
DI	•227 DATA FELL (OR WAS PUSHED) FROM A BAL CONY,ARGUED WITH A COP AND WAS SHOT	JD	•305 DATA CREATURES OF PURE MIND THAT DWE LL BY POOLS AND STREAMS	NH
MN	•228 DATA WAS RUN OVER BY A CORRIDOR-TAXI ,HIGH-POWERED ROLLER SKATES	NJ	•306 DATA DIED TRYING TO SEPARATE BODY FR OM MIND,BECAME DEPRESSED AND CATATONIC	AB
KB	•229 DATA AN APHRODISIAC THAT WORKS,A PIV OTAL NEW BOOK ON PSYCHOLOGY	HA	•307 DATA WENT MAD FROM DREDGED-UP MEMORI ES OF PAST CRIMES	HD
AC	•231 DATA A PEOPLE WHO LIVE IN THE TOPS O F HUGE DECIDUOUS TREES	OO	•308 DATA PROOF OF UNPROVABLE MATHEMATICA L PROPOSITIONS	LF
OJ	•232 DATA STUMBLED ON A HIGH BRANCH,WAS E ATEN BY A CARNIVOROUS SLOTH	LK	•309 DATA THE SECRET OF FOLDED SPACE,A CO MPLETE MAP OF THE UNIVERSE	PC
AN	•233 DATA WAS KIDNAPPED AND VIVISECTED,TH E SEEDS OF A SPECIES OF SENTIENT TREE	GC	•310 DATA MONKEYISH TREE-DWELLERS THAT LI VE ONLY TO SING IN THE TREETOPS	FA
PO	•234 DATA A MOSS THAT SYNTHESIZES HELIUM- -AND FLOATS	EI	•311 DATA DIDN'T WEAR EARPLUGS AND WAS EN RAPTURED BY SONG--FORGETTING TO BREATHE	GG
EI	•235 DATA AN ALGAE THAT SERVES AS A FAST AND POWERFUL COMPUTER	OJ	•312 DATA TRIED TO SING A DUET AND WAS PE LTED TO DEATH WITH FRUIT	JL
KF	•236 DATA A WHOLE TOWN LIVING IN A HUGE B ASKET SLUNG UNDER A VAST BALLOON	HP	•313 DATA ATE A TREE SLUG THAT REGENERATE D 1000 TIMES INTERNALLY	FK
HM	•237 DATA LIT A MATCH AND WAS IMMEDIATELY PUSHED OFF,WAS CARRIED OFF BY A ROC	ON	•314 DATA RECORDINGS OF SONGS,AN ADVENTUR OUS YOUNGSINGER OF SURPASSING TALENT	AP
OB	•238 DATA WAS EATEN BY ONE OF THE HUGE CA RNIVORES ON THE SURFACE	AI	•315 DATA AN 'UNSONG BIRD' THAT GENERATES A FIELD OF SILENCE WHEREVER IT GOES	KI
PN	•239 DATA A PLANT THAT TURNS SUNLIGHT INT O USABLE HEAT,A DOMESTICATED BAT	IP	•316 DATA ON A PLANET OF DINOSAURS--A RAC E OF WISEBIRDS THAT NEVER LAND	AI
GG	•240 DATA CLEVERLY ENGINEERED WINGS THAT ALLOW HUMANS TO FLY	CG	•317 DATA WAS STEPPED ON BY A BRONTOSAURU S,FELL INTO A BOG AND BECAME A FOSSIL	MG
PI	•241 DATA A FAMILY OF DRAGON BREEDERS WHO WAGER ONTHE VICIOUS WYRMFIGHTS	OK	•318 DATA TRIED TO STEAL AN EGG AND WAS P ICKED UP AND DROPPED	JJ
JA	•242 DATA CAUGHT A DRAGON'S EYE AND BECAM E LUNCH,WAS KILLED OVER A WYRMFIGHT BET	KG	•319 DATA MIDGET HADRODONS THAT MAKE GRE AT PETS,PERFUME-EMITTING DRAGONFLIES	AN
AC	•243 DATA WAS FORCED TO MARRY A LOCAL AND STAY ON THIS WORLD	OI	•320 DATA XENOLOGICALLY FASCINATING FILMS OF MID- AIR REPRODUCTION	IE
IK	•244 DATA DRAGONS' EGGS,HALLUCINOGENIC DR AGONS' DUNG	OF	•321 DATA CREATURES THAT LIVE BY CREATING ILLUSIONIN THE MINDS OF THEIR PREY	KP
NC	•245 DATA A SMALL DRAGON PARASITE THAT CA USES LOSTLIMBS TO REGENERATE	MN	•322 DATA TRIED TO CROSS AN IMAGINARY BRI DGE,WAS CAUGHT CHEATING AT POKER	KO
EI	•246 DATA A TRIBE OF HORSEMEN WHO TEND VA ST HERDS OF WOOLLY MAMMOTHS	AO	•323 DATA DID MAGIC TRICKS THE ALIENS COU LDN'T DO AND WAS TAKEN PRISONER	GK
CP	•247 DATA WAS TRAMPLED IN A STAMPEDE,ANNO YED A NATIVE WITH A BLOWGUN	EB	•324 DATA PERMANENT ILLUSIONS TIED TO SMA LL JEWELS,A FAST-GROWING LEGUME	EM
BD	•248 DATA STOOD TOO NEAR A FLATULENT MAMM OTH AND SUFFOCATED	OF	•325 DATA A FERRET THAT IS INVARIABLY DRA WN TO HIGH INTELLIGENCE	DH
MJ	•249 DATA MAMMOTH IVORY,CHEESE MADE FROM MAMMOTH MILK	HG	•326 DATA A RACE OF SHAPECHANGERS WHO HAV E FORGOTTEN THEIR 'REAL' SHAPE	CP
LO	•250 DATA "A BREED OF SMALL, TOUGH, FAST, AND[6" "]ALMOST SENTIENT HORSES"	FK	•327 DATA WAS SHOT BY A GYPSY WHO THOUGHT IT WAS AN IMPOSTOR,GOT A FATAL ILLNESS	CA
LE	•298 REM ** WORLDS POPULATED BY ALIENS	PD	•328 DATA WENT HUNTING AND BAGGED THE WRO NG PREY,A NET-SPINNING TREE	PN
PN	•299 FOR I=0 TO 9:READ A\$,B\$,C\$,D\$,E\$,F\$, G\$:PRINT#2,A\$X\$B\$X\$C\$X\$D\$X\$E\$X\$F\$X\$G\$	PO	•329 DATA SHAPE-CHANGING PROTOPLASM,OZONE -EMITTING AIRBORNE SLIME	AA
HL	•300 PRINT I,A\$:NEXT	EI	•330 DATA CLUMSY GRASS-EATING BEHEMOTHS I NFESTED BY SENTIENT BLOODSUCKERS	DF
DG	•301 DATA A RACE OF SENTIENT SQUIDS THAT TEND GARDENS UNDER THE SEA	MA	•331 DATA WAS TAKEN OVER BY A SUCKER,WAS	
	•302 DATA BROKE AN AIRHOSE AND DROWNED,WA			

TRAMPLED BY AN ANGRY HERD	HP	•14 SYS 38046:POKE 648,140:PRINT VV\$(23)B	
•332 DATA SAID SOMETHING SLANDEROUS ABOUT	CM	B\$BB\$"[13" "];	MA
THE SUCKERS,SWEET-SMELLING DUNG		•15 GOSUB 260:POKE 33767,32	LH
•333 DATA AN INTELLIGENCE-ENHANCING DISTI	IA	•16 FOR I=0 TO 63:POKE 35840+I,0:NEXT:POK	HJ
LLATION OF SUCKER HORMONES	HD	E ES,31	CF
•334 DATA A SUCKER-EATING BAT	AI	•17 GOTO 100	DN
•335 DATA TREES THAT GROW CLONES OF ANY C	DA	•39 REM READ JOYSTICK	PP
REATURE AS THEIR FRUIT	GD	•40 JY=255-PEEK(56320):JB=JY AND 16	OF
•336 DATA WAS DEVOURED AND CLONED 500 TIM	HH	•41 JY=JY AND 15:IF JY=0 AND JB=0 THEN 40	IM
ES TO FORM A VILLAGE	CJ	•42 RETURN	BO
•337 DATA CLIMBED A HUNGRY TREE,CHOPPED D	OP	•50 I=INT(RND(0)*I):RETURN	BH
OWN THE CHIEF'S DAUGHTER FOR FIREWOOD	EF	•55 FOR I=19 TO 23:PRINT VV\$(I)"[40" "];	CC
•338 DATA A SEEDLING OF A TREE THAT COULD	AJ	:NEXT	CA
CLONE THE DEAD	MP	•56 PRINT VV\$(19):RETURN	DH
•339 DATA A FIBROUS PLANT WITH STEEL-LIKE	ME	•60 C4%=0:FM=FM-1:IF FM<0 THEN RETURN	CO
THREADS,A FIRE-BREATHING MOUSE	MC	•62 FM=TS/2:QF=QF-1:IF QF=0 THEN PRINT VV	EF
•340 DATA A RACE OF CATS THAT KEEP DOGS A	GJ	\$(23)BB\$::RETURN	CJ
ND MICE AS SLAVES--WHILE RATS REBEL	LB	•64 PRINT VV\$(23)BB\$VV\$(23)LEFT\$(FF\$,QF);	MO
•341 DATA WAS LOBOTOMIZED AND TRAINED TO	DF	:RETURN	PH
FETCH FORTHE KING OF CATS	NB	•70 TM=TS:QS=QS-1:IF QS=0 THEN PRINT VV\$(	KJ
•342 DATA TRIED TO PET A DOG-SOLDIER,WAS	NC	24)BB\$::RETURN	MI
CARRIED OFF IN THE NIGHT BY A RAT PACK	IC	•72 PRINT VV\$(24)BB\$VV\$(24)LEFT\$(SS\$,QS);	EL
•343 DATA A DOG THAT CAN REPEAT HOURS OF		:RETURN	BF
CONVERSA-TION WORD FOR WORD		•90 POKE 53265,0:RETURN	DO
•344 DATA MICE TRAINED AS HAIRDRESSERS,PL		•95 POKE 53265,91:RETURN	HF
ANS FOR CATS TO TAKE OVER THE UNIVERSE		•98 REM *** ACTION LOOP ***	CF
•345 DATA ROBOTS THAT EVOLVED FROM AN ANC		•100 TM=TM-1:IF TM<1 THEN GOSUB 70:IF QS<	KE
IENT STARSHIP SERVICE STATION		1 THEN 275	HM
•346 DATA WAS CAUGHT WITH A DATA-ERASING		•105 IF C4%>0 THEN GOSUB 60:IF QF<1 THEN	EM
MAGNETIC DEVICE		270	PK
•347 DATA WAS MISTAKENLY LUBRICATED BY A		•110 IF C4%>0 AND C5%>0 THEN GOSUB 200	LN
REPAIRBOT,BEAT THE WRONG ROBOT AT CHESS		•120 C0%=0:C5%=0	NF
•348 DATA ORGANICALLY-GROWN POSITRONIC BR		•130 IF SP%>0 THEN 280	GH
AINS,A METAL-PRESERVING FUNGUS		•196 GOTO 100	JB
•349 DATA FLEA-SIZED SELF-REPLICATING REP		•200 I=C5%:C5%=0:C4%=0:J=I AND 10:K=I AND	IL
AIRBOTS		20	FJ
•990 CLOSE 2		•201 WP=1:IF I>2 THEN WP=2:IF I>4 THEN WP	KL
•1000 END		=3:IF I>8 THEN WP=4	KO
		•204 IF C0%>0 THEN 230	GC
		•205 IF J>0 THEN 220	JJ
		•210 QF=QF+LV:IF QF>33 THEN QF=33	PH
		•215 PRINT VV\$(23)LEFT\$(FF\$,QF)::RETURN	
		•220 IF QS<17 THEN QS=QS+LV:IF QS>17 THEN	
		QS=17	
		•225 PRINT VV\$(24)LEFT\$(SS\$,QS)::RETURN	
		•230 ON WP GOTO 400,240,400,240:RETURN	
		•240 IF RP(WP)>0 THEN 400	
		•245 PRINT VV\$(23)BB\$VV\$(23)"[s S][s O][s	
		R][s R][s Y][c Z][c Z][s N][s O][SS][s	
		S][s U][s R][s F][s A][s C][s E][SS][s F	
		][s O][s R][SS][s L][s A][s N][s D][s I]	
		[s N][s G]";:GOSUB 800	
		•250 PRINT VV\$(24)BB\$VV\$(24)"[RVSON]PRESS	
		BUTTON TO GO ON";:C0%=0	
		•255 IF C0%=0 THEN 255	
		•256 IF C0%=1 THEN C0%=0:GOTO 256	
		•260 PRINT VV\$(23)BB\$VV\$(24)BB\$;	
		•265 PRINT VV\$(23)LEFT\$(FF\$,QF)VV\$(24)LEF	

GYPSY

•1 REM *** GYPSY ***	DI	
•2 REM FILES 'GYPSY VIDEO' AND 'GYPSY PLA	GJ	
NETS' MUST BE ON DISK!	MF	
•3 REM USE 'VIDEO SETUP' AND 'PLANET SETU	DN	
P' TO CREATE THESE FILES	LB	
•5 POKE 55,255:POKE 56,127:POKE 643,255:P	NO	
OKE 644,127:CLR	MF	
•6 REM (TYPING THIS PROGRAM IS EASIER IF	BI	
YOU GOSUB 95 IN DIRECT MODE RIGHT AWAY)	KG	
•7 F\$=" ":C0%=0:C1%=0:C2%=0:C3%=0:C4%=0:C	JB	
5%=0:C6%=0:SP%=0	KH	
•8 IF PEEK(37952)<>16 OR PEEK(37953)<>20		
THEN 2000		
•9 DIM VV\$(24)		
•10 GOSUB 700:GOSUB 2100		
•12 GOSUB 90:GOSUB 600:PRINT "[CLEAR]";:G		
OSUB 95:GOSUB 900:L=FRE(9)		
•13 PRINT VV\$(23)"[RVSOFF][40" "];		

T\$(SS\$,QS);:RETURN	MD	•410 POKE 53272,20:POKE 648,4	OM
•270 PRINT VV\$(23)"[RVSON][s O][s U][s T][SS][s O][s F][SS][s F][s U][s E][s L][RVSOFF]";:FOR I=0 TO 1999:NEXT:GOTO 280	JB	•415 PRINT "[CLEAR][RVSOFF]";:GOSUB 95	IA
•275 PRINT VV\$(24)"[RVSON][s O][s U][s T][SS][s O][s F][SS][s A][s I][s R][RVSOFF]";:FOR I=0 TO 1999:NEXT	LO	•416 PRINT " YOU HAVE LANDED A GROUP OF GYPSIES ON"	NE
•280 SP%=0:GOSUB 90:POKE ES,0:SYS 40768	CC	•417 PRINT " "MM\$(0,2-RP(WP));:IF PN(WP)<254 THEN PRINT " NAMED "NM\$(PN(WP))	MN
•281 POKE 56578,PEEK(56578)OR3:POKE 56576,(PEEK(56576)AND 252)OR 3	MB	•418 PRINT VV\$(2)" (IT IS "MM\$(1,HB(WP)))"	PL
•282 POKE 53272,20:POKE 648,4:PRINT "[CLEAR]";	MC	•419 PRINT VV\$(4)" YOUR FIRST REPORT TO THE SHIP NOTES:"	CN
•283 GOSUB 95:PRINT " "GB\$" HAS REMOVED YOU AS PILOT." :I=LEN(GL\$):GOSUB 50	FL	•420 PRINT "[RVSON]"VV\$(5)PM\$(PD(WP),HB(WP))VV\$(8)"[RVSON][s W][s H][s A][s T][SS][s W][s I][s L][s L][SS][s Y][s O][s U][SS][s D][s O][SS][s N][s O][s W][c B][RVSOFF]";	LH
•284 PRINT:PRINT " WITH LUCK, "GN\$(I)" CAN PILOT"	JM	•421 ON HB(WP) GOTO 500,500	AL
•285 PRINT " THE FAMILY TO FORTUNE--AND SURVIVAL!";	JL	•422 PRINT "[BLUE]"VV\$(9)"[SS][SS][s L][s O][s O][s K][SS][s A][s R][s O][s U][s N][s D]"VV\$(10)"[SS][SS][s T][s A][s K][s E][SS][s W][s H][s A][s T][SS][s W][s E][SS][s N][s E][s E][s D]";	KP
•286 PRINT VV\$(24)"[RVSON][s P][s R][s E][s S][s S][SS][s B][s U][s T][s T][s O][s N][SS][s T][s O][SS][s C][s O][s N][s T][s I][s N][s U][s E][RVSOFF]";	OB	•423 PRINT VV\$(11)"[SS][SS][s G][s E][s T][SS][s B][s A][s C][s K][SS][s T][s O][SS][s T][s H][s E][SS][s S][s H][s I][s P]"VV\$(12)"[SS][SS][s R][s E][s S][s I][s G][s N][SS][s A][s S][SS][s P][s I][s L][s O][s T][c 7]";	FJ
•287 GOSUB 40:IF JB=0 THEN 287	IE	•424 K=9:L=K	NM
•295 GOTO 300	BP	•425 PRINT VV\$(L)RX\$VV\$(K)RR\$;:L=K	IP
•300 PRINT "[CLEAR]"VV\$(10)"[6"[SS]"[s P][s L][s A][s Y][SS][s A][s G][s A][s I][s N][c B]"VV\$(12)"[6"[SS]"[s Q][s U][s I][s T][c B][6"[SS]"];	NG	•426 GOSUB 40:IF JB>0 THEN 431	IC
•305 PRINT VV\$(2)"[RVSON]CARGO VALUE[5" "[RVSOFF][EP]"STR\$(CV*10000)	HC	•427 IF JY=1 THEN K=K-1:IF K<9 THEN K=12	NH
•306 PRINT VV\$(4)"[RVSON]SURVIVING CREW [RVSOFF] "STR\$(LEN(GL\$))	EL	•428 IF JY=2 THEN K=K+1:IF K>12 THEN K=9	KF
•307 LV=10:XV=10:FOR I=0 TO 599:NEXT	AJ	•429 IF K=L THEN 426	CM
•308 PRINT VV\$(XV)RX\$VV\$(LV)"[RVSON][c Z][RVSOFF]":XV=LV	KH	•430 GOTO 425	CN
•309 GOSUB 40:IF JB>0 THEN 315	GP	•431 PRINT VV\$(L)RX\$;:ON K-8 GOTO 432,435,480,470	MC
•310 IF(JY<>1)AND(JY<>2) THEN 309	NB	•432 I=DL(WP):GOSUB 50:IF I<3 THEN 440	CM
•311 IF LV=10 THEN LV=12:GOTO 308	OG	•433 I=EF(WP):GOSUB 50:IF I<3 AND LEN(TR\$)>0 THEN 450	AG
•312 LV=10:GOTO 308	BN	•434 GOSUB 55:PRINT "[SS][s F][s O][s U][s N][s D][SS][s N][s O][s T][s H][s I][s N][s G][SS][s W][s O][s R][s T][s H][s W][s H][s I][s L][s E][SS]";:GOTO 424	HF
•315 IF LV=12 THEN 370	JB	•435 IF FT>0 THEN GOSUB 55:PRINT "[SS][s G][s O][s T][SS][s I][s T][c K][SS]";:CV=CV+FT:FT=0:GOTO 424	KP
•320 GL\$=LEFT\$(PZ\$,33):PY\$=LEFT\$(PZ\$,TN)	ID	•436 I=DL(WP):GOSUB 50:IF I<3 THEN 440	CM
•321 GB=INT(RND(0)*33):GB\$=GN\$(GB):I=GB:GOSUB 875:PV=0	CH	•437 GOSUB 55:PRINT "[SS][s W][s H][s A][s T][c M][s S][SS][s T][s O][SS][s T][s A][s K][s E][c B][SS]";:GOTO 424	DL
•330 GOSUB 700	CH	•440 GOSUB 55:PRINT "[RVSON] PILOT! IT'S AWFUL! ";	JP
•335 GOTO 12	PF	•441 I=LEN(GL\$):GOSUB 50:PRINT GN\$(I)" JUST"	OG
•370 PRINT VV\$(24)"[RVSON]TILL NEXT TIME, GYPSY PILOT[RVSOFF]";:FOR I=0 TO 1999:NEXT	IM	•442 GOSUB 875:IF LEN(GL\$)<5 THEN SP%=1:PRINT VV\$(23)" TOO MANY LOST, PILOT!";	JA
•379 REM ** REENABLE SHIFT/COMMODORE AND RUN-STOP/RESTORE	FB	•443 PRINT AM\$(PD(WP),HB(WP),ASC(LEFT\$(DG\$,1)),0)"[RVSOFF]";	PB
•380 POKE 657,0:POKE 792,71:POKE 808,237	PK		
•390 SYS 65126	KI		
•400 QS=33:PRINT VV\$(24)LEFT\$(SS\$,QS);:POKE ES,0:SYS 40768	EK		
•401 VT(WP)=1:DG\$=LEFT\$(PZ\$,3):TR\$=LEFT\$(PZ\$,HT(WP)):FT=0	HM		
•405 POKE 56578,PEEK(56578)OR3:POKE 56576,(PEEK(56576)AND 252)OR 3	MB		

•444 I=LEN(DG\$):IF I<2 THEN 446	CK	A][s L][s S]"VV\$(14)"[SS][SS][s A][s S]	
•445 DG\$=RIGHT\$(DG\$,I-1):ON HB(WP) GOTO 507,507:GOTO 424	HP	[s K][SS][s F][s O][s R][SS][s H][s E][s L][s P]";	NL
•446 PRINT VV\$(24)"[SS][s P][s R][s E][s S][s S][SS][s B][s U][s T][s T][s O][s N][SS][s T][s O][SS][s C][s O][s N][s T][s I][s N][s U][s E][SS]";	LG	•503 PRINT VV\$(15)"[SS][SS][s T][s A][s K][s E][SS][s W][s H][s A][s T][SS][s W][s E][SS][s N][s E][s E][s D]"VV\$(16)"[SS][SS][s G][s E][s T][SS][s B][s A][s C][s K][SS][s T][s O][SS][s T][s H][s E][SS][s S][s H][s I][s P]";	AL
•447 GOSUB 40:IF JB=0 THEN 447	GK	•504 PRINT VV\$(17)"[SS][SS][s R][s E][s S][s I][s G][s N][SS][s A][s S][SS][s P][s I][s L][s O][s T][c 7]";	ED
•448 PRINT VV\$(18)GN\$(GB)" ORDERS YOU: RETURN TO THE SHIP!";	HD	•507 K=9:L=K	NM
•449 GOTO 480	CI	•508 PRINT VV\$(L)RX\$VV\$(K)RR\$;:L=K	IP
•450 GOSUB 55:PRINT "[RVSON][SS][s P][s I][s L][s O][s T][c K][SS][SS][s L][s O][s O][s K][SS][s W][s H][s A][s T][SS][s W][s E][SS][s F][s O][s U][s N][s D][c K][SS][SS]"	GA	•509 GOSUB 40:IF JB>0 THEN 515	IB
•451 PRINT AM\$(PD(WP),HB(WP),ASC(LEFT\$(TR\$,1)),1)"[RVSOFF]";	PB	•510 IF JY=1 THEN K=K-1:IF K<9 THEN K=17	NK
•452 I=10:GOSUB 50:FT=1+(I*LV):I=12-DL(WP):IF I<1 THEN 454	DK	•511 IF JY=2 THEN K=K+1:IF K>17 THEN K=9	KA
•453 GOSUB 50:FT=FT-I	DP	•512 IF K=L THEN 509	DA
•454 IF FT=0 THEN FT=1	DP	•513 GOTO 508	DB
•455 I=LEN(TR\$):IF I=1 THEN TR\$="":GOTO 457	MM	•515 PRINT VV\$(L)RX\$;:ON K-8 GOTO 520,530,540,550,560,570,580,480,470	HJ
•456 TR\$=RIGHT\$(TR\$,I-1)	MB	•520 I=DL(WP):GOSUB 50:IF I<3 THEN 440	CM
•457 ON HB(WP) GOTO 507,507:GOTO 424	HO	•521 I=EF(WP):GOSUB 50:IF I<3 AND LEN(TR\$)>0 THEN 450	AG
•470 SP%=1:GOSUB 90:GOTO 490	FF	•522 GOSUB 55:PRINT "[SS][s F][s O][s U][s N][s D][SS][s N][s O][s T][s H][s I][s N][s G][SS][s W][s O][s R][s T][s H][s W][s H][s I][s L][s E][SS]";:GOTO 507	HF
•480 GOSUB 55	PK	•529 GOTO 507	CO
•481 PRINT "[RVSON][s S][s U][s R][s V][s I][s V][s I][s N][s G][SS][s C][s R][s E][s W][SS][SS]"LEN(GL\$)VV\$(20)"[s C][s A][s R][s G][s O][SS][s V][s A][s L][s U][s E][4"[SS]"[c -]"CV*10000	DI	•530 IF HB(WP)<>1 THEN 532	AB
•482 PRINT VV\$(24)"[RVSON][SS][s P][s R][s E][s S][s S][SS][s B][s U][s T][s T][s O][s N][SS][s T][s O][SS][s C][s O][s N][s T][s I][s N][s U][s E][SS][RVSOFF]";	PI	•531 IF DL(WP)<5 THEN DL(WP)=3:GOSUB 55:PRINT "[c I][s G][s O][SS][s A][s W][s A][s Y][c I]";:GOTO 507	DJ
•483 FOR I=0 TO 599:NEXT	MF	•532 IF DL(WP)>7 AND LEN(TR\$)>0 THEN 450	DN
•484 GOSUB 40:IF JB=0 THEN 484	IB	•533 GOSUB 55:IF HB(WP)=1 THEN PRINT "[c I][s S][s O][s R][s R][s Y][c Z][c Z][s C][s A][s N][c M][s T][SS][s H][s E][s L][s P][SS][s Y][s O][s U][c I]";:GOTO 507	EJ
•490 GOSUB 800	CI	•534 PRINT "[c I][s N][s O][SS][s S][s P][s E][s A][s K][SS][s G][s A][s L][s A][s C][s T][s I][s C][SS][s L][s A][s N][s G][s U][s A][s G][s E][SS][s S][s O][SS][s S][s O][s R][s R][s Y][c I]";:GOTO 507	IB
•491 IF(PEEK(52)-PEEK(50))<4 THEN L=FRE(9)	AO	•540 IF DL(WP)<7 THEN DL(WP)=DL(WP)+1:GOTO 542	AN
•495 GOSUB 600:SYS 38046:POKE 648,140:POKE ES,31	AE	•541 GOSUB 55:PRINT "[SS][s T][s H][s E][SS][s Y][s O][s K][s E][s L][s S][SS][s D][s O][s N][c M][s T][SS][s A][s P][s P][s R][s E][s C][s I][s A][s T][s E][SS][s A][s R][s T][SS]";:GOTO 507	IH
•496 RETURN	IM	•542 GOSUB 55:PRINT "[SS][s H][s E][s A][s R][SS][s T][s H][s E][SS][s A][s P][s P][s L][s A][s U][s S][s E][c B][SS][SS][s T][s H][s E][s Y][SS][s L][s O][s V][s E][SS][s U][s S][c K][SS]";:GOTO 507	BH
•500 PRINT "[BLUE]"VV\$(9)"[SS][SS][s L][s O][s O][s K][SS][s A][s R][s O][s U][s N][s D]"VV\$(10)"[SS][SS][s A][s S][s K][SS][s Q][s U][s E][s S][s T][s I][s O][s N][s S]";	GK	•550 IF HB(WP)=1 THEN I=DL(WP):GOSUB 50:I	
•501 PRINT VV\$(11)"[SS][SS][s P][s U][s T][SS][s O][s N][SS][s A][SS][s S][s H][s O][s W]"VV\$(12)"[SS][SS][s O][s F][s F][s E][s R][SS][s T][s O][SS][s T][s I][s N][s K][s E][s R]";	MI		
•502 PRINT VV\$(13)"[SS][SS][s D][s I][s C][s K][s E][s R][SS][s W][s I][s T][s H][SS][s T][s H][s E][SS][s L][s O][s C][s			

F I<3 THEN DL(WP)=DL(WP)+1:GOTO 552	FC	G][s O][s T][SS][s I][s T][c K][SS]":CV	
•551 GOSUB 55:PRINT "[SS][s T][s H][s E][s Y][c M][s V][s E][SS][s G][s O][s T][s S][s N][s O][s T][s H][s I][s N][s G][SS][s F][s O][s R][SS][s U][s S][SS][s T][s O][SS][s F][s I][s X][SS]";:GOTO 507	MN	•581 I=DL(WP):GOSUB 50:IF I<3 THEN 440	FB
•552 GOSUB 55:PRINT "[SS][s T][s H][s E][s Y][SS][s L][s I][s K][s E][s D][SS][s O][s U][s R][SS][s W][s O][s R][s K][c D][SS][s P][s I][s L][s O][s T][SS]";	DI	•582 GOSUB 55:PRINT "[SS][s W][s H][s A][s T][c M][s S][SS][s T][s O][SS][s T][s A][s K][s E][c B][SS]":DL(WP)=DL(WP)-2:GOTO 585	CM
•553 IF EF(WP)>4 THEN EF(WP)=EF(WP)-1	HC	•583 IF DL(WP)<8 THEN 440	GF
•554 GOTO 507	CO	•584 DL(WP)=DL(WP)-3:I=DL(WP):GOSUB 50:IF I<3 THEN 440	DN
•560 IF FT<>0 THEN 563	PK	•585 PRINT "[c I][s W][s E][SS][s D][s O][s N][c M][s T][SS][s L][s I][s K][s E][SS][s Y][s O][s U][c D][SS][s T][s H][s I][s E][s V][s I][s N][s G][SS][s G][s Y][s P][s S][s I][s E][s S][c K][c I]":GOTO 507	MO
•561 IF (DL(WP)>6)AND(EF(WP)<10)AND LEN(TR\$)>0 THEN 565	OO	•586 IF DL(WP)<8 THEN 440	DJ
•562 GOSUB 55:PRINT "[c I][s N][s O][SS][s D][s E][s A][s L][s S][SS][s W][s I][s T][s H][SS][s G][s Y][s P][s S][s I][s E][s S][c K][c I]";:GOTO 507	OL	•587 DL(WP)=DL(WP)-3:I=DL(WP):GOSUB 50:IF I<3 THEN 440	DN
•563 IF DL(WP)<4 THEN 562	FO	•589 GOTO 507	MO
•564 GOSUB 55:PRINT "[SS][s G][s O][s T][SS][s I][s T][c K][SS]";:CV=CV+FT:FT=0:GOTO 507	CF	•600 VB=32768:POKE 56578,PEEK(56578)OR3:POKE 56576,(PEEK(56576)AND 252)OR 1	CO
•565 GOSUB 55:PRINT "[RVSON][SS][s A][s L][s L][SS][s R][s I][s G][s H][s T][c D][SS][s G][s Y][s P][s S][s I][s E][s S][c S][SS][SS][s Y][s O][s U][SS][s W][s A][s N][s T][SS][s T][s O][SS][s B][s U][s Y][SS]"	DG	•602 SB=0:POKE 53272,(SB*16)+4:SB=VB+1024*SB	CN
•566 PRINT "[RVSON]"AM\$(PD(WP),HB(WP),ASC(LEFT\$(TR\$,1)),1)"[SS][c B][RVSOFF]";	IH	•604 BB=SB/256:POKE 648,BB	MO
•567 GOTO 452	CP	•611 REM ** SPRITE COLOR TABLE	AK
•570 IF HB(WP)=1 THEN 573	FC	•612 CT(0)=53287:FOR I=1 TO 7:CT(I)=CT(I-1)+1:NEXT	LA
•571 DL(WP)=DL(WP)+1:IF EF(WP)>6 THEN EF(WP)=EF(WP)-1	LL	•613 HH(0)=53248:VV(0)=53249:FOR I=1 TO 7:HH(I)=HH(0)+I*2:VV(I)=VV(0)+I*2:NEXT	AN
•572 GOSUB 55:PRINT "[c I][s W][s E][c M][s L][s L][SS][s D][s O][SS][s W][s H][s A][s T][SS][s W][s E][SS][s C][s A][s N][c Z][c Z][s K][s E][s E][s P][SS][s L][s O][s O][s K][s I][s N][s G][c I]";:GOTO 507	BA	•618 HR=53264	OM
•573 IF DL(WP)>7 THEN 575	HB	•620 ES=53269	FB
•574 GOSUB 55:PRINT "[c I][s J][s U][s S][s T][SS][s W][s H][s A][s T][SS][s W][s E][SS][s N][s E][s E][s D][c Z][c Z][s G][s Y][s P][s S][s Y][SS][s B][s E][s G][s G][s A][s R][s S][c K][c I]";:GOTO 507	AL	•622 POKE 53271,0	FE
•575 IF EF(WP)>4 THEN EF(WP)=EF(WP)-1:GOTO 572	OE	•624 POKE 53277,0	PC
•576 GOSUB 55:PRINT "[c I][s T][s H][s E][s R][s E][c M][s S][SS][s N][s O][s T][s H][s I][s N][s G][SS][s W][s E][SS][s C][s A][s N][SS][s D][s O][c Z][c Z][s S][s O][s R][s R][s Y][SS][c I]";:GOTO 507	CO	•626 POKE 53275,0	PI
•579 GOTO 507		•628 POKE 53276,30	AG
•580 IF FT<>0 THEN GOSUB 55:PRINT "[SS][s		•630 POKE 53285,15:POKE 53286,7	DB
		•635 FOR I=0 TO 7:BC(I)=255-BS(I):NEXT	FK
		•638 REM *** INITIALIZE VALUES ***	LB
		•640 PRINT "[c 7]";	DK
		•642 POKE 53281,0	KM
		•644 POKE 53280,0	AF
		•646 POKE CT(0),7:POKE CT(1),5:POKE CT(2),2:POKE CT(3),6:POKE CT(4),12	AE
		•659 REM *** ML TABLE SETUP ***	EE
		•661 POKE 37920,4:POKE 37921,4	CA
		•663 POKE 37922,1	CB
		•665 POKE 37923,0	PO
		•667 POKE 37924,1:POKE 37925,1	PA
		•669 POKE 37936,1	FL
		•671 POKE 37940,1	AJ
		•673 POKE 37941,0	PO
		•674 REM ** GO-SPEED TIMER (NUMBER OF SPRITE 0 MOVES PER INTERRUPT [1=SLOWEST])	PA
		•675 POKE 37926,3:POKE 37928,3	MH
		•677 POKE 37927,0:POKE 37935,0:POKE 37943,0	GI
		•679 POKE 53282,1:POKE 53283,7:POKE 53284	MA


```

,9
.690 REM
.693 REM *** SAFETY PROCEDURES ***
.694 POKE 657,128:REM DISABLE SHIFT/COMMO
DORE CHARACTER SET SWITCH
.695 POKE 808,234:POKE 792,193:REM DISABL
E STOP AND STOP/RESTORE
.696 RETURN
.699 REM *** INTRO SCREEN ***
.700 POKE 53281,0:POKE 53280,4:POKE 53265
,PEEK(53265)OR 64:PRINT "[c 7][CLEAR]";
.701 POKE 53282,7:POKE 53283,9:POKE 53284
,1
.705 PRINT "[HOME][DOWN][DOWN]"TAB(14)"[R
VSON][s G][s Y][s P][s S][s Y][SS][SS][s
P][s I][s L][s O][s T][RVSOFF]":PRINT:P
RINT
.710 PRINT "[4" "]YOU HAVE BEEN CHOSEN TO
PILOT THE"
.711 PRINT "FAMILY'S STARSHIP IN SEARCH O
F WORLDS
.712 PRINT "WHERE WE CAN TRADE, PUT ON SH
OWS, AND"
.713 PRINT "PERHAPS FIND SOME SPECTACULAR
TREASURE.":PRINT
.714 PRINT "[4" "]"MOST IMPORTANT, THOUGH,
IS TO KEEP
.715 PRINT "THE FAMILY SAFE. THERE ARE D
ANGERS OUT"
.716 PRINT "AMONG THE STARS. AND YOU MUS
T ANSWER"
.717 PRINT "FOR ANY LIVES THAT ARE LOST."
:PRINT:PRINT
.720 PRINT "[RVSON][4" "]"HOW DANGEROUS A
VOYAGE DO YOU DARE ATTEMPT?"
.721 PRINT "[5"[SS]" ][s V][s E][s R][s Y]
[SS][s D][s A][s N][s G][s E][s R][s O][
s U][s S][4"[SS]" ]"
.722 PRINT "[5"[SS]" ][s B][s O][s L][s D]
[SS][s B][s U][s T][SS][s N][s O][s T][s
S][s C][s R][s A][s Z][s Y]"
.723 PRINT "[5"[SS]" ][s P][s R][s E][s T]
[s T][s Y][SS][s S][s A][s F][s E][7"[SS
]" ]":PRINT:PRINT "(USE JOYSTICK IN PORT
2)";
.724 VV$(0)="[HOME]":FOR I=1 TO 24:VV$(I)
=VV$(I-1)+"[DOWN]":NEXT:RR$="[RVSON]=[RV
SOFF]":RX$="[SS]":LV=18
.725 RR$="[RVSON]=[RVSOFF]":RX$="[SS]":LV
=18:XV=LV
.726 PRINT VV$(XV)RX$VV$(LV)RR$;:XV=LV
.727 JB=0:JY=0:GOSUB 40:IF JB>0 THEN LV=L
V-17:GOTO 731
.728 IF JY=1 THEN LV=LV-1:IF LV<18 THEN L
V=20
.729 IF JY=2 THEN LV=LV+1:IF LV>20 THEN L
V=18
.730 GOTO 726
GD .731 PRINT "[CLEAR][RVSON][s L][s A][s S]
JD [s T][SS][s M][s I][s N][s U][s T][s E][
CM SS][s I][s N][s S][s T][s R][s U][s C][s
OA T][s I][s O][s N][s S]" JO
.735 PRINT:PRINT "[3" "]THE SHIP'S COMPUT
ER WILL LOCATE[7" "]PLANETS.":PRINT IL
.736 PRINT "[3" "]"[RVSON][s G][s A][s S][
IM SS][s G][s I][s A][s N][s T][s S][3"[SS]
PN "]" FOR HYDROGEN FUEL[5" "]":PRINT EE
.737 PRINT "[3" "]"[RVSON][s R][s O][s C][
CL s K][s Y][SS][s P][s L][s A][s N][s E][s
ML T][s S] FOR THE ELEMENTS THAT " BO
.738 PRINT " [RVSON]SUPPORT LIFE--CARBON,
OXYGEN, NITROGEN" JF
.740 PRINT:PRINT "[3" "]"YOUR JOB IS TO PI
LOT THE SHIP INTO" HG
.741 PRINT " STATIONARY ORBIT, SO IT FOLL
OWS RIGHT" JO
.742 PRINT " ALONG WITH THE PLANET. FUEL
AND" FE
.743 PRINT " SUPPLIES ARE TAKEN ABOARD BY
MACHINES.":PRINT OL
.744 PRINT "[3" "]"TO VISIT A PLANET, PRES
S THE BUTTON" LD
.745 PRINT " WHILE IN STATIONARY ORBIT." KB
.750 PRINT VV$(24)"[s P][s R][s E][s S][s
S][SS][s B][s U][s T][s T][s O][s N][SS
][s T][s O][SS][s G][s O][SS][s O][s N]"
; EB
.751 GOSUB 40 PA
.760 PRINT "[CLEAR][RVSON] YOU CAN TAKE A
NAP NOW--IT TAKES A[5" "]"; MF
.761 PRINT "[RVSON] WHILE TO LOAD SUPPLIE
S ABOARD THE SHIP." BH
.765 RETURN IM
.800 RP(WP)=0:J=0 MF
.805 IF(WP=2)OR(WP=4) THEN J=RND(0)*100 PP
.807 IF J>88 THEN RP(WP)=1:IF J>96 THEN R
P(WP)=2:PN(WP)=254:PD(WP)=10 EI
.810 HB(WP)=INT(RND(0)*3):IF RP(WP)=2 AND
HB(WP)=0 THEN HB(WP)=1 KO
.811 DL(WP)=3+INT(6*RND(0))+LV-HB(WP):EF(
WP)=6+INT(6*RND(0))-LV-HB(WP) FN
.812 HT(WP)=1+INT(3*RND(0)) JO
.820 IF RP(WP)=2 THEN RETURN FJ
.822 PV=PV+1:IF PV>28 THEN SP%=1:GOTO 885 CN
.825 I=LEN(PX$(HB(WP))):IF I<1 THEN 810 BK
.830 J=INT(RND(0)*I)+1:GOSUB 860 ED
.835 PD(WP)=ASC(MID$(PX$(HB(WP)),J,1)) PF
.840 IF I>2 THEN GOTO 855 JH
.845 IF I=1 THEN PX$(HB(WP))="":RETURN LH
.850 PX$(HB(WP))=MID$(PX$(HB(WP)),XQ(J),1
):RETURN KD
.855 IF J=1 THEN PX$(HB(WP))=RIGHT$(PX$(H
B(WP)),I-1):RETURN CM
.856 IF J=I THEN PX$(HB(WP))=LEFT$(PX$(HB
(WP)),I-1):RETURN CP
.857 PX$(HB(WP))=LEFT$(PX$(HB(WP)),J-1)+R

```


IGHT\$(PX\$(HB(WP)),I-(J+1)):RETURN	HH	0,2),AM\$(10,2,2,1)	CH
•860 K=LEN(PY\$):L=1+INT(RND(0)*K)	IE	•2120 TN=0:NM\$(254)="[s A][s R][s T][s I]	
•865 PN(WP)=ASC(MID\$(PY\$,L,1))	DP	[s F][s I][s C][s I][s A][s L][SS][s S][	
•868 IF L=1 THEN PY\$=RIGHT\$(PY\$,K-1):RETU	OA	s A][s T][s E][s L][s L][s I][s T][s E]"	AL
RN		•2130 INPUT#2,NM\$(TN):IF NM\$(TN)="[5"X"]"	
•869 IF L=K THEN PY\$=LEFT\$(PY\$,K-1):RETUR	PF	THEN 2145	CN
N		•2140 TN=TN+1:GOTO 2130	GE
•870 PY\$=LEFT\$(PY\$,L-1)+RIGHT\$(PY\$,K-(L+1	EP	•2145 PZ\$="":FOR I=0 TO 254:PZ\$=PZ\$+CHR\$(	DP
)):RETURN		I):NEXT:PY\$=LEFT\$(PZ\$,TN):L=FRE(9)	
•875 IF I=0 THEN GL\$=RIGHT\$(GL\$,LEN(GL\$)-	KO	•2150 FOR I=0 TO 1:FOR J=0 TO 2:INPUT#2,M	OM
1):RETURN		M\$(I,J):NEXT:NEXT	
•876 IF I=LEN(GL\$)-1 THEN GL\$=LEFT\$(GL\$,I	GN	•2160 FOR I=0 TO 32:INPUT#2,GN\$(I):NEXT:G	NM
-1):RETURN		L\$=LEFT\$(PZ\$,33)	
•880 GL\$=LEFT\$(GL\$,I)+RIGHT\$(GL\$,LEN(GL\$)	LG	•2161 PRINT "[CLEAR][RVSON][DOWN][8"[SS]"	OI
-(I+1)):RETURN		][s H][s E][s R][s E][SS][s I][s S][SS][	
•885 PRINT VV\$(23)"[SS][SS][s Y][s O][s U	FE	s T][s H][s E][SS][s G][s Y][s P][s S][s	DD
][SS][s L][s E][s D][SS][s U][s S][SS][s	IM	Y][SS][s F][s A][s M][s I][s L][s Y][8"	DG
T][s O][SS][c R][c O][SS][s W][s O][s R	IO	[SS]"	LA
][s L][s D][s S][c Z][c Z][s G][s O][s O	OC	•2163 GB=INT(RND(0)*33):GB\$=GN\$(GB):I=GB:	
][s D][SS][s W][s O][s R][s K][c K][3"[S	IJ	GOSUB 875	HD
S]"BB\$;	MF	•2164 PRINT "[BLUE]";:FOR I=1 TO 32 STEP	GF
•890 RETURN	EO	2	PH
•900 FOR I=1 TO 4:POKE HH(I),20+INT(RND(9	IK	•2165 PRINT ,GN\$(ASC(MID\$(GL\$,I,1))),GN\$(	KP
)*220)	LP	ASC(MID\$(GL\$,I+1,1))):NEXT:PRINT "[c 7]"	JC
•901 POKE VV(I),50+INT(RND(9)*190):NEXT	AE	;	CH
•902 POKE HR,0	CN	•2166 A\$="[SS][BLUE]" + GB\$ + "[c 7][SS][s I]	FP
•909 REM ** PUT STARS ON THE SCREEN	ED	[s S][SS][s H][s E][s A][s D][SS][s O][s	OD
•910 PRINT "[CLEAR]";:FOR I=0 TO 49:POKE	NL	F][SS][s T][s H][s E][SS][s F][s A][s M	JO
VB+INT(RND(9)*1024),46:NEXT	BD	][s I][s L][s Y][c S]":L=INT((42-LEN(A\$)	JP
•915 FOR I=0 TO 8:POKE VB+INT(RND(9)*1024	FA	)/2)	KC
),42:NEXT	EF	•2167 B\$="[RVSON]":FOR I=1 TO L:B\$=B\$+"[S	AI
•919 REM ** STARSHIP POSITION	KO	S]":NEXT:A\$=B\$+A\$:FOR I=LEN(A\$) TO 42	CI
•920 POKE 53248,175:POKE 53249,150	OK	•2168 A\$=A\$+"[SS]":NEXT:PRINT:PRINT A\$	AK
•921 REM ** STARSHIP DIRECTION	CO	•2169 PRINT " NOW THE COMPUTER WILL UPDAT	NM
•922 POKE VB+1016,16	LI	E ITS STAR"	BC
•929 REM ** SETUP STRINGS	PH	•2170 PRINT " CHARTS---AND THEN WE'RE ON O	
•931 BB\$="[RVSOFF][32" ""]	HN	UR WAY!"	
•935 FF\$="[RVSON]FUEL[28" ""]	IA	•2180 FOR I=0 TO 2:FOR J=0 TO 9:INPUT#2,P	
•936 SS\$="[RVSON][s S][s U][s P][s P][s L	PE	M\$(J,I)	
][s I][s E][s S][24"[SS]"	IF	•2190 FOR K=0 TO 1:FOR L=0 TO 2:INPUT#2,A	
•937 QF=33:QS=33	IM	M\$(J,I,L,K):NEXT:NEXT:NEXT	
•938 FOR I=0 TO 2:PX\$(I)=LEFT\$(PZ\$,10):NE	OA	•2195 FOR I=1 TO 2:READ PM\$(10,I):FOR K=0	
XT	HN	TO 1:FOR L=0 TO 2	
•939 REM ** LEVEL OF PLAY	JL	•2196 READ AM\$(10,I,L,K):NEXT:NEXT:NEXT	
•940 TS=50:IF LV<3 THEN TS=20:IF LV<2 THE	JI	•2200 CLOSE 2:RETURN	
N TS=10	KH	•2210 DATA A SPANKING NEW SPACE STATION W	
•941 TM=TS:FM=TS/2		ITH A CREWOF LONELY HUMANS	
•942 XQ(1)=2:XQ(2)=1		•2211 DATA GOT WAYLAID BY SEX-STARVED CRE	
•944 PRINT VV\$(23)" PAUSE A MOMENT FOR GA		W MEMBERS AND NOW REFUSES TO LEAVE	
RBAGE DISPOSAL [3".""];		•2212 DATA STUMBLED ON ILLEGAL DRUGS AND	
•945 FOR WP=1 TO 4:GOSUB 800:NEXT		WAS SHOT,WAS CAUGHT SELLING HOOCH	
•946 CV=1		•2213 DATA AN URGENT MESSAGE OF AN ALIEN	
•947 RETURN		INVASION,VITAL DATA ABOUT THIS SYSTEM	
•1998 REM *** MACHINE LANGUAGE ***		•2214 DATA A THRILLING NOVEL THE CREW HAS	
•1999 REM LOAD ML FILE		WRITTEN IN THEIR ENDLESS SPARE TIME	
•2000 LOAD "GYPSY VIDEO",8,1		•2220 DATA AN ANCIENT ALIEN ORBITAL VESSE	
•2100 OPEN 2,8,2,"GYPSY PLANETS"		L WITH A CREW OF GIANT SPEECHLESS BEES	
•2110 DIM NM\$(254),GN\$(33),MM\$(1,2),PM\$(1		•2221 DATA WENT EXPLORING---FOUND THE QUEE	

IMPORTANT!

Letters on white background are **Bug Repellent** line codes. Do not enter them! Pages 119 and 120 explain these codes and provide other essential information on entering **Ahoy!** programs. Refer to these pages **before** entering any programs!

N AND WAS STUNG TO DEATH
 •2222 DATA TRIED TO BREATHE THE ALIEN AIR
 ,WAS KIDNAPPED AND USED FOR LARVA FOOD
 •2223 DATA A KIND OF HONEY THAT GIVES TEM
 PORARY TELEPATHIC ABILITIES
 •2224 DATA A STRUCTURAL BEESWAX STRONGER
 THAN STEEL
 •2225 DATA OBSERVATIONS OF THE BEES--INCL
 UDING THEIR MAGNIFICENT DANCING

CD	•49376 DATA 48038502A9068D20D08D21D020F2C	JI
	04C10C1A502A0009900D89900D99900DA99	
MH	•49408 DATA 00DBC8D0F1A228A90D9DC0DBCAD0F	EH
	A60AD43038D4F128DCF1EA9208D76128D50	
HL	•49440 DATA 128D801E8DA61EA90085FB8D3F03A	LE
	9FF85FDA91285FCA92385FEA000A20018A5	
DD	•49472 DATA FD690185FDA5FE690085FEB1FB91F	OO
	D18A5FD697885FDA5FE690085FEB1FB91FD	
KM	•49504 DATA 18A5FD697885FDA5FE690085FEB1F	EF
	B91FD38A5FDE9F085FDA5FE690085FEE8E0	
	•49536 DATA 03D0BBEE3F03AD3F03C928D01218A	KM
	5FD69F085FDA5FE690085FEA9008D3F0318	
	•49568 DATA A5FB690185FBA5FC690085FCA5FCC	FM
	920D08AA5FBC900D084A9A08D4203A9FF8D	
LI	•49600 DATA 0FD4A9808D1BD4A2D2A000AD1BD4C	NP
BM	92730F9C99010F585FCAD1BD485FBB1FBCD	
IP	•49632 DATA 4303F0E7AD420391FBCAD0DFAD420	IL
AG	3C953F00AA9538D4203A2024CCBC1A204A9	
OD	•49664 DATA 309DC107CAD0FA200DC24C1DC2A22	JF
	0A95B9DC707CAD0FAA9018D4F0360A9988D	
IC	•49696 DATA 4403A9218D4503A9008D4603A90F8	MB
OJ	D18D4A9018D1CD08D15D0A9B08D00D0A98C	
FM	•49728 DATA 8D01D0A9028D27D0A90E8DF807A90	FM
JC	18D25D0A90A8D26D0AD00DC290F8D4003CE	
EN	•49760 DATA 4603AD4603C900D012A9008D04D4A	CN
	D4803850220F2C0A9068D20D038A90FED40	
LG	•49792 DATA 038D4003C900F0038D4D03AD3C03C	FC
	901D006AD40038D4D03AD4D03C901D0034C	
NB	•49824 DATA BAC2C902D0034CE1C2C904D0034C0	PF
AJ	8C3C908F0034C53C34C2FC3ADCC058D4103	
FL	•49856 DATA CD4303D008A9028D4D034C53C38A	DJ
HK	D4403E9788D4403AD4503E9008D45034C53	
FO	•49888 DATA C3AD1C068D4103CD4303D008A9018	GN
EL	D4D034C53C318AD440369788D4403AD4503	
LN	•49920 DATA 69008D45034C53C3ADF3058D4103C	HE
NM	D4303D008A9088D4D034C53C38AD4403E9	
GC	•49952 DATA 018D4403AD4503E9008D45034C53C	BL
KA	3ADF5058D4103CD4303D008A9048D4D034C	
OE	•49984 DATA 53C318AD440369018D4403AD45036	DA
	9008D4503A90085FDA90485FEA9008D4E03	
BF	•50016 DATA 8D4703AD440385FBAD450385FCA00	OL
	0B1FB91FD18A5FB690185FBA5FC690085FC	
AF	•50048 DATA 18A5FD690185FDA5FE690085FEEE4	NF
	703AD4703C928D012A9008D470318A5FB69	
IC	•50080 DATA 5085FBA5FC690085FCE8D0C3EE4E0	AJ
	3AD4E03C904D0034CC2C3C903D0B2A2684C	
GH	•50112 DATA 6FC3AD4103CD4303D026A90885028	GL
	D20D020F2C0A9088D05D4A9818D04D4A919	
FM	•50144 DATA 8D01D4A90A8D4903A9028D4603EE4	KN
	F03AD4103C9A0D01EA90785028D20D020F2	
JG	•50176 DATA C0A9018D4B03A90F8D05D4A9118D0	IL
	4D4A9058D4603AD4103C953D026A9008502	
DE	•50208 DATA 20F2C0A90F8D05D4A9218D04D4A90	DC
	48D4603A280A000EE21D0C8D0FAE8D0F720	
PI	•50240 DATA 0DC2AD4903C900F017A90F8D2C05A	NB
	9158D5405A9038D7C05A9088DA405CE4903	

SANTA'S BUSY DAY FROM PAGE 118

•10 REM SANTA'S BUSY DAY
 •20 REM GEORGE TREPAL
 •30 REM 2650 ALTURAS ROAD
 •40 REM BARTOW, FL 33830
 •50 PRINT"[CLEAR][6"[DOWN]] DO YOU WANT
 AN <E>ASY OR A <R>EGULAR"
 •55 PRINT" GAME?"
 •60 GETA\$: IFA\$<>"" THEN 60
 •70 GETA\$:IF A\$="" THEN 70
 •80 IF A\$="E" THEN POKE 828,1
 •90 C=896: CT=44: POKE53280,0
 •100 READ D\$: L=LEN(D\$): PRINT "[CLEAR][1
 1"[DOWN]]"[WHITE]"SPC(8)"COUNTING DOWN T
 O ZERO ";
 •105 CT=CT-1: PRINT CT: POKE 53281,CT
 •110 FOR J=1TOL STEP2: M\$=MID\$(D\$,J,2)
 •120 H\$=LEFT\$(M\$,1): L\$=RIGHT\$(M\$,1)
 •130 H=ASC(H\$)-48: IFH>10 THEN H=H-7
 •140 L=ASC(L\$)-48: IFL>10 THEN L=L-7
 •150 P=H*16+L:IF P>255 THEN 200
 •155 POKE C,P: C=C+1
 •160 NEXT:GOTO100
 •200 IF C<1000 THEN C=49152: GOTO 100
 •210 SYS49160
 •896 DATA 00150000AA8002AAAA009555806AAA40
 A596806FBE405EB94055554016A500159
 •928 DATA 500255600A95A82AA6AA2AAAAA29AA9
 A19AA9915AA95156A55055554015550ZZ
 •49152 DATA 0100D8FFFFFF2800A9008D49038D4
 C0385FBA90C85FCA000A92091FBC8D0FBE6
 •49184 DATA FCA5FCC99FD0F1A9568D4303A9518
 5FBA92885FDA91285FC85FEA99320D2FFA2
 •49216 DATA 00A000AD430391FDC8C027D0F918A
 5FD692885FD9002E6FEE8E051D0E4A000A9
 •49248 DATA 0491FBA9FF8D0FD4A9808D12D4AD1
 BD4290385ADAA0AA818B900C065FB85AAB9
 •49280 DATA 01C065FC85AB18B900C065AA85FDB
 901C065AB85FEA000B1FDCD4303D0128A91
 •49312 DATA FDA92091AAA5FD85FBA5FE85FC4C6
 3C0E88A2903C5ADD0BCB1FBAA92091FBE0
 •49344 DATA 04F01A8A0AA8A20238A5FBF900C08
 5FBA5FCF901C085FCCAD0EE4C63C0A90F8D

COMMODORE USERS

K

Ahoy!

\$2.50 CAN \$2.75 AUGUST 1984

DESSING ISSUE WORD PROCESSING ISSUE WORD PROOF

4995 ANSWERS
TO 135 QUESTIONS
ABOUT
37 WORD PROCESSORS

SELECTING
A
WORD
PROCESSOR

10 USES
FOR YOUR
WORD
PROCESSOR

UNRAVELING
THE
MYSTERIES
OF SOUND

PROGRAM
YOUR OWN
WORD GAMES



PROVIDE
DIRECTORY
ASSISTANCE
FOR YOUR VIC OR 64



DOUBLE YOUR TROUBLE
WITH THE
TERRIBLE TWINS
FOR THE VIC AND 64



HAS EVERYTHING!

SUBSCRIBE TO AHOY!

☐ Twelve Issues for \$19.95 (\$26.95 Canada and elsewhere)

☐ Twenty-four Issues for \$37.95 (\$49.95 Canada and elsewhere)

Name _____

Address _____

City _____ State _____ Zip _____

Send coupon or facsimile to:
ION INTERNATIONAL INC.

45 West 34th Street, Room 407, New York, NY 10001

•50272 DATA 18AD440369B485FBAD4503690585F	003EE4F03AD4F03AAA9A09DC707CAD0F8AD	NA
CA92091FB8D4103AD4B03C901D049A9008D	MF •50400 DATA C207C932D0034CF3C4AD4F03C920D	
•50304 DATA 4B03A9008D4A0318ADC4076901C93	0484CF3C4A9008D04D48D15D0A90F8DF305	ML
AF0068DC4074CA1C4A9308DC407A9018D4A	FN •50432 DATA A9168DF405A9058DF505A9128DF60	
•50336 DATA 03A20218BDC1076D4A03C93AF00B9	5A9028502A9008D21D020F2C0A9018DF3D9	BA
DC107A9008D4A034CC3C4A9309DC107A901	JP •50464 DATA 8DF4D98DF5D98DF6D9A5C5C940D0F	
•50368 DATA 8D4A03CAD0DDEE4C03AD4C03C900D	AA5C5C940F0FA4C08C04C57C250ZZ	KH

COMMODORE ROOTS

Continued from page 92

noteworthy features. One of these features is a technique

called address modification. We will take a close look at this feature in next month's column. ☐

SEE PROGRAM LISTING ON PAGE 122

SKETCHER Program

(Lines to be added to BLACKBOARD.S, page 122; see text of article!)

259 *		301	JMP	DOIT	343	STX	VPSN	385	TOOHI	LDA	#<HMAX-2
260 *	PRINT DOT AT MIDSREEN	302 *			344	RTS		386		STA	HPSN
261 *		303	DOWN	JSR	MOVEDN			387		LDA	#>HMAX-2
262	LDA #VMID	304		JMP	DOIT	346	MOVEDN	LDX	VPSN	388	STA
263	STA VPSN	305 *				347		INX		389	RTS
264	LDA #<HMD	306	LEFT	LDX	HPSN	348	STX	VPSN		390 *	
265	STA HPSN	307		LDY	HPSN+1	349	RTS			391 *	PRINT DOT ON SCREEN
266	LDA #>HMD	308		TXA		350 *				392 *	
267	STA HPSN+1	309		BNE	DECLSB	351 *	"DOIT" SUBROUTINE			393	PRINT
268	JSR PRINT	310		DEY		352 *				394	JSR
269 *		311	DECLSB	DEX		353	DOIT	JSR	PRINT	395 *	
270 *	READ JOYSTICK	312		STX	HPSN	354		JMP	READJS	396	
271 *		313		STY	HPSN+1	355 *				397	PHA
272 *	FIRST CHECK TRIGGER BUTTON	314		JMP	DOIT	356 *	MORE SUBROUTINES START HERE			398	LDA
273 *		315 *				357 *				399	PHA
274	READJS LDA CIAPRA	316	UPANDL	JSR	MOVEUP	358 *	MAKE SURE DOT IS WITHIN RANGE			400 *	
275	AND #10	317		JMP	LEFT	359 *				401	LDA
276	BEQ START	318 *				360	CHECK	LDA	VPSN	402	BNE
277 *		319	DNANDL	JSR	MOVEDN	361		BEQ	RAISE	403	DEC
278 *	NOW READ JOYSTICK	320		JMP	LEFT	362		CMP	#VMAX-1	404	SKIP
279 *		321 *				363		BCS	LOWER	405	JSR
280	LDA #0F	322	NIL2	JMP	READJS	364		JMP	HCHECK	406	JSR
281	PHA	323 *				365	RAISE	INC	VPSN	407 *	
282	AND CIAPRA	324	RIGHT	LDX	HPSN	366		JMP	HCHECK	408	PLA
283	STA JSV	325		LDY	HPSN+1	367	LOWER	LDA	#VMAX-1	409	STA
284	PLA	326		INX		368		STA	VPSN	410	PLA
285	SEC	327		BNE	NOINC	369 *				411	STA
286	SBC JSV	328		INY		370	HCHECK	BIT	HPSN+1	412	RTS
287	STA JSV	329	NOINC	STX	HPSN	371		BPL	OKLOW	413 *	
288 *		330		STY	HPSN+1	372		LDA	#1	414	RELADS
289	TAX	331		JMP	DOIT	373		STA	HPSN	415	DFB
290	BEQ READJS	332 *				374		LDA	#0	416	DFB
291	LDA RELADS-1,X	333	UPANDR	JSR	MOVEUP	375		STA	HPSN+1	417	DFB
292	STA MODREL+1	334		JMP	RIGHT	376		RTS		418	DFB
293	MODREL BNE *	335 *				377 *				419	DFB
294	MODR1	336	DNANDR	JSR	MOVEDN	378	OKLOW	LDA	#<HMAX-2	420	DFB
295 *		337		JMP	RIGHT	379		CMP	HPSN	421	DFB
296	NIL1 JMP READJS	338 *				380		LDA	#>HMAX-2	422	DFB
297 *		339 *	SUBROUTINES TO MOVE UP & DOWN			381		SBC	HPSN+1	423	DFB
298 *	ROUTINES TO MOVE JOYSTICK	340 *				382		BCC	TOOHI	424 *	DFB
299 *		341	MOVEUP	LDX	VPSN	383		RTS			
300	UP JSR MOVEUP	342		DEX		384 *					

...COMING IN THE JANUARY AHoy! (ON SALE DECEMBER 3)...

**SPEECH SYNTHESIS,
PART II**

INCLUDING A BUILD-
YOUR-OWN SPEECH
SYNTHESIZER PROJECT!

**MAGICAL
LINK**

FILE COMMUNICATION
ON THE RS-232
INTERFACE

**PROGRAMS THAT
WRITE THEMSELVES**

SIMPLE AND RELATIVE
ADDRESS MODIFICATION

Why settle for less when you can have Mo?

Now with free
PLAYNET
software too!

Mitey Mo turns your Commodore 64 into a telecommunications giant. It's the best-performing modem with upload/download.

Mitey Mo is being hailed as "the best price/performance communications package available." Its software has received the endorsement of the U.S. Commodore Users Group, which gives a money-back guarantee to members. It is truly the industry standard, and no wonder. It's the most user-friendly modem you can buy—it will take you online faster and easier than anything else.

Mitey Mo opens up a world of practical and exciting uses for your C-64. It lets you send and receive electronic mail, link up with community bulletin boards, play computer games with people in distant places, tap into library resources, and much more. All at your convenience.

Until Mitey Mo, Commodore's 1650 Automodem was the obvious choice when you went looking for a modem for your computer. Like Mitey Mo, it has "auto answer"—it receives data while unattended. And both modems are "auto dialers"—you dial right on the computer's keyboard. But that's about where the similarity ends.

Mitey Mo can dial up to 9

MODEM FEATURES	MITEY MO	COMMODORE AUTOMODEM
Auto Dial/Answer	YES	YES
Auto Redial	YES	NO
Smart 64 Software	YES	NO
Function Keys		
Programmable	YES	NO
Upload/Download		
Text & X-Modem	YES	NO
VT-52/VT-100 Emulation	YES	NO
Menu Driven	YES	NO
28K Software Buffer	YES	NO
Easy-to-Use Manual	YES	NO
Bell 103 Compatible	YES	YES
Multiple Baud Rates	YES	YES
Cable Included	YES	YES
Single Switch Operation	YES	NO
Warranty	3 years	90 days

Some mighty interesting features—ours and theirs. Yours to decide.

numbers sequentially. But suppose you dial a number and find it's busy. Mitey Mo has "auto redial"—it hangs up and redials immediately until it gets through. With the other modem you have to redial each time—and somebody with auto redialing can slip in ahead of you.

Mitey Mo is menu driven. It lists the things you can do on the screen.

Select a number and you're on your way. Since Automodem isn't menu driven, you'll be hunting through the manual a lot.

With Mitey Mo, your computer's function keys are programmable—you can save yourself plenty

of keystrokes. Not so with the other modem. And only Mitey Mo lets you store data to review or print it later.


Mitey Mo has just one switch, the Smart 64 software does the rest. With the other modem you'll have to remember to check three switches, otherwise you may be answering when you mean to be originating.

Mitey Mo is half the size of the other modem. The very latest technology allows miniaturization and increased reliability, as well. Mitey Mo is so reliable, we gave it a full three-year warranty. The other modem gives 90 days, then you're on your own.

Not only will you find Mitey Mo mighty useful, you'll find it mighty reasonably priced. When you buy it, you'll get \$15 of CompuServe access time and 2 hours of PlayNet free, as well. See your dealer or call us directly to order your Mitey Mo.



Computer Devices Int'l
1345-A2 Doolittle Drive
San Leandro, CA 94577
(415) 633-1899



BEACH-HEAD II

FEATURES
"VOICE
SIMULATION"
AND TRUE
"HEAD TO HEAD"
TWO PLAYER
ACTION

By Roger and
Bruce Carver

The war time drama of the award winning game Beach-Head continues with Beach-Head II, "The Dictator Strikes Back."

Beach-Head II pits allied forces against the cruel dictator, who escaped the destruction of the fortress and fled into the tropical forest with portions of his army and prisoners captured during the land battle. The player must locate and penetrate the heavily armed sanctuary, capture the dictator, and free the prisoners.



THE DICTATOR STRIKES BACK

\$39.95

AVAILABLE ON DISK FOR COMMODORE 64/128, APPLE II + /E/C, ATARI 48K

TRY THESE OTHER FINE ACCESS PRODUCTS

MACH5™ CARTRIDGE FAST LOADER

NEW

- Load programs up to 500% faster.
- Full help menu at the touch of a key.
- Eliminate 1541 disk drive rattle.
- Print screen (screen dump to printer).
- Restore basic program (old).
- List disk directory without erasing program in memory.
- Pause or exit from directory listing.
- Execute short hand load commands from directory.
- Auto run any basic program.
- Open and close printer channels with a single key.
- Disable and re-enable features without turning off computer.
- Compatible with all popular printers.
- Send dos command (@).
- Load virtually 95% of all software, even copy protected games.
- Completely transparent. Does not disturb ram.

\$34.95

Compatible with your Commodore 64/128 and 1541, Indus GT, Enhancer 2000 or Tech 16.

BEACH-HEAD™

"The graphics are remarkable—it's almost like watching a John Wayne Movie."

—Computer Games



\$34.95

Commodore 64/128, Atari 48K

RAID OVER MOSCOW™

"Raid Over Moscow is action gaming at its finest—realistic graphics, superb sound effects and highly challenging tests of skill."

—Home Computing & Video News



\$39.95

Commodore 64/128



ACCESS
Software Incorporated

VISIT YOUR FAVORITE RETAILER...

For mail orders, enclose check or money order, plus \$2.00 shipping and handling, and specify machine version desired. Order by phone on Visa, MasterCard or C.O.D. by calling 801/973-0123.

ACCESS SOFTWARE, INC. 925 East 900 So. Salt Lake City, UT 84105

DON'T MISS THE BOAT!



SUBSCRIBE TO AHOY!

- ☐ Send me twelve issues of AHOY! for \$19.95 (\$26.95 Canada & elsewhere). I understand that I will be billed later.
- ☐ Send me twenty-four issues of AHOY! for \$37.95 (\$49.95 Canada and elsewhere). I understand that I will be billed later.

NAME _____
 ADDRESS _____
 CITY _____
 STATE _____ ZIP _____

DON'T MISS THE BOAT!



SUBSCRIBE TO THE AHOY! DISK MAGAZINE

- ☐ Send me 12 issues of the AHOY! Disk Magazine for \$88.00 (\$115.00 Canada and elsewhere). I understand that I will be billed later.
- ☐ Send me 24 issues of the AHOY! Disk Magazine for \$165.00 (\$214.00 Canada and elsewhere). I understand that I will be billed later.

NAME _____
 ADDRESS _____
 CITY _____
 STATE _____ ZIP _____



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES



BUSINESS REPLY CARD

FIRST CLASS PERMIT NO. 65 MT. MORRIS, ILL.

POSTAGE WILL BE PAID BY ADDRESSEE

Ahoy!

P.O. BOX 341
MT. MORRIS, ILL. 61054



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES



BUSINESS REPLY CARD

FIRST CLASS PERMIT NO. 65 MT. MORRIS, ILL.

POSTAGE WILL BE PAID BY ADDRESSEE

Ahoy!

P.O. BOX 341
MT. MORRIS, ILL. 61054



DON'T MISS THE BOAT!

SUBSCRIBE TO AHOY!



- ☐ Send me twelve issues of AHOY! for \$19.95 (\$26.95 Canada & elsewhere). I understand that I will be billed later.
- ☐ Send me twenty-four issues of AHOY! for \$37.95 (\$49.95 Canada & elsewhere). I understand that I will be billed later.

NAME _____
 ADDRESS _____
 CITY _____
 STATE _____ ZIP _____

December 1985 Ahoy! / Void after December 17, 1985

READER SERVICE CARD

To request additional information on any product advertised or otherwise pictured in this issue of *Ahoy!* that is accompanied by a reader service number, circle the corresponding number below and mail this card. We will promptly forward your request to the designated companies.

101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130
 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160
 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190
 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220
 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240
 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270
 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300

A. Please check whether you are...

1. ☐ male 2. ☐ female

B. What is your age?

1. ☐ under 18 2. ☐ 18-24 3. ☐ 25-34
 4. ☐ 35-44 5. ☐ 45-54 6. ☐ 55-64 7. ☐ 65+

C. Education level completed

1. ☐ elementary 2. ☐ high school
 3. ☐ junior college 4. ☐ college graduate
 5. ☐ masters degree 6. ☐ phd


D. From which of the following sources did you obtain your copy of *Ahoy!*?

1. ☐ newsstand 2. ☐ subscription (mail)
 3. ☐ from a friend or family member
 4. ☐ other _____

E. If not currently a subscriber, do you plan to become one?

1. ☐ yes 2. ☐ no

Name _____
 Street _____
 City _____ State _____ Zip _____



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY CARD

FIRST CLASS PERMIT NO. 65 MT. MORRIS, ILL.

POSTAGE WILL BE PAID BY ADDRESSEE

Ahoy!

P.O. BOX 341
MT. MORRIS, ILL. 61054



PLACE
STAMP
HERE

AHOY! MAGAZINE

P.O. Box 2501
Clinton, Iowa 52735

pr
10
al
th
si
br
dr

si
ce
na
an
I/
V
ch
of
by

di
en
pa
po
en
D
a
ca